

Cornell University Insect Collection

ANTHOMYIIDAE

Determined Species: 150

Emily Satinsky

Updated: April 20, 2015

Subfamily	Tribe	Genus	Species	Author	Zoogeography		
Anthomyiinae	Anthomyiini	Anthomyia	obscuripennis	(Bigot 1886)	NEA		
			oculifera	Bigot 1885	NEA		
			procellaris	Rondani 1866	NEA		
			pullulula	Fan 1984	PAL		
		<i>Botanophila</i>	<i>betarum</i>	(Lintner 1883)	NEA		
			<i>discreta</i>	(Meigen 1826)	PAL		
			<i>dissecta</i>	(Meigen 1826)	NEA		
			<i>fugax</i>	(Meigen 1826)	NEA		
			<i>inornata</i>	(Stein 1898)	NEA		
			<i>latifrontalis</i>	(Huckett 1924)	NEA		
			<i>protuberans</i>	(Malloch 1919)	NEA		
			<i>seneciella</i>	(Meade 1892)	PAL		
			<i>spiniventris</i>	(Coquillett 1900)	NEA		
			<i>varicolor</i>	(Meigen 1826)	NEA		
			<i>Craspedochaeta</i>	<i>deceptiva</i>	(Malloch 1921)	PAL	
			<i>Fucellia</i>	<i>albeola</i>	Huckett 1927	NEA	
				<i>costalis</i>	Stein 1910	NEA	
		<i>maritima</i>		(Haliday 1838)	PAL		
		<i>rufitibia</i>		Stein 1910	NEA		
		<i>separata</i>		Stein 1910	NEA		
		<i>tergina</i>		(Zetterstedt 1845)	NEA		
		<i>Hylemya</i>		<i>alcathoe</i>	(Walker 1849)	NEA	
			<i>nigrimana</i>	(Meigen 1826)	PAL		
			<i>vagans</i>	(Panzer 1798)	NEA/PAL		
			<i>variata</i>	(Fallen 1823)	NEA/PAL		
			spp.		NEA		
		Chirosiini	<i>Hylemyza</i>	<i>partita</i>	(Meigen 1826)	NEA/PAL	
				<i>Chirosia</i>	<i>albitarsis</i>	(Zetterstedt 1845)	PAL
			<i>Chirosia</i>	<i>arnolitra</i>	(Huckett 1924)	NEA	
				<i>crassiseta</i>	Stein 1908	PAL	
				<i>flavipennis</i>	(Fallen 1823)	NEA/PAL	
				<i>grandivillosa</i>	(Huckett 1924)	NEA	
				<i>grossicauda</i>	Strobl 1899	PAL	
				<i>histicina</i>	(Rondani 1886)	PAL	
				<i>idahensis</i>	Stein 1898	NEA	
				<i>latipennis</i>	(Zetterstedt 1838)	PAL	
				<i>spinosissima</i>	(Malloch 1919)	NEA	
				<i>Egle</i>	<i>atomaria</i>	(Zetterstedt 1845)	NEA
					<i>caerulescens</i>	Strobl	PAL
					<i>ciliate</i>	(Walker 1849)	NEA
					<i>concomitans</i>	(Pandelle 1900)	NEA
			<i>longipalpis</i>		(Malloch 1924)	NEA	
			<i>parva</i>		Robineau-Desvoidy 1830	PAL	
			<i>Lasiomma</i>	<i>atricaudum</i>	(Zetterstedt 1845)	NEA	
				<i>octoguttatum</i>	(Zetterstedt 1845)	NEA	
				<i>semitidium</i>	(Zetterstedt 1845)	PAL	
				<i>strigilatum</i>	(Zetterstedt 1838)	PAL	
<i>Strobilomyia</i>	<i>melania</i>			(Ackland 1964)	PAL		
Hydrophoriini	<i>Adia</i>		<i>cinerella</i>	(Fallen 1825)	NEA/PAL		
	<i>Boreophorbia</i>		<i>hirtipes</i>	(Stein 1907)	NEA		

<i>Delia</i>	<i>aemene</i>	(Walker 1849)	NEA
	<i>alaba</i>	(Walker 1849)	NEA
	<i>albula</i>	(Fallen 1825)	NEA
	<i>angustiventralis</i>	(Huckett 1965)	NEA
	<i>antiqua</i>	(Meigen 1826)	NEA
	<i>brunnescens</i>	(Zetterstedt 1845)	PAL
	<i>cardui</i>	(Meigen 1826)	PAL
	<i>cerealis</i>	(Gilette 1904)	NEA
	<i>coarctata</i>	(Fallen 1823)	NEA
	<i>cupricrus</i>	(Walker 1849)	NEA
	<i>curvipes</i>	(Malloch 1918)	NEA
	<i>echinata</i>	(Seguy 1923)	NEA
	<i>exigua</i>	(Meade 1883)	PAL
	<i>fabricii</i>	(Holmgren 1872)	NEA
	<i>floralis</i>	(Fallen 1824)	PAL
	<i>florilega</i>	(Zetterstedt 1845)	NEA/PAL
	<i>inconspicua</i>	(Huckett 1924)	NEA
	<i>linearis</i>	(Stein 1898)	NEA
	<i>lineariventris</i>	(Zetterstedt 1845)	NEA/PAL
	<i>lupine</i>	(Coquillett 1901)	NEA
	<i>montana</i>	(Malloch 1919)	PAL
	<i>neomexicana</i>	(Malloch 1918)	NEA
	<i>platura</i>	(Meigen 1826)	NEA/NEO/PAL/AUS/ORI
	<i>pluvialis</i>	(Malloch 1918)	NEA
	<i>pratensis</i>	(Robineau-Desvoidy 1830)	PAL
	<i>radicum</i>	(Linnaeus 1758)	NEA/PAL
	<i>setigera</i>	(Stein 1920)	NEA
	<i>setitarsata</i>	(Huckett 1924)	NEA
<i>Eustalomyia</i>	<i>festiva</i>	(Zetterstedt 1845)	NEA
	<i>histrion</i>	(Zetterstedt 1838)	NEA
	<i>vittipes</i>	(Zetterstedt 1845)	NEA
<i>Heterostylodes</i>	<i>laevis</i>	(Stein 1898)	NEA
<i>Hydrophoria</i>	<i>lancifer</i>	(Harris 1780)	NEA/PAL
	<i>ruralis</i>	(Meigen 1826)	PAL
	spp.		NEA
<i>Leucophora</i>	<i>apivora</i>	(Aldrich 1919)	NEA
	<i>johnsoni</i>	(Stein 1898)	NEA
	<i>maculata</i>	(Stein 1898)	NEA
	<i>marylandica</i>	(Malloch 1920)	NEA
	<i>obtusa</i>	(Zetterstedt 1838)	NEA
	<i>proboscidalis</i>	(Malloch 1917)	NEA
	<i>sociata</i>	(Meigen 1826)	NEA
	<i>unilineata</i>	(Zetterstedt 1838)	NEA
	<i>unistriata</i>	(Zetterstedt 1838)	NEA
<i>Neohylemyia</i>	<i>mallochi</i>	Huckett 1924	NEA
<i>Phorbia</i>	<i>curvicauda</i>	(Zetterstedt 1845)	PAL
	<i>fumigata</i>	(Meigen 1826)	NEA
	<i>sepia</i>	(Meigen 1826)	PAL
<i>Proboscimyia</i>	<i>siphonina</i>	Bigot 1883	NEA
<i>Zaphne</i>	<i>ambigua</i>	(Fallen 1823)	NEA

Pegomyinae	Myopinini	<i>Calythea</i>	<i>divisa</i>	(Meigen 1826)	NEA	
			<i>flavohalterata</i>	(Malloch 1920)	NEA	
			<i>implicata</i>	(Huckett 1944)	NEA	
			<i>uniformis</i>	(Malloch 1918)	NEA	
			<i>bidentata</i>	(Malloch 1913)	NEA	
			<i>micropteryx</i>	(Thomson 1869)	NEA	
			<i>monticola</i>	(Bigot 1885)	NEA	
			<i>pratincola</i>	(Meigen 1809)	NEA/PAL	
			spp.		NEA	
			Pegomyini	<i>Alliopsis</i>	<i>billbergi</i>	(Zetterstedt 1838)
	<i>conifrons</i>	(Zetterstedt 1845)			PAL	
	<i>litoralis</i>	(Malloch 1920)			NEA	
	<i>silvestris</i>	(Fallen 1824)			PAL	
	<i>Emmesomyia</i>	<i>apicalis</i>		Malloch 1917	NEA	
		<i>socialis</i>		(Stein 1898)	NEA	
	<i>Eutrichota</i>	<i>cylindrica</i>		(Stein 1898)	NEA	
		<i>duplicata</i>		(Malloch 1918)	NEA	
		<i>frigida</i>		(Zetterstedt 1845)	NEA	
		<i>fuscipes</i>		(Malloch 1920)	NEA	
		<i>gopheri</i>		(Johnson 1913)	NEA	
		<i>impolita</i>		(Huckett 1951)	NEA	
		<i>lipsia</i>		(Walker 1849)	NEA	
		<i>obversa</i>		(Huckett 1951)	NEA	
		<i>pilimana</i>		(Ringdahl 1918)	NEA	
		<i>Paradelia</i>		<i>intersecta</i>	(Meigen 1826)	PAL
				<i>Parapegomyia</i>	<i>connexa</i>	(Stein 1898)
		<i>Pegomya</i>			<i>affinis</i>	Stein 1898
				<i>bicolor</i>	(Wiedemann 1817)	NEA/PAL
				<i>caesia</i>	(Stein 1906)	NEA
<i>cognata</i>				Stein 1920	NEA	
<i>conformis</i>	(Fallen 1825)			PAL		
<i>flavifrons</i>	(Walker 1849)			NEA/PAL		
<i>flavipes</i>	Robineau-Desvoidy 1830			PAL		
<i>geniculata</i>	(Bouche 1834)			NEA		
<i>haemorrhorrhoum</i>	(Zetterstedt 1838)			PAL		
<i>hyosyami</i>	(Panzer 1809)			NEA		
<i>mallochi</i>	(Huckett 1939)			NEA		
<i>provecta</i>	(Villeneuve 1923)			PAL		
<i>rubivora</i>	(Coquillett 1897)		NEA			
<i>rumicifoliae</i>	Huckett 1941		NEA			
<i>solennis</i>	(Meigen 1826)		PAL			
<i>tabida</i>	(Meigen 1826)		NEA			
<i>ulmaria</i>	(Rondani 1886)		PAL			
<i>unicolor</i>	(Stein 1898)	NEA				
<i>versicolor</i>	(Meigen 1826)	NEA				
<i>winthemi</i>	(Meigen 1826)	NEA				
<i>wygodzinskyi</i>	(Albuquerque 1954)	NEA				
spp.		NEA/PAL				
<i>Pegoplata</i>	<i>acutipennis</i>	(Malloch 1918)	NEA			
	<i>aestiva</i>	(Meigen 1826)	NEA/PAL			

			<i>infirm</i>	(Meigen 1826)	PAL
			<i>juvenilis</i>	(Stein 1898)	NEA
			<i>tundrica</i>	(Schnabl 1915)	NEA/PAL
Subhyliniidae	Subhylini	<i>Subhylemyia</i>	<i>longula</i>	(Fallen 1824)	PAL