

Cornell University Insect Collection

CALLIPHORIDAE

Determined Species: 90

Emily Satinsky

Updated: July 29, 2014

Subfamily	Tribe	Genus	Species	Author	Zoogeography		
Ameniinae	Ameniini	<i>Platytropesa</i>	<i>auriceps</i>	Macquart 1851	ORI		
Calliphorinae	Angioneurini	<i>Melanomya</i>	<i>abdominalis</i>	(Reinhard 1929)	NEA		
			<i>bicolor</i>	(Coquillett 1899)	NEA		
			<i>flavescens</i>	(Reinhard 1929)	NEA		
			<i>obscura</i>	(Townsend 1919)	NEA		
			<i>ordinaria</i>	(West 1925)	NEA		
			Calliphorini	<i>Auchmeromyia</i>	<i>senegalensis</i>	(Macquart 1851)	ETH
					<i>Bellardia</i>	<i>bisetosa</i>	(Hall 1948)
				<i>Calliphora</i>	<i>pandia</i>	(Walker 1849)	PAL
					<i>coloradensis</i>	Hough 1899	NEA
					<i>latifrons</i>	Hough 1899	NEA
	<i>livida</i>	Hall 1948			NEA		
	<i>quadrimaculata</i>	(Swederus 1787)			ETH		
	<i>rufipalpis</i>	(Macquart 1834)			PAL		
	<i>stygia</i>	(Fabricius 1781)			PAL		
	<i>terraenovae</i>	Macquart 1851			NEA		
	<i>vicina</i>	Robineau-Desvoidy 1830			NEA/PAL		
	<i>viridescens</i>	Robineau-Desvoidy 1830			NEA		
	<i>vomitorea</i>	(Linnaeus 1758)			NEA		
	spp.				NEA		
	<i>Cynomya</i>	<i>cadaverina</i>			Robineau-Desvoidy 1830	NEA	
		<i>mortuorum</i>			(Linnaeus 1761)	PAL	
	<i>Melinda</i>	<i>cognata</i>			(Meigen 1830)	PAL	
		<i>gentilis</i>			Robineau-Desvoidy 1830	PAL	
	<i>Onesia</i>	<i>clausa</i>	(Macquart 1848)	PAL			
		<i>gentilis</i>	(Robineau-Desvoidy 1830)	PAL			
		<i>sepulcralis</i>	(Meigen 1826)	PAL			
		spp.		NEO			
	Luciliini	<i>Lucilia</i>	<i>caesar</i>	(Linnaeus 1758)	PAL		
			<i>cluvia</i>	(Walker 1849)	NEA		
			<i>coeruleiviridis</i>	Macquart 1855	NEA		
			<i>cuprina</i>	(Wiedemann 1819)	AUS		
			<i>eximia</i>	(Wiedemann 1819)	NEA/NEO/PAL		
			<i>ilustris</i>	(Meigen 1826)	NEA/PAL		
<i>mexicana</i>			Macquart 1843	NEA/NEO			
<i>papuensis</i>			Macquart 1843	NEO			
<i>purpescens</i>			(Walker 1836)	NEO			
<i>ruficeps</i>			(Meigen 1826)	PAL			
<i>sericata</i>			(Meigen 1826)	NEA/NEO/PAL			
<i>silvarum</i>			(Meigen 1826)	NEA			
spp.				NEA/AUS			
Polleniini			<i>Melanodexia</i>	<i>grandis</i>	Shannon 1926	NEA	

Chrysomyinae	Chrysomyini	<i>Pollenia</i>	<i>satanica</i>	Shannon 1926	NEA
			<i>rudis</i>	(Fabricius 1794)	NEA/PAL/AUS
			<i>vagabunda</i>	(Meigen 1826)	PAL
		<i>Chloroprocta</i>	<i>fuscanipennis</i>	(Macquart 1851)	NEO
			<i>idioidea</i>	(Robineau-Desvoidy 1830)	NEO
		<i>Chrysomya</i>	<i>albiceps</i>	(Wiedemann 1819)	ORI/ETH
			<i>bezziana</i>	Villeneuve 1914	PAL
			<i>chloropyga</i>	(Wiedemann 1818)	ETH
			<i>megacephala</i>	(Fabricius 1794)	ORI/AUS
			<i>nigripes</i>	Aubertin 1932	AUS
			<i>putoria</i>	(Wiedemann 1830)	ETH
			<i>regalis</i>	Robineau-Desvoidy 1830	ETH
			<i>rufifacies</i>	(Macquart 1843)	AUS
			<i>villeneuvei</i>	Patton 1922	ORI
			spp.		AUS
	<i>Cochliomyia</i>		<i>hominivorax</i>	Coquerel 1858	NEA/NEO
		<i>macellaria</i>	(Fabricius 1775)	NEA/NEO	
	<i>Comptosyrops</i>	<i>callipes</i>	Bigot 1877	NEA	
		<i>fulvicrura</i>	(Robineau-Desvoidy 1830)	NEO	
	Phormiini	<i>Hemilucilia</i>	<i>segmentaria</i>	(Fabricius 1805)	NEO
		<i>Paralucilia</i>	<i>fulvinota</i>	(Bigot 1877)	NEO
		<i>Phormia</i>	<i>regina</i>	(Meigen 1826)	NEA
			<i>Protocalliphora</i>	<i>asiovora</i>	Shannon & Dobrosky 1924
		<i>avium</i>		Shannon & Dobrosky 1924	NEA
		<i>azurea</i>		(Fallen 1817)	PAL
		<i>bennetti</i>		Whitworth 2002	NEA
		<i>cuprina</i>		(Hall 1948)	NEA/NEO
<i>deceptor</i>		Sabrosky, Bennett & Whitworth 1989		NEA	
<i>halli</i>		Sabrosky, Bennett & Whitworth 1989		NEA	
<i>interrupta</i>		Sabrosky, Bennett & Whitworth 1989		NEA	
<i>metallica</i>		(Townsend 1919)		NEA	
<i>parorum</i>		Sabrosky, Bennett & Whitworth 1989		NEA	
<i>rognesi</i>		Thompson 1994		NEA	
<i>rugosa</i>		Whitworth 2002		NEA	
<i>shannoni</i>	Sabrosky, Bennett & Whitworth 1989	NEA			
<i>sialia</i>	Shannon & Dobrosky 1924	NEA			
spp.		NEA			
<i>Protophormia</i>	<i>terraenovae</i>	(Robineau-Desvoidy 1830)	NEA/PAL		
	spp.		NEA		
<i>Trypocalliphora</i>	<i>braueri</i>	(Hendel 1901)	NEA		

Rhiniinae	Cosminini	<i>Isomyia</i>	<i>viridaurea</i>	(Wiedemann 1819)	ORI
		<i>Rhycomya</i>	<i>impavida</i>	(Rossi 1790)	PAL
	Rhiniini	<i>Rhinia</i>	<i>melastoma</i>	Wiedemann 1830	PAL
		<i>Stomorhina</i>	<i>lunata</i>	(Fabricius 1805)	NEO/PAL
Mesembrinellinae	Eumesembrinellini	<i>Eumesembrinella</i>	<i>quadrilineata</i>	(Fabricius 1805)	NEO
			<i>randa</i>	Walker 1849	NEO
	Mesembrinellini	<i>Huascaromusca</i>	<i>nigrifrons</i>	Bigot 1878	NEO
		<i>Mesembrinella</i>	<i>abaca</i>	Hall 1948	NEO
			<i>batesi</i>	Aldrich 1922	NEO
			<i>bicolor</i>	Fabricius 1893	NEO
				spp.	NEO
Toxotarsinae		<i>Neta</i>	<i>chilensis</i>	(Walker 1836)	NEO
		<i>Sarconesia</i>	<i>chilensis</i>	Macquart 1843	NEO
			spp.		NEO