

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

Genus	Species	Author
<i>Acrythosiphon</i>	<i>lactucae</i>	Passerini, 1860
<i>Acuticauda</i>	<i>asterensis</i>	Gillette & Palmer, 1929
<i>Acuticauda</i>	<i>solidaginifoliae</i>	Williams, 1911
<i>Acyrthosiphon</i>	<i>caraganae</i>	Mordvilko, 1914
<i>Acyrthosiphon</i>	<i>malvae</i>	(Mosley, 1841)
<i>Acyrthosiphon</i>	<i>pisum</i>	(Harris, 1776)
<i>Acyrthosiphon</i>	<i>pseudodirrhodum</i>	(Patch, 1919)
<i>Acyrthosiphon</i>	<i>spp.</i>	
<i>Allaphis</i>	<i>verrucosa</i>	(Gillette, 1917)
<i>Alphitoaphis</i>	<i>lonicericola</i>	(Williams 1911)
<i>Amphicercidus</i>	<i>pulverulens</i>	(Gillette, 1917)
<i>Amphorophora</i>	<i>agathonica</i>	Hottes, 1950
<i>Amphorophora</i>	<i>ampullata</i>	Buckton, 1876
<i>Amphorophora</i>	<i>ampullata laingi</i>	Mason, 1925
<i>Amphorophora</i>	<i>rossi</i>	Hottes & Frison, 1931
<i>Amphorophora</i>	<i>rubi</i>	(Kaltenbach, 1843)
<i>Amphorophora</i>	<i>rubicumberlandi</i>	Knowlton & Allen, 1937
<i>Amphorophora</i>	<i>rubitoxica</i>	Knowlton 1954
<i>Amphorophora</i>	<i>sensoriata</i>	Mason, 1923
<i>Amphorophora</i>	<i>spp.</i>	
<i>Anoecia</i>	<i>corni</i>	(Fabricius, 1775)
<i>Anoecia</i>	<i>graminis</i>	Gillette & Palmer, 1924
<i>Anoecia</i>	<i>oenotherae</i>	Wilson, 1911
<i>Anoecia</i>	<i>setariae</i>	Gillette & Palmer, 1924
<i>Anoecia</i>	<i>spp.</i>	
<i>Anuraphis</i>	<i>subterranea</i>	(Walker, 1852)
<i>Aphis</i>	<i>apigraveolens</i>	Essig, 1938
<i>Aphis</i>	<i>asclepiadis</i>	Fitch, 1851
<i>Aphis</i>	<i>astericola</i>	Tissot, 1933
<i>Aphis</i>	<i>caliginosa</i>	Hottes & Frison, 1931
<i>Aphis</i>	<i>ceanothi</i>	Clarke, 1903
<i>Aphis</i>	<i>cephalanthi</i>	Thomas, 1878
<i>Aphis</i>	<i>chetansapa</i>	Hottes & Frison, 1931
<i>Aphis</i>	<i>coreopsisidis</i>	(Thomas, 1878)
<i>Aphis</i>	<i>cornifoliae</i>	Fitch, 1851
<i>Aphis</i>	<i>coweni</i>	(Palmer, 1938)
<i>Aphis</i>	<i>craccae</i>	Linnaeus, 1758
<i>Aphis</i>	<i>craccivora</i>	Koch, 1854
<i>Aphis</i>	<i>cytisorum</i>	Hartig, 1841
<i>Aphis</i>	<i>debilicornis</i>	(Gillette & Palmer, 1929)
<i>Aphis</i>	<i>decepta</i>	Hottes & Frison, 1931
<i>Aphis</i>	<i>fabae</i>	(Scopoli, 1763)
<i>Aphis</i>	<i>farinosa</i>	Gmelin, 1790
<i>Aphis</i>	<i>feminea</i>	Hottes, 1930
<i>Aphis</i>	<i>folsomii</i>	Davis, 1908
<i>Aphis</i>	<i>forbesi</i>	Weed, 1889

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Aphis</i>	<i>frangulae</i>	Kaltenbach, 1845
<i>Aphis</i>	<i>fraserae</i>	Gillette & Palmer, 1929
<i>Aphis</i>	<i>gerardiae</i>	(Thomas, 1879)
<i>Aphis</i>	<i>gossypii</i>	Glover, 1877
<i>Aphis</i>	<i>gregalis</i>	Knowlton, 1928
<i>Aphis</i>	<i>hamamelidis</i>	Pepper, 1950
<i>Aphis</i>	<i>hederae</i>	Kaltenbach, 1843
<i>Aphis</i>	<i>hederae pseudohederae</i>	Theobald, 1927
<i>Aphis</i>	<i>helianthi</i>	Monell, 1879
<i>Aphis</i>	<i>idaei</i>	van der Goot, 1912
<i>Aphis</i>	<i>ilicis</i>	Kaltenbach, 1843
<i>Aphis</i>	<i>illinoensis</i>	Shimer, 1866
<i>Aphis</i>	<i>impatientis</i>	Thomas, 1878
<i>Aphis</i>	<i>lugentis</i>	Williams, 1911
<i>Aphis</i>	<i>lupini</i>	Gillette & Palmer, 1929
<i>Aphis</i>	<i>maculatae</i>	Oestlund, 1887
<i>Aphis</i>	<i>madronae</i>	Essig, 1926
<i>Aphis</i>	<i>medicaginis</i>	Koch, 1854
<i>Aphis</i>	<i>nasturtii</i>	Kaltenbach, 1843
<i>Aphis</i>	<i>neilliae</i>	Oestlund, 1887
<i>Aphis</i>	<i>neogilletti</i>	Palmer, 1938
<i>Aphis</i>	<i>neomexicana</i>	(Cockerell & Cockerell, 1901)
<i>Aphis</i>	<i>nerii</i>	Boyer de Fonscolombe, 1841
<i>Aphis</i>	<i>nr. gossypii</i>	
<i>Aphis</i>	<i>oenotherae</i>	Oestlund, 1887
<i>Aphis</i>	<i>oestlundi</i>	Gillette, 1927
<i>Aphis</i>	<i>ornata</i>	(Gillette & Palmer, 1929)
<i>Aphis</i>	<i>pawneepae</i>	Hottes, 1934
<i>Aphis</i>	<i>plantaginis</i>	Goeze, 1778
<i>Aphis</i>	<i>pomi</i>	De Geer, 1773
<i>Aphis</i>	<i>pulchella</i>	Hottes & Frison, 1931
<i>Aphis</i>	<i>ramona</i>	Swain, 1918
<i>Aphis</i>	<i>rubicola</i>	Oestlund, 1887
<i>Aphis</i>	<i>rubifolii</i>	(Thomas, 1879)
<i>Aphis</i>	<i>rumicis</i>	Linnaeus, 1758
<i>Aphis</i>	<i>salicariae</i>	Koch, 1885
<i>Aphis</i>	<i>sambuci</i>	Linnaeus, 1758
<i>Aphis</i>	<i>sedi</i>	Kaltenbach, 1843
<i>Aphis</i>	<i>spiraecola</i>	Patch, 1914
<i>Aphis</i>	<i>spiraephila</i>	Patch, 1914
<i>Aphis</i>	<i>thaspii</i>	Oestlund, 1887
<i>Aphis</i>	<i>urticata</i>	Gmelin, 1790
<i>Aphis</i>	<i>varians</i>	Patch, 1914
<i>Aphis</i>	<i>veratri</i>	Walker, 1852
<i>Aphis</i>	<i>vernoniae</i>	Thomas, 1878
<i>Aphis</i>	<i>viburniphila</i>	Patch, 1917
<i>Aphis</i>	<i>spp.</i>	

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Aphthargelia</i>	<i>symporicarpi</i>	(Thomas, 1878)
<i>Appendiseta</i>	<i>robinae</i>	(Knowlton, 1929)
<i>Artemisaphis</i>	<i>artemisicola</i>	(Williams, 1911)
<i>Asiphonaphis</i>	<i>pruni</i>	Wilson & Davis, 1919
<i>Asiphonaphis</i>	<i>spp.</i>	
<i>Aspidaphis</i>	<i>adjuvans</i>	(Walker, 1848)
<i>Aulacorthum</i>	<i>solani</i>	(Kaltenbach, 1843)
<i>Baizongia</i>	<i>pistaciae</i>	(Linnaeus, 1767)
<i>Betulaphis</i>	<i>quadrituberculata</i>	(Kaltenbach, 1843)
<i>Bipersona</i>	<i>ochrocentri</i>	(Cockerell, 1903)
<i>Boernerina</i>	<i>variabilis</i>	Richards, 1961
<i>Brachycaudus</i>	<i>cardui</i>	(Linnaeus, 1758)
<i>Brachycaudus</i>	<i>helichrysi</i>	(Kaltenbach, 1845)
<i>Brachycaudus</i>	<i>lychnidis</i>	(Linnaeus, 1758)
<i>Brachycaudus</i>	<i>persicae</i>	(Passerini, 1860)
<i>Brachycaudus</i>	<i>rociadae</i>	(Cockerell, 1903)
<i>Brachycaudus</i>	<i>rumexicolens</i>	(Patch, 1917)
<i>Brachycorynella</i>	<i>asparagi</i>	Mordvolko, 1928
<i>Braggia</i>	<i>eriogoni</i>	(Cowen, 1895)
<i>Brevicoryne</i>	<i>brassicae</i>	(Linneaus, 1758)
<i>Cachryphora</i>	<i>canadensis</i>	Hille Ris Lambers, 1960
<i>Cachryphora</i>	<i>serotinae</i>	Oestlund, 1887
<i>Calaphis</i>	<i>alni</i>	(Baker, 1916)
<i>Calaphis</i>	<i>betulaecolens</i>	(Fitch, 1851)
<i>Calaphis</i>	<i>betulella</i>	Walsh, 1863
<i>Calaphis</i>	<i>betulicola</i>	(Kaltenbach, 1843)
<i>Calaphis</i>	<i>flava</i>	Mordvilko, 1928
<i>Calaphis</i>	<i>leonardi</i>	Quednau, 1971
<i>Calaphis</i>	<i>spp.</i>	
<i>Calipterinella</i>	<i>calliptera</i>	(Hartig, 1841)
<i>Capitophorus</i>	<i>carduinus</i>	(Walker, 1850)
<i>Capitophorus</i>	<i>elaeagni</i>	(Del Guercio, 1894)
<i>Capitophorus</i>	<i>hippophaes</i>	(Walker, 1852)
<i>Capitophorus</i>	<i>shepherdiae</i>	(Gillette & Bragg, 1916)
<i>Capitophorus</i>	<i>xanthii</i>	(Oestlund, 1886)
<i>Capitophorus</i>	<i>spp.</i>	
<i>Carolinaia</i>	<i>caricis</i>	Wilson, 1911
<i>Carolinaia</i>	<i>cypri</i>	Ainslie, 1915
<i>Carolinaia</i>	<i>howardii</i>	(Wilson, 1911)
<i>Carolinaia</i>	<i>rhois</i>	(Monell, 1879)
<i>Carolinaia</i>	<i>spp.</i>	
<i>Catamergus</i>	<i>fulvae</i>	(Oestlund, 1887)
<i>Catamergus</i>	<i>kickapoo</i>	(Hottes & Frison, 1931)
<i>Cavariella</i>	<i>aegopodii</i>	(Scopoli, 1763)
<i>Cavariella</i>	<i>konoi</i>	Takahashi, 1939
<i>Cavariella</i>	<i>pastinacae</i>	(Linnaeus, 1758)
<i>Cavariella</i>	<i>pustula</i>	Essig, 1937

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Cavariella</i>	<i>salicis</i>	(Monell, 1879)
<i>Cavariella</i>	<i>theobaldi</i>	(Gillette & Bragg, 1918)
<i>Cavariella</i>	<i>spp.</i>	
<i>Cepegillettea</i>	<i>betulaefoliae</i>	Granovsky, 1928
<i>Cepegillettea</i>	<i>myricae</i>	(Patch, 1923)
<i>Cepegillettea</i>	<i>spp.</i>	
<i>Cerataphis</i>	<i>eriophori</i>	(Walker, 1848)
<i>Cerataphis</i>	<i>lataniae</i>	Boisduval, 1867
<i>Ceratovacuna</i>	<i>nekoashi</i>	(Sasaki, 1907)
<i>Ceruraphis</i>	<i>viburnicola</i>	(Gillette, 1909)
<i>Chaetosiphon</i>	<i>fragaefolii</i>	(Cockerell, 1901)
<i>Chaetosiphon</i>	<i>minor</i>	Forbes, 1884
<i>Chaetosiphon</i>	<i>potentillae</i>	(Walker, 1850)
<i>Chaetosiphon</i>	<i>tetrarhoda</i>	(Walker, 1849)
<i>Chaetosiphon</i>	<i>thomasi</i>	Hille Ris Lambers, 1953
<i>Chaitophorus</i>	<i>longipes</i>	Tissot, 1932
<i>Chaitophorus</i>	<i>macrostachyae</i>	(Essig, 1912)
<i>Chaitophorus</i>	<i>minutus</i>	(Tissot, 1932)
<i>Chaitophorus</i>	<i>monelli</i>	(Essig, 1912)
<i>Chaitophorus</i>	<i>nigrae</i>	Oestlund, 1886
<i>Chaitophorus</i>	<i>populialbae</i>	(Boyer de Fonscolombe, 1841)
<i>Chaitophorus</i>	<i>populicola</i>	Thomas, 1878
<i>Chaitophorus</i>	<i>populicola patchae</i>	Hille Ris Lambers, 1960
<i>Chaitophorus</i>	<i>populifoliae</i>	Oestlund, 1910
<i>Chaitophorus</i>	<i>populifoliae</i>	Oestlund, 1910
<i>Chaitophorus</i>	<i>poulifolii</i>	(Essig, 1912)
<i>Chaitophorus</i>	<i>pusillus</i>	Hottes & Frison, 1931
<i>Chaitophorus</i>	<i>saliciniger</i>	(Knowlton, 1927)
<i>Chaitophorus</i>	<i>stevensis</i>	Sanborn, 1904
<i>Chaitophorus</i>	<i>utahensis</i>	(Knowlton, 1928)
<i>Chaitophorus</i>	<i>viminalis</i>	Monell, 1879
<i>Chaitophorus</i>	<i>spp.</i>	
<i>Chromaphis</i>	<i>juglandicola</i>	(Kaltenbach, 1843)
<i>Cinara</i>	<i>apini</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>atlantica</i>	(Wilson, 1919)
<i>Cinara</i>	<i>atra</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>banksiana</i>	Pepper & Tissot, 1955
<i>Cinara</i>	<i>braggi</i>	(Gillette, 1917)
<i>Cinara</i>	<i>brevispinosa</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>canatra</i>	Hottes & Bradley, 1953
<i>Cinara</i>	<i>coloradensis</i>	(Gillette, 1917)
<i>Cinara</i>	<i>cupressi</i>	(Buckton, 1881)
<i>Cinara</i>	<i>curvipes</i>	(Patch, 1912)
<i>Cinara</i>	<i>edulis</i>	(Wilson, 1919)
<i>Cinara</i>	<i>ferrisi</i>	(Swain, 1918)
<i>Cinara</i>	<i>fornacula</i>	Hottes, 1930
<i>Cinara</i>	<i>fresai</i>	Blanchard, 1939

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Cinara</i>	<i>glabra</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>glehna</i>	Essig, 1915
<i>Cinara</i>	<i>harmonia</i>	Hottes, 1958
<i>Cinara</i>	<i>hottesi</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>juniperensis</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>juniperi</i>	(De Geer, 1773)
<i>Cinara</i>	<i>juniperivora</i>	(Wilson, 1919)
<i>Cinara</i>	<i>laricifex</i>	(Fitch, 1858)
<i>Cinara</i>	<i>murrayanae</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>nr. apini</i>	
<i>Cinara</i>	<i>occidentalis</i>	(Davidson, 1909)
<i>Cinara</i>	<i>oregonensis</i>	(Wilson, 1915)
<i>Cinara</i>	<i>parvicornis</i>	Hottes, 1958
<i>Cinara</i>	<i>pergandei</i>	(Wilson, 1919)
<i>Cinara</i>	<i>pilicornis</i>	(Hartig, 1841)
<i>Cinara</i>	<i>pinea</i>	Mordvilko, 1895
<i>Cinara</i>	<i>pini</i>	(Linnaeus, 1758)
<i>Cinara</i>	<i>pinivora</i>	(Wilson, 1919)
<i>Cinara</i>	<i>ponderosae</i>	(Williams, 1911)
<i>Cinara</i>	<i>pruinosa</i>	(Hartig, 1841)
<i>Cinara</i>	<i>pseudotaxifoliae</i>	Palmer, 1952
<i>Cinara</i>	<i>pseudotsugae</i>	(Wilson, 1912)
<i>Cinara</i>	<i>pulverulens</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>schwarzii</i>	(Wilson, 1919)
<i>Cinara</i>	<i>sibiricae</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>solitaria</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>splendens</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>strobi</i>	(Fitch, 1851)
<i>Cinara</i>	<i>taedae</i>	Tissot, 1932
<i>Cinara</i>	<i>terminalis</i>	(Gillette & Palmer, 1924)
<i>Cinara</i>	<i>tujafilina</i>	(Del Guercio, 1909)
<i>Cinara</i>	<i>watsoni</i>	Tissot, 1939
<i>Cinara</i>	<i>spp.</i>	
<i>Colophaphys</i>	<i>ulmicola</i>	(Fitch, 1859)
<i>Coloradoa</i>	<i>artemisiae</i>	(Del Guercio, 1914)
<i>Coloradoa</i>	<i>rufomaculata</i>	(Wilson, 1908)
<i>Coloradoa</i>	<i>tanacetina</i>	(Walker, 1850)
<i>Cryptomyzus</i>	<i>galeopsisidis</i>	(Kaltenbach, 1843)
<i>Cryptomyzus</i>	<i>ribis</i>	(Linnaeus, 1758)
<i>Diuraphis</i>	<i>frequens</i>	(Walker, 1848)
<i>Diuraphis</i>	<i>tritici</i>	(Gillette, 1911)
<i>Drepanaphis</i>	<i>acerifoliae</i>	Thomas, 1878
<i>Drepanaphis</i>	<i>carolinensis</i>	Smith, 1941
<i>Drepanaphis</i>	<i>kanzensis</i>	Smith, 1941
<i>Drepanaphis</i>	<i>keshenae</i>	Granovsky, 1931
<i>Drepanaphis</i>	<i>knowltoni</i>	Smith & Dillery, 1968
<i>Drepanaphis</i>	<i>minutum</i>	Davis, 1910

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Drepanaphis</i>	<i>monelli</i>	Davis, 1909
<i>Drepanaphis</i>	<i>nigricans</i>	Smith, 1941
<i>Drepanaphis</i>	<i>parva</i>	Smith 1941
<i>Drepanaphis</i>	<i>sabrinae</i>	Miller, 1937
<i>Drepanaphis</i>	<i>saccharini</i>	Smith & Dillery, 1968
<i>Drepanaphis</i>	<i>simpsoni</i>	Smith, 1959
<i>Drepanaphis</i>	<i>spicata</i>	Smith, 1941
<i>Drepanaphis</i>	<i>utahensis</i>	Smith & Knowlton, 1943
<i>Drepanaphis</i>	<i>spp.</i>	
<i>Drepanosiphum</i>	<i>braggi</i>	Gillette, 1907
<i>Drepanosiphum</i>	<i>platanoidis</i>	(Schrink, 1801)
<i>Drepanosiphum</i>	<i>spp.</i>	
<i>Durocapillata</i>	<i>utahensis</i>	Knowlton, 1927
<i>Dysaphis</i>	<i>appifolia</i>	Theobald, 1922
<i>Dysaphis</i>	<i>plantaginea</i>	(Passerini, 1860)
<i>Dysaphis</i>	<i>sorbi</i>	(Kaltenbach, 1843)
<i>Dysaphis</i>	<i>tulipae</i>	(Boyer de Fonscolombe, 1841)
<i>Elatobium</i>	<i>abietinum</i>	(Walker, 1849)
<i>Epameibaphis</i>	<i>atricornis</i>	Gillette & Palmer, 1933
<i>Ericaphis</i>	<i>frimbriata</i>	(Richards, 1959)
<i>Ericaphis</i>	<i>scammelli</i>	(Mason, 1940)
<i>Ericaphis</i>	<i>scoliopi</i>	(Essig, 1936)
<i>Ericaphis</i>	<i>spp.</i>	
<i>Eriosoma</i>	<i>americanum</i>	(Riley, 1879)
<i>Eriosoma</i>	<i>crataegi</i>	(Oestlund, 1887)
<i>Eriosoma</i>	<i>lanigera</i>	Hausmann, 1802
<i>Eriosoma</i>	<i>lanuginosum</i>	(Hartig, 1839)
<i>Eriosoma</i>	<i>rileyi</i>	Thomas, 1877
<i>Eriosoma</i>	<i>wilsoni</i>	Remaudiere, 1997
<i>Eriosoma</i>	<i>spp.</i>	
<i>Essigella</i>	<i>californica</i>	(Essig, 1909)
<i>Essigella</i>	<i>fusca</i>	Gillette & Palmer, 1924
<i>Essigella</i>	<i>pini</i>	Wilson, 1919
<i>Essigella</i>	<i>spp.</i>	
<i>Eucallipterus</i>	<i>tiliae</i>	(Linnaeus, 1758)
<i>Euceraphis</i>	<i>betulae</i>	(Koch, 1855)
<i>Euceraphis</i>	<i>gillettei</i>	Davidson, 1915
<i>Euceraphis</i>	<i>lineata</i>	Baker, 1917
<i>Euceraphis</i>	<i>mucida</i>	(Fitch, 1856)
<i>Euceraphis</i>	<i>punctipennis</i>	Zetterstedt, 1828
<i>Euceraphis</i>	<i>spp.</i>	
<i>Eulachnus</i>	<i>agilis</i>	(Kaltenbach, 1843)
<i>Eulachnus</i>	<i>rileyi</i>	(Williams, 1911)
<i>Eulachnus</i>	<i>spp.</i>	
<i>Euthoracaphis</i>	<i>umbellulariae</i>	(Essig, 1932)
<i>Forda</i>	<i>formicaria</i>	von Heyden, 1857
<i>Forda</i>	<i>marginata</i>	Koch, 1857

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Forda</i>	<i>spp.</i>	
<i>Fullawayia</i>	<i>saliciradicis</i>	Essig, 1912
<i>Geoica</i>	<i>lucifuga</i>	Zehntner, 1897
<i>Geoica</i>	<i>pellucida</i>	(Buckton, 1883)
<i>Geoica</i>	<i>utricularia</i>	Passerini, 1856
<i>Glyphina</i>	<i>setosa</i>	MacGillivray, 1963
<i>Grylloprociphilus</i>	<i>imbricator</i>	(Fitch, 1851)
<i>Gypsoaphis</i>	<i>oestlundi</i>	Hottes, 1930
<i>Hamamelistes</i>	<i>spinosus</i>	Shimer, 1867
<i>Hayhurstia</i>	<i>atriciplicis</i>	Linnaeus, 1761
<i>Hoplochaitophorus</i>	<i>heterotrichus</i>	Quednau, 1971
<i>Hoplochaitophorus</i>	<i>quercicola</i>	Monell, 1879
<i>Hoplochaitophorus</i>	<i>spiniferus</i>	Quednau, 1972
<i>Hormaphis</i>	<i>hamamelidis</i>	Fitch, 1851
<i>Hyadaphis</i>	<i>foeniculi</i>	Passerini, 1860
<i>Hyalomyzus</i>	<i>collinsoniae</i>	(Pepper, 1950)
<i>Hyalomyzus</i>	<i>eriobotryae</i>	(Tissot, 1935)
<i>Hyalomyzus</i>	<i>monardae</i>	(Davis, 1911)
<i>Hyalopterooides</i>	<i>humilis</i>	(Walker, 1852)
<i>Hyalopterus</i>	<i>pruni</i>	(Geoffroy, 1762)
<i>Hydaphis</i>	<i>foeniculi</i>	Passerini, 1860
<i>Hyperomyzus</i>	<i>lactuncae</i>	Linnaeus, 1758
<i>Hyperomyzus</i>	<i>lampsanae</i>	Borner, 1932
<i>Hyperomyzus</i>	<i>nabali</i>	(Oestlund, 1886)
<i>Hyperomyzus</i>	<i>pallidus</i>	Hille Ris Lambers, 1935
<i>Hyperomyzus</i>	<i>picridis</i>	(Borner, 1916)
<i>Hyperomyzus</i>	<i>ribellus</i>	(Davis, 1919)
<i>Hysteroneura</i>	<i>setariae</i>	(Thomas, 1878)
<i>Idiopterus</i>	<i>nephrelepidis</i>	Davis, 1909
<i>Illinoia</i>	<i>azaleae</i>	(Mason, 1925)
<i>Illinoia</i>	<i>grindeliae</i>	(Williams, 1911)
<i>Illinoia</i>	<i>lambersi</i>	(MacGillivray, 1960)
<i>Illinoia</i>	<i>liriodendri</i>	(Monell, 1879)
<i>Illinoia</i>	<i>morrisoni</i>	(Swain, 1918)
<i>Illinoia</i>	<i>pepperi</i>	(MacGillivray, 1958)
<i>Illinoia</i>	<i>rhokalaza</i>	(Tissot & Pepper, 1944)
<i>Illinoia</i>	<i>rubicola</i>	(Oestlund, 1886)
<i>Illinoia</i>	<i>wahnaga</i>	(Hottes, 1952)
<i>Illinoia</i>	<i>spp.</i>	
<i>Iziphya</i>	<i>flabella</i>	(Sanborn, 1904)
<i>Kaltenbachiella</i>	<i>ulmifusa</i>	Walsh & Riley, 1869
<i>Lachnochaitophorus</i>	<i>obscurus</i>	(Tissot, 1932)
<i>Lachnus</i>	<i>tropicalis</i>	(van der Goot, 1916)
<i>Linosiphon</i>	<i>sanguinarium</i>	(Hottes & Frison, 1931)
<i>Liosomaphis</i>	<i>berberidis</i>	(Kaltenbach, 1843)
<i>Lipaphis</i>	<i>erysimi</i>	(Kaltenbach, 1843)
<i>Longicaudus</i>	<i>trirhodus</i>	(Walker, 1849)

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Longistigma</i>	<i>caryae</i>	(Harris, 1841)
<i>Macchiatiella</i>	<i>rhamni</i>	(Boyer de Fonscolombe, 1841)
<i>Macrosiphoniella</i>	<i>absinthii</i>	(Linnaeus, 1758)
<i>Macrosiphoniella</i>	<i>artemisiae</i>	(Boyer de Fonscolombe, 1841)
<i>Macrosiphoniella</i>	<i>frigidicola</i>	Gillette & Palmer, 1928
<i>Macrosiphoniella</i>	<i>glabra</i>	(Gillette & Palmer, 1928)
<i>Macrosiphoniella</i>	<i>ludivicianae</i>	(Oestlund, 1886)
<i>Macrosiphoniella</i>	<i>millefolii</i>	(De Geer, 1773)
<i>Macrosiphoniella</i>	<i>sanborni</i>	(Gillette, 1908)
<i>Macrosiphoniella</i>	<i>tanacetaria</i>	(Kaltenbach, 1843)
<i>Macrosiphoniella</i>	<i>tapuscae</i>	(Hottes & Frison, 1931)
<i>Macrosiphoniella</i>	<i>spp.</i>	
<i>Macrosiphum</i>	<i>adianti</i>	(Oestlund, 1886)
<i>Macrosiphum</i>	<i>agrimoniellum</i>	(Cockerell, 1903)
<i>Macrosiphum</i>	<i>albifrons</i>	Essig, 1911
<i>Macrosiphum</i>	<i>californicum</i>	(Clarke, 1903)
<i>Macrosiphum</i>	<i>carpinicolens</i>	Patch, 1919
<i>Macrosiphum</i>	<i>coryli</i>	Davis, 1914
<i>Macrosiphum</i>	<i>cystopteris</i>	Robinson, 1966
<i>Macrosiphum</i>	<i>diervillae</i>	Patch, 1919
<i>Macrosiphum</i>	<i>euphorbiae</i>	(Thomas, 1878)
<i>Macrosiphum</i>	<i>gauraee</i>	(Williams, 1911)
<i>Macrosiphum</i>	<i>gei</i>	(Koch, 1855)
<i>Macrosiphum</i>	<i>geranii</i>	(Oestlund, 1887)
<i>Macrosiphum</i>	<i>lili</i>	Comstock, 1879
<i>Macrosiphum</i>	<i>mentzeliae</i>	Wilson, 1915
<i>Macrosiphum</i>	<i>olmsteadi</i>	Robinson, 1919
<i>Macrosiphum</i>	<i>pallidum</i>	(Oestlund, 1887)
<i>Macrosiphum</i>	<i>pechumani</i>	MacGillivray, 1966
<i>Macrosiphum</i>	<i>pseudocoryli</i>	Patch, 1919
<i>Macrosiphum</i>	<i>ptericolens</i>	Patch, 1919
<i>Macrosiphum</i>	<i>pteridis</i>	Wilson, 1915
<i>Macrosiphum</i>	<i>rhamni</i>	(Clarke, 1903)
<i>Macrosiphum</i>	<i>rosae</i>	Linnaeus, 1758
<i>Macrosiphum</i>	<i>stanleyi</i>	Wilson, 1915
<i>Macrosiphum</i>	<i>tenuicauda</i>	Bartholomew, 1932
<i>Macrosiphum</i>	<i>tiliae</i>	(Monell, 1879)
<i>Macrosiphum</i>	<i>venaefuscae</i>	Davis, 1914
<i>Macrosiphum</i>	<i>spp.</i>	
<i>Maculolachnus</i>	<i>sijpkensis</i>	Hille Ris Lambers, 1962
<i>Maculolachnus</i>	<i>submacula</i>	(Walker, 1848)
<i>Melanocallis</i>	<i>caryaefoliae</i>	(Davis, 1910)
<i>Melanocallis</i>	<i>spp.</i>	
<i>Melaphis</i>	<i>rhois</i>	(Fitch, 1866)
<i>Metopolophium</i>	<i>dirhodum</i>	(Walker, 1849)
<i>Microlophium</i>	<i>carnosum</i>	(Buckton, 1876)
<i>Microlophium</i>	<i>sibiricum</i>	(Mordvilko, 1914)

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Micromyzus</i>	<i>spp.</i>	
<i>Microparsus</i>	<i>variabilis</i>	Patch, 1909
<i>Microsiphoniella</i>	<i>artemisiae</i>	(Gillette, 1911)
<i>Mindarus</i>	<i>abietinus</i>	Koch, 1857
<i>Mindarus</i>	<i>victoria</i>	Essig, 1939
<i>Monellia</i>	<i>caryella</i>	(Fitch, 1855)
<i>Monellia</i>	<i>hispida</i>	Quednau, 1971
<i>Monellia</i>	<i>microsetosa</i>	Richards, 1960
<i>Monellia</i>	<i>spp.</i>	
<i>Monelliopsis</i>	<i>californica</i>	Essig, 1912
<i>Monelliopsis</i>	<i>caryae</i>	(Monell, 1879)
<i>Monelliopsis</i>	<i>nigropunctata</i>	(Granovsky, 1931)
<i>Mordwilkoja</i>	<i>vagabunda</i>	(Walsh, 1963)
<i>Mordwilkoja</i>	<i>vesicalis</i>	Passerini ****
<i>Muscaphis</i>	<i>utahensis</i>	(Smith & Knowlton, 1966)
<i>Myzaphis</i>	<i>rosarum</i>	(Kaltenbach, 1843)
<i>Myzaphis</i>	<i>spp.</i>	
<i>Myzocallis</i>	<i>asclepiadis</i>	(Monell, 1879)
<i>Myzocallis</i>	<i>bellus</i>	(Walsh, 1863)
<i>Myzocallis</i>	<i>boernerii</i>	Stroyan, 1957
<i>Myzocallis</i>	<i>castaneae</i>	(Fitch, 1856)
<i>Myzocallis</i>	<i>castaneoides</i>	(Baker, 1916)
<i>Myzocallis</i>	<i>castanicola</i>	Baker, 1917
<i>Myzocallis</i>	<i>coryli</i>	(Goeze, 1778)
<i>Myzocallis</i>	<i>discolor</i>	(Monell, 1879)
<i>Myzocallis</i>	<i>elliotti</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>ephemerata</i>	Richards, 1965
<i>Myzocallis</i>	<i>exulatans</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>frisoni</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>granovskyi</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>longiunguis</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>melanocera</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>meridionalis</i>	Granovsky, 1939
<i>Myzocallis</i>	<i>multisetis</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>nanae</i>	(Tissot, 1932)
<i>Myzocallis</i>	<i>pepperi</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>punctata</i>	(Monell, 1879)
<i>Myzocallis</i>	<i>spinosa</i>	Boudreux & Tissot, 1962
<i>Myzocallis</i>	<i>tuberculata</i>	Richards, 1965
<i>Myzocallis</i>	<i>walshii</i>	(Monell, 1879)
<i>Myzocallis</i>	<i>spp.</i>	
<i>Myzodium</i>	<i>mimulicola</i>	(Drews & Sampson, 1937)
<i>Myzus</i>	<i>ajugae</i>	Schouteden, 1903
<i>Myzus</i>	<i>ascalonicus</i>	Doncaster, 1946
<i>Myzus</i>	<i>cerasi</i>	(Fabricius, 1775)
<i>Myzus</i>	<i>certus</i>	(Walker, 1849)
<i>Myzus</i>	<i>hemerocallis</i>	Takahashi, 1921

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Myzus</i>	<i>ligustri</i>	(Mosley, 1841)
<i>Myzus</i>	<i>lythri</i>	(Schrink, 1801)
<i>Myzus</i>	<i>oenotherae</i>	Williams, 1911
<i>Myzus</i>	<i>ornatus</i>	Laing, 1932
<i>Myzus</i>	<i>persicae</i>	(Sulzer, 1776)
<i>Myzus</i>	<i>varians</i>	Davidson, 1912
<i>Myzus</i>	<i>spp.</i>	
<i>Nasonovia</i>	<i>alpine</i>	(Gillette & Palmer, 1928)
<i>Nasonovia</i>	<i>aquilegiae</i>	(Essig, 1917)
<i>Nasonovia</i>	<i>compositellae nigra</i>	(Hille Ris Lambers, 1931)
<i>Nasonovia</i>	<i>cynosbati</i>	(Oestlund, 1887)
<i>Nasonovia</i>	<i>heucherae</i>	(Thomas, 1879)
<i>Nasonovia</i>	<i>houghtonensis</i>	(Troop, 1879)
<i>Nasonovia</i>	<i>purpurascens</i>	(Oestlund, 1887)
<i>Nasonovia</i>	<i>purpurascens</i>	(Oestlund, 1887)
<i>Nasonovia</i>	<i>ribisnigri</i>	(Mosley, 1841)
<i>Nasonovia</i>	<i>wahinkae</i>	Hottes, 1933
<i>Nasonovia</i>	<i>spp.</i>	
<i>Nearctaphis</i>	<i>bakeri</i>	(Cowen, 1895)
<i>Nearctaphis</i>	<i>crataegifoliae</i>	(Fitch, 1851)
<i>Nearctaphis</i>	<i>sensoriata</i>	(Gillette & Bragg, 1918)
<i>Nearctaphis</i>	<i>spp.</i>	
<i>Neomyzus</i>	<i>circumflexum</i>	(Buckton, 1876)
<i>Neophyllaphis</i>	<i>podocarpini</i>	Takahashi, 1920
<i>Neoprociphilus</i>	<i>aceris</i>	(Monell, 1882)
<i>Neosymydobius</i>	<i>agrifoliae</i>	(Essig, 1917)
<i>Neosymydobius</i>	<i>albasiphus</i>	(Davis, 1914)
<i>Neosymydobius</i>	<i>memorialis</i>	Hottes & Frison, 1931
<i>Neosymydobius</i>	<i>spp.</i>	
<i>Neotoxoptera</i>	<i>formosana</i>	(Takahashi, 1921)
<i>Neotoxoptera</i>	<i>oliveri</i>	(Essig, 1935)
<i>Neotoxoptera</i>	<i>violoae</i>	(Pergande, 1900)
<i>Obtusicauda</i>	<i>coweni</i>	(Hunter, 1901)
<i>Obtusicauda</i>	<i>frigidae</i>	(Oestlund, 1886)
<i>Oestlundiella</i>	<i>flava</i>	(Davidson, 1912)
<i>Ovatus</i>	<i>crataegarius</i>	(Walker, 1850)
<i>Pachypappa</i>	<i>pseudobyrsa</i>	(Walsh, 1963)
<i>Pachypappa</i>	<i>tremulae</i>	(Linnaeus, 1761)
<i>Papulaphis</i>	<i>sleesmani</i>	(Pepper, 1950)
<i>Patchia</i>	<i>virginiana</i>	Baker, 1920
<i>Pemphigus</i>	<i>bervicornis</i>	(Hart, 1894)
<i>Pemphigus</i>	<i>betae</i>	Doane, 1900
<i>Pemphigus</i>	<i>bursarius</i>	(Linnaeus, 1758)
<i>Pemphigus</i>	<i>longicornus</i>	Maxson, 1923
<i>Pemphigus</i>	<i>nortonii</i>	Maxson, 1934
<i>Pemphigus</i>	<i>populicaulis</i>	Fitch, 1859
<i>Pemphigus</i>	<i>populiglobuli</i>	Fitch, 1859

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Pemphigus</i>	<i>populiramulorum</i>	Riley, 1879
<i>Pemphigus</i>	<i>populitransversus</i>	Riley, 1879
<i>Pemphigus</i>	<i>spp.</i>	
<i>Pentalonia</i>	<i>nigronervosa</i>	Coquerel, 1859
<i>Periphyllus</i>	<i>aceris</i>	(Linnaeus, 1761)
<i>Periphyllus</i>	<i>americanus</i>	(Baker, 1917)
<i>Periphyllus</i>	<i>californiensis</i>	Shinji, 1917
<i>Periphyllus</i>	<i>lyropictus</i>	(Kessler, 1886)
<i>Periphyllus</i>	<i>negundinis</i>	(Thomas, 1878)
<i>Periphyllus</i>	<i>testudinacea</i>	Fernie, 1852
<i>Periphyllus</i>	<i>spp.</i>	
<i>Phorodon</i>	<i>humuli</i>	(Schrink, 1801)
<i>Phylaphis</i>	<i>fagi</i>	(Linnaeus, 1761)
<i>Phylaphis</i>	<i>spp.</i>	
<i>Pleotrichophorus</i>	<i>asterifoliae</i>	(Strom, 1934)
<i>Pleotrichophorus</i>	<i>glandulosus</i>	(Kaltenbach, 1846)
<i>Pleotrichophorus</i>	<i>gnaphalodes</i>	(Palmer, 1938)
<i>Pleotrichophorus</i>	<i>gregarius</i>	(Knowlton, 1927)
<i>Pleotrichophorus</i>	<i>oestlundii</i>	(Knowlton, 1927)
<i>Pleotrichophorus</i>	<i>packi</i>	(Knowlton, 1928)
<i>Pleotrichophorus</i>	<i>patonkus</i>	(Hottes & Frison, 1931)
<i>Pleotrichophorus</i>	<i>pseudoglandulosus</i>	Corpuz-Raros & Cook, 1974
<i>Pleotrichophorus</i>	<i>vulgaris</i>	Corpuz-Raros & Cook, 1974
<i>Pleotrichophorus</i>	<i>wasatchii</i>	(Knowlton, 1927)
<i>Plocamaphis</i>	<i>flocculosa flocculosa</i>	(Weed, 1891)
<i>Prociphilus</i>	<i>americanus</i>	(Walker, 1852)
<i>Prociphilus</i>	<i>carolinensis</i>	Smith, 1969
<i>Prociphilus</i>	<i>caryae</i>	(Fitch, 1856)
<i>Prociphilus</i>	<i>caryae fitchi</i>	Baker & Davidson, 1917
<i>Prociphilus</i>	<i>corrugatans</i>	Sirrine, 1894
<i>Prociphilus</i>	<i>crataegistrobi</i>	(Smith 1969)
<i>Prociphilus</i>	<i>erigeronensis</i>	(Thomas, 1879)
<i>Prociphilus</i>	<i>fraxinifolii</i>	(Riley, 1879)
<i>Prociphilus</i>	<i>longianus</i>	Smith, 1974
<i>Prociphilus</i>	<i>piniradicivorus</i>	Smith, 1969
<i>Prociphilus</i>	<i>tessellatus</i>	(Fitch, 1951)
<i>Prociphilus</i>	<i>spp.</i>	
<i>Protaphis</i>	<i>knowltoni</i>	(Hottes & Frison, 1931)
<i>Protaphis</i>	<i>middletoni</i>	(Thomas, 1879)
<i>Protoperocallis</i>	<i>fumipennella</i>	(Fitch, 1855)
<i>Pseudasiphonaphis</i>	<i>corni</i>	(Tissot, 1929)
<i>Pseudocercidis</i>	<i>rosae</i>	Richards, 1961
<i>Pterocallis</i>	<i>alnifoliae</i>	(Fitch, 1851)
<i>Pterocallis</i>	<i>rhombifoliae</i>	(Granovsky, 1928)
<i>Pterocomma</i>	<i>bicolor</i>	(Oestlund, 1887)
<i>Pterocomma</i>	<i>populifoliae</i>	(Fitch, 1851)
<i>Pterocomma</i>	<i>salicis</i>	(Linnaeus, 1758)

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Pterocomma</i>	<i>smithiae</i>	(Monell, 1879)
<i>Pterocomma</i>	<i>spp.</i>	
<i>Rhodobium</i>	<i>porosum</i>	(Sanderson, 1900)
<i>Rhopalomyzus</i>	<i>grabhami</i>	(Cockerell, 1903)
<i>Rhopalomyzus</i>	<i>lonicerae</i>	Siebold, 1839
<i>Rhopalomyzus</i>	<i>poae</i>	(Gillette, 1908)
<i>Rhopalosiphoninus</i>	<i>hydrangea</i>	(Matsumura, 1918)
<i>Rhopalosiphum</i>	<i>cerasifoliae</i>	(Fitch, 1855)
<i>Rhopalosiphum</i>	<i>enigma</i>	Hottes & Frison, 1931
<i>Rhopalosiphum</i>	<i>latysiphon</i>	(Davidson, 1912)
<i>Rhopalosiphum</i>	<i>maidis</i>	(Fitch, 1856)
<i>Rhopalosiphum</i>	<i>niger</i>	Richards, 1960
<i>Rhopalosiphum</i>	<i>nymphaeae</i>	(Linnaeus, 1761)
<i>Rhopalosiphum</i>	<i>oxyacanthae</i>	(Schrink, 1801)
<i>Rhopalosiphum</i>	<i>padi</i>	Linnaeus, 1758
<i>Rhopalosiphum</i>	<i>rufiabdominale</i>	Sasaki, 1899
<i>Rhopalosiphum</i>	<i>staphyleae tulipaellus</i>	(Theobald, 1916)
<i>Rhopalosiphum</i>	<i>spp.</i>	
<i>Saruicallis</i>	<i>kahawaluokalani</i>	Kirkaldy, 1907
<i>Schizaphis</i>	<i>graminum</i>	Rondani, 1852
<i>Schizolachnus</i>	<i>parvus</i>	(Wilson, 1915)
<i>Schizolachnus</i>	<i>piniradiatae</i>	(Davidson, 1909)
<i>Schizolachnus</i>	<i>spp.</i>	
<i>Schlechtendalis</i>	<i>chinensis</i>	
<i>Schoutdenia</i>	<i>ralumensis</i>	
<i>Sipha</i>	<i>agropyronensis</i>	(Gillette, 1911)
<i>Sipha</i>	<i>elegans</i>	Del Guercio, 1905
<i>Sipha</i>	<i>flava</i>	(Forbes, 1885)
<i>Sipha</i>	<i>glyceriae</i>	(Kaltenbah, 1843)
<i>Sipha</i>	<i>spp.</i>	
<i>Siphonatraphia</i>	<i>cupressi</i>	(Swain, 1918)
<i>Siphonatrophia</i>	<i>spp.</i>	
<i>Sitobion</i>	<i>avenae</i>	(Fabricius, 1775)
<i>Sitobion</i>	<i>fragariae</i>	(Walker, 1848)
<i>Sitobion</i>	<i>luteum</i>	(Buckton, 1876)
<i>Sitobion</i>	<i>manitobense</i>	(Robinson, 1965)
<i>Smynthurodes</i>	<i>betae</i>	Westwood, 1849
<i>Stegophylla</i>	<i>davisi</i>	Quednau, 2010
<i>Stegophylla</i>	<i>quercicola</i>	(Monell, 1879)
<i>Stegophylla</i>	<i>quercifoliae</i>	(Gillette, 1914)
<i>Stegophylla</i>	<i>spp.</i>	
<i>Strenaphis</i>	<i>elongata</i>	(Baker, 1917)
<i>Subsaltusaphis</i>	<i>virginica</i>	(Baker, 1917)
<i>Symydobius</i>	<i>americanus</i>	Baker, 1918
<i>Takecallis</i>	<i>arundicolens</i>	(Clarke, 1903)
<i>Takecallis</i>	<i>arundinariae</i>	(Essig, 1917)
<i>Takecallis</i>	<i>taiwana</i>	Takahashi, 1926

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Takecallis</i>	<i>spp.</i>	
<i>Tamalia</i>	<i>coweni</i>	(Cockerell, 1905)
<i>Tamalia</i>	<i>spp.</i>	
<i>Tetraneura</i>	<i>ulmi</i>	(Linnaeus, 1758)
<i>Thecabius</i>	<i>affinis</i>	(Kaltenbach, 1843)
<i>Thecabius</i>	<i>populimonilis</i>	(Riley, 1879)
<i>Thecabius</i>	<i>spp.</i>	
<i>Theroaphis</i>	<i>maculata</i>	Buckton
<i>Theroaphis</i>	<i>ononidis</i>	(Kaltenbach, 1846)
<i>Theroaphis</i>	<i>riehmi</i>	(Borner, 1949)
<i>Theroaphis</i>	<i>trifolii</i>	(Monell, 1882)
<i>Thripsaphis</i>	<i>ballii</i>	(Gillette, 1908)
<i>Thripsaphis</i>	<i>caricis</i>	(Mordvilko, 1921)
<i>Tinocallis</i>	<i>ulmifolia</i>	Monell, 1879
<i>Toxoptera</i>	<i>aurantii</i>	(Boyer de Fonscolombe, 1841)
<i>Toxoptera</i>	<i>spp.</i>	
<i>Trama</i>	<i>rara</i>	Mordvilko, 1908
<i>Tuberculatus</i>	<i>annulatus</i>	(Hartig, 1841)
<i>Tuberculatus</i>	<i>californicus</i>	(Baker, 1917)
<i>Tuberculatus</i>	<i>dumosa</i>	Dickson
<i>Tuberculatus</i>	<i>maureri</i>	(Swain, 1918)
<i>Tuberculatus</i>	<i>pasaniae</i>	(Davidson, 1915)
<i>Tuberculatus</i>	<i>spp.</i>	
<i>Tuberolachnus</i>	<i>salignus</i>	(Gmelin, 1790)
<i>Uroleucon</i>	<i>ambrosiae</i>	Thomas, 1878
<i>Uroleucon</i>	<i>anomalae</i>	(Hottes & Frison, 1931)
<i>Uroleucon</i>	<i>astronomus</i>	(Hille Ris Lambers, 1962)
<i>Uroleucon</i>	<i>baccharidis</i>	(Clarke, 1903)
<i>Uroleucon</i>	<i>chrysanthemi</i>	(Oestlund, 1886)
<i>Uroleucon</i>	<i>chrysopsidicola</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>cirsii</i>	(Linnaeus, 1758)
<i>Uroleucon</i>	<i>erigeronense</i>	(Thomas, 1878)
<i>Uroleucon</i>	<i>eupatoricolens</i>	(Patch, 1919)
<i>Uroleucon</i>	<i>gravicorne</i>	(Patch, 1919)
<i>Uroleucon</i>	<i>helianthicola</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>illini</i>	(Hottes & Frison, 1931)
<i>Uroleucon</i>	<i>impatiensicolens</i>	(Patch, 1919)
<i>Uroleucon</i>	<i>luteolum</i>	(Williams, 1911)
<i>Uroleucon</i>	<i>madia</i>	(Swain, 1919)
<i>Uroleucon</i>	<i>nigrotibium</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>nigrotuberculatum</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>obscuricaudatum</i>	(Olive, 1965)
<i>Uroleucon</i>	<i>paucosensoriatum</i>	(Hille Ris Lambers, 1960)
<i>Uroleucon</i>	<i>pepperi</i>	(Olive, 1965)
<i>Uroleucon</i>	<i>pseudambrosiae</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>richardsi</i>	(Robinson, 1964)
<i>Uroleucon</i>	<i>rudbeckiae</i>	(Fitch, 1851)

CUIC Aphididae
N.S.F. T.C.N. team--2012-2014

<i>Uroleucon</i>	<i>rurale</i>	(Hottes & Frison, 1931)
<i>Uroleucon</i>	<i>russellae</i>	(Hille Ris Lambers, 1960)
<i>Uroleucon</i>	<i>solidaginis</i>	(Fabricius, 1779)
<i>Uroleucon</i>	<i>sonchellum</i>	(Monell, 1879)
<i>Uroleucon</i>	<i>sonchi</i>	(Linnaeus, 1767)
<i>Uroleucon</i>	<i>taraxaci</i>	(Kaltenbach, 1843)
<i>Uroleucon</i>	<i>tenuitarsum</i>	(Gillette & Palmer, 1933)
<i>Uroleucon</i>	<i>tuataiae</i>	(Olive, 1963)
<i>Uroleucon</i>	<i>zinzale</i>	(Hottes & Frison, 1931)
<i>Uroleucon</i>	<i>spp.</i>	
<i>Uroleucons</i>	<i>leonardi</i>	(Olive, 1965)
<i>Utamphorophora</i>	<i>commelinensis</i>	(Smith, 1960)
<i>Utamphorophora</i>	<i>crataegi</i>	(Monell, 1879)
<i>Utamphorophora</i>	<i>humboldti</i>	Essig, 1941
<i>Vesiculaphis</i>	<i>spp.</i>	
<i>Wahlgreniella</i>	<i>nervata</i>	(Gillette, 1908)