

Cornell University Insect Collection

Cicadellidae

Determined species: 787

Updated August 2015
Jamie C. Freeman

Subfamily	Tribe	Genus	species	Author/Date	Locality
Aphrodinae	Aphrodini	[<i>Acocephalus</i> <i>Anoscopus</i> <i>Aphrodes</i> <i>Planaphrodes</i> <i>Stroggylocephalus</i>	spp.]		NEA
			<i>albifrons</i>	(Linnaeus 1758)	NEA, PAL
			<i>albifrons albifrons</i>	(Linnaeus 1758)	NEA, PAL
			<i>flavostriatus</i>	(Donovan 1799)	NEA, PAL
			<i>histrionicus</i>	(Fabricius 1794)	PAL
			<i>serratulae</i>	(Fabricius 1775)	NEA
			<i>bicinctus</i>	(Schrank 1776)	PAL
			<i>bicintus</i>	(Shrank 1776)	NEA
			<i>bicintus?</i>		NEA
			[<i>obsoletus</i>	KI]	PAL
			sp.		NEA
			spp.		NEA
			<i>bifasciatus</i>	(Linnaeus 1758)	PAL
			<i>agrestis</i>	(Fallén 1806)	NEO, PAL
Aphrodinae	Errhomenini	<i>Lystridea</i>	<i>uhleri</i>	(Baker 1898)	NEA
Aphrodinae	Portanini	<i>Portanus</i>	sp.		NEO
			spp.		NEO
Aphrodinae	Xestocephalini	<i>Xestocephalus</i>	<i>albopunctatus</i>	Linnavuori 1959	NEO
			<i>desertorum</i>	(Berg 1879)	NEO
			<i>mexicanus</i>	DeLong & Linnavuori 1978	NEO
			[<i>pallidus</i>	(Osborn 1935)]	NEO
			<i>tessellatus</i>	Van Duzee 1894	NEO
			sp.		NEO
			spp.		NEO
			spp.		NEA
Bathysmatophorinae	Bathysmatophorini	<i>Errhomus</i>	spp.		NEO
		<i>Erronus</i>	<i>montanus</i>	(Baker 1898)	NEA
Cicadellinae	Cicadellini	<i>Acrulogonia</i>	<i>mucidula</i>	(Jacobi 1905)	NEO
			sp.		NEO
		<i>Agrosoma</i>	<i>pulchella</i>	(Guérin-Méneville 1829)	NEO
		<i>Aguahua</i>	<i>salamandra</i>	(Signoret 1855)	NEO
		<i>Amblyscarta</i>	<i>circumducta</i>	(Signoret 1854)	NEA
			<i>invenusta</i>	Young 1977	NEO
			<i>pulchra</i>	(Fabricius 1803)	NEO
			spp.		NEO
			<i>trinotata</i>	Young 1977	NEO
			<i>variabilis</i>	(Signoret 1854)	NEO

<i>Amblyscartidia</i>	<i>elegantissima</i>	(Blanchard 1840)	PAL
<i>Amphigonalia</i>	<i>gothica</i>	(Signoret 1854)	NEA
<i>Apogonalia</i>	<i>fractinota</i>	(Fowler 1899)	NEO
	<i>interrupta</i>	(Signoret 1855)	NEO
	spp.		NEO
<i>Apulia</i>	<i>pruinosa</i>	(Walker 1851)	NEO
<i>Balacha</i>	<i>melanocephala</i>	(Signoret 1854)	NEO
<i>Baleja</i>	spp.		NEO
<i>Beirneola</i>	<i>anita</i>	(Fowler 1990)	NEO
<i>Bothrogonia (Bothrogonia)</i>	<i>ferruginea</i>	(Fabricius 1787)	ETH, ORI
	<i>indistincta</i>	(Walker 1851)	PAL
<i>Bucephalagonia</i>	<i>xanthophis</i>	(Berg 1879)	NEO
<i>Caldwelliola</i>	<i>reservata</i>	(Fowler 1900)	NEO
<i>Caldwelliola</i>	<i>selvola</i>	Young 1977	NEO
<i>Cardioscarta</i>	<i>quadrifasciata</i>	(Linnaeus 1758)	PAL
<i>Caribovia</i>	<i>lineata</i>	(Osborn 1935)	NEO
<i>Catagonalia</i>	<i>lunata</i>	(Signoret 1854)	PAL
<i>Chichahua</i>	n. sp. nr. <i>impressa</i>	Young 1977	NEO
<i>Chlorogonalia</i>	<i>coeruleovittata</i>	(Signoret 1855)	NEO
<i>Cicadella</i>	[<i>5-maculata</i>]		NEO
	[<i>arogantula</i>]		PAL
	near <i>colorata</i>		NEO
	[<i>contamineta</i>]		PAL
	[<i>fasciata</i>]	Linnaeus]	NEO
	[<i>fasetula</i>]		PAL
	[<i>lemomelas</i>]		PAL
	[<i>muscoides</i>]		PAL
	[<i>mutabilis</i>]		NEO
	[<i>partibula</i>]		PAL
	[<i>plectula</i>]		PAL
	[<i>practeabula</i>]		PAL
	[<i>practestabula</i>]		PAL
	<i>viridis</i>	(Linnaeus 1758)	PAL
	spp.		ORI
	spp.		NEO
	<i>Conogonia</i>	<i>affinis</i> var. <i>dorsalis</i>	Schmidt 1926
<i>Coronigoniella</i>	<i>marginella</i>	(Fabricius 1787)	NEO
<i>Cyclogonia</i>	<i>scutellatula</i>	(Osborn 1926)	NEO

<i>Diedrocephala</i>	<i>bimaculata</i>	(Gmelin 1789)	NEO
	<i>euthemis</i>	Young 1977	NEO
	[<i>flavicephala</i>	Fitch]	NEA
<i>Dilobopterus</i>	<i>adocetus</i>	Young 1977	NEO
	<i>auctulus</i>	(Jacobi 1905)	NEO
	<i>demissus</i>	(Fabricius 1803)	NEO
	<i>exaltata</i>	(Fabricius 1803)	NEO
	<i>fastuosa</i>	(Fabricius 1803)	NEO
	<i>laetus</i>	(Walker 1851)	NEO
	<i>mosaica</i>	(Fowler 1899)	PAL
	<i>politus</i>	(Schmidt 1928)	NEO
	<i>syrphoidula</i>	(Jacobi 1905)	PAL
	spp.		NEO
<i>Draeculacephala</i>	<i>angulifera</i>	(Walker 1851)	NEA
	<i>antica</i>	(Walker 1851)	NEA
	<i>balli</i>	Van Duzee 1915	NEA
	<i>bradleyi</i>	Van Duzee 1915	NEA
	<i>constricta</i>	Davidson & DeLong 1943	NEA
	<i>mollipes</i>	(Say 1840)	NEA
	<i>noveboracensis</i>	(Fitch 1851)	NEA
	<i>paludosa</i>	Ball & China 1933	NEA
	<i>portola</i>	Ball 1927	NEA
	<i>portola</i> complex		NEA
	<i>producta</i>	(Walker 1851)	NEA
	<i>septemguttata</i>	(Walker 1851)	NEA
	sp.		NEA
	spp.		NEA
	<i>Entogonia</i>	<i>lineata</i>	Osborn 1935
<i>Erythrogonia</i>	<i>aurivagula</i>	(Jacobi 1905)	NEO
	<i>dorsalis</i>	(Signoret 1853)	NEO
	<i>phoenicea</i>	(Signoret 1853)	NEO
	<i>quadriplagiata</i>	(Walker 1851)	NEO
	<i>sexguttata</i>	(Fabricius 1803)	NEO
	<i>sp. nr. socialis</i>	Melichar 1926	NEO
	<i>splendida</i>	(Fabricius 1803)	NEO
<i>Ferrariana</i>	<i>triplicula</i>	(Jacobi 1905)	PAL
	<i>trivittata</i>	(Signoret 1854)	NEO
	<i>obtecta</i>	(Signoret 1855)	NEO

<i>Gorgonalia</i>	<i>sirena</i>	(Stål 1864)	NEO
<i>Graphocephala</i>	<i>atropunctata</i>	(Signoret 1854)	NEA
	<i>coccinea</i>	(Forster 1771)	NEA
	<i>coccinea quadrivittata</i>	(Say)	NEA
	<i>coccinea quadrivittata intermediates</i>		NEA
	<i>confluens</i>	(Uhler 1861)	NEA
	<i>consobrina</i>	(Fowler 1899)	NEO
	<i>cythura</i>	(Baker 1898)	NEA
	<i>dohrnii</i>	(Signoret 1855)	NEA
<i>Graphocephala</i>	<i>fennahi</i>	Young 1977	NEA
	<i>flavovittata</i>	Metcalf 1955	NEO
	<i>hieroglyphica</i>	(Say 1830)	NEA
	<i>lugubris</i>	(Signoret 1854)	NEA
	<i>picta</i>	(Walker 1851)	NEA
	<i>teliformis</i>	(Walker 1851)	NEA
	<i>sp. probably teliformis</i>		NEA
	<i>uhleri</i>	(Ball 1901)	NEA
	<i>versuta</i>	(Say 1830)	NEA
	<i>sp.</i>		NEA
<i>Helochara</i>	<i>communis</i>	Fitch 1851	NEA
	<i>spp.</i>		NEO
<i>Hortensia</i>	<i>similis</i>	(Walker 1851)	NEO
<i>Inuyana</i>	<i>uncaya</i>	Young 1977	NEO
<i>Iragua</i>	<i>montana</i>	Young 1977	NEO
<i>Jakrama</i>	<i>krameri</i>	Young 1977	NEO
	<i>servillei</i>	(Signoret 1853)	NEO
<i>Janastana</i>	<i>erupta</i>	(Melichar 1932)	NEO
<i>Juliaca</i>	<i>aureocincta</i>	Young 1977	NEO
	<i>homalina</i>	(Melichar 1932)	NEO
	<i>kelainops</i>	Young 1977	NEO
	<i>lepida</i>	(Signoret 1855)	PAL
	<i>phalacra</i>	Young 1977	NEO
	<i>quadrigula</i>	(Jacobi 1905)	PAL
	<i>sertigerula</i>	(Jacobi 1905)	NEO
	<i>simoni</i>	Young 1977	NEO
	<i>spp.</i>		NEO
<i>Ladoffa</i>	<i>rubriguttata</i>	(Walker 1851)	NEO
<i>Lissoscarta</i>	<i>pereneesis</i>	Young 1977	NEO

	<i>vespiformis</i>	(Fabricius 1803)	NEO
<i>Macugonalia</i>	<i>leucomelas</i>	(Walker 1851)	NEO
	<i>moesta</i>	(Fabricius 1803)	NEO
	spp.		NEO
<i>Macunolla</i>	<i>ventralis</i>	(Signoret 1854)	PAL
	<i>paganula</i>	(Jacobi 1905)	PAL
	<i>stillatula</i>	(Breddin 1902)	PAL
	spp.		NEO
<i>Microgoniella</i>	<i>illustris</i>	(Signoret 1854)	NEO
	<i>sociata</i>	(Fowler 1900)	NEO
	<i>tristicula</i>	(Melichar 1926)	NEO
	spp.		NEO
<i>Neokolla</i>	spp.		NEO
<i>Oragua</i>	<i>insipida</i>	Young 1977	NEO
	spp.		NEO
<i>Pachitea</i>	<i>jezima</i>	Young 1977	NEO
<i>Parathona</i>	<i>cayennensis</i>	Gmelin 1798	NEO
	<i>gratiosa</i>	(Blanchard 1840)	NEO
<i>Paromenia</i>	<i>aureoguttata</i>	(Signoret 1853)	NEO
	<i>isabellina</i>	Fowler 1899	NEO
	<i>propria</i>	Young 1966	NEO
	<i>rufa</i>	(Walker 1851)	NEO
	spp.		NEO
genus near <i>Paromenia</i>	spp.		NEO
<i>Pegogonia</i>	<i>rufipes</i>	(Fabricius 1803)	NEO
<i>Plesiommata</i>	<i>mollicella</i>	(Fowler 1900)	NEO
	<i>tripunctata</i>	(Fitch 1851)	NEA
<i>Poeciloscarta</i>	<i>aurorula</i>	(Breddin 1901)	NEO
	<i>cardinalis</i>	(Fabricius 1803)	NEO
<i>Ramosulus</i>	<i>corrugipennis</i>	(Osborn 1926)	NEO
<i>Ruppeliana</i>	<i>nigripes</i>	(Signoret 1853)	NEO
<i>Sailerana</i>	<i>multiplicator</i>	(Melichar 1932)	NEO
	<i>solitarius</i>	(Signoret 1853)	NEO
	spp.		NEO
<i>Selvitsa</i>	<i>cinctosula</i>	(Osborn 1926)	NEO
<i>Serpa</i>	<i>plumbea</i>	(Walker 1851)	NEO
<i>Sibovia</i>	<i>occatoria</i>	(Say 1830)	NEA, NEO
	<i>sagata</i>	(Signoret 1854)	NEO
	spp.		NEA

		<i>Soosiulus</i>	<i>fabricii</i>	(Metcalf 1965)	NEO
			<i>flamidulus</i>	(Jacobi 1905)	NEO
			<i>salutaris</i>	(Fowler 1900)	NEO
		<i>Stehlikiana</i>	<i>erratilis</i>	Young 1977	NEO
			<i>guttata</i>	Young 1977	NEO
			<i>obesula</i>	(Jacobi 1905)	PAL
			<i>perturbata</i>	(Melichar 1932)	NEO
		<i>Syncharina</i>	<i>argentina</i>	Berg 1879	NEO
			<i>lineiceps</i>	(Spinola 1852)	NEO
			<i>punctatissima</i>	(Signoret 1854)	NEO
		<i>Tacora</i>	<i>dilecta</i>	(Walker 1851)	NEO
		<i>Tlagonalia</i>	<i>nigroguttata</i>	(Signoret 1855)	NEO
		<i>Trichogonia</i>	<i>costata</i>	Signoret 1853	NEO
		<i>Tylozygus</i>	<i>bifidus</i>	(Say 1830)	NEA
			<i>fasciata</i>	(Walker 1851)	NEA
			<i>geometrica</i>	(Signoret 1854)	NEO
			spp.		NEA
		<i>Vidanoana</i>	<i>flavomaculata</i>	(Blanchard 1852)	NEO
		<i>Xyphon</i>	<i>flaviceps</i>	(Riley 1880)	NEA
			<i>reticulatum</i>	(Signoret 1854)	NEA
			<i>sagittifera</i>	(Uhler 1895)	NEO
			<i>triguttatum</i>	(Nottingham 1932)	NEA
Cicadellinae	Proconiini	<i>Aulacizes</i>	[<i>sparrata</i>]		
			spp.		NEO
		<i>Cuerna</i>	<i>cotstalis</i>	(Fabricius 1803)	NEA
			spp.		NEO
		<i>Cyrtodisca</i>	<i>major</i>	(Signoret 1854)	NEO
		<i>Diestostemma</i>	<i>albipenne</i>	(Fabricius 1803)	NEO
		<i>Homoscarta</i>	<i>irregularis</i>	(Signoret 1855)	NEO
		<i>Molomea</i>	<i>cincta</i>	(Signoret 1854)	NEO
			<i>personata</i>	(Signoret 1854)	NEO
		<i>Oncometopia (Oncometopia)</i>	<i>funnebris</i>	(Signoret 1854)	NEO
			<i>nigricans</i>	(Walker 1851)	NEA
			<i>obtusa</i>	(Fabricius 1787)	NEO
			<i>orbona</i>	(Fabricius 1798)	NEA
		<i>Oncometopia</i>	sp.		NEA
			spp.		NEO
		<i>Paraulacizes</i>	<i>irrorata</i>	(Fabricius 1794)	NEA

			<i>pollinosa</i>	(Fowler 1899)	NEA
		<i>Peltocheirus</i>	<i>bigibbosus</i>	(Signoret 1855)	NEO
		<i>Phera</i>	<i>wallengreni</i>	Stål 1864	PAL
		<i>Proconia</i>	<i>marmorata</i>	(Fabricius 1803)	NEO
		<i>Proconobola</i>	<i>callidula</i>	(Jacobi 1905)	NEO
		<i>Propetes</i>	<i>schmidti</i>	Melichar 1925	NEO
		<i>Pseudometopia</i>	<i>dufourii</i>	(Signoret 1855)	PAL
		<i>Rhaphirhinus</i>	<i>phosphoreus</i>	(Linnaeus 1758)	NEO
		<i>Tapajosa</i>	<i>ocellata</i>	(Osborn 1926)	NEO
Cicadellinae			spp.		NEA, NEO
Coelidiinae	Coelidiini	<i>Brasura</i>	<i>variabilis</i>	Nielson 1982	ETH
		<i>Brevolidia</i>	<i>constricta</i>	(Jacobi 1910)	ETH
		<i>Coelidia</i>	<i>retrorsa</i>	Nielson 1982	NEO
			<i>venosa</i>	Germar 1821	NEO
		<i>Dialodia</i>	<i>proxima</i>	(Nielson 1982)	NEO
		<i>Lodia</i>	<i>proxima</i>	Nielson 1982	NEO
		<i>Omanolidia</i>	<i>pilosa</i>	Nielson 1982	NEO
		<i>Taharana</i>	spp.		ORI
		<i>Triquetolidia</i>	<i>youngi</i>	Nielson 1982	NEO
	Teruliini	<i>Bolidiana</i>	<i>aurata</i>	(Fabricius 1787)	NEO
		<i>Crepluvia</i>	<i>pygmaea</i>	(Linnavuori 1956)	NEO
		<i>Docalidia</i>	<i>ampliata</i>	(Osborn 1924)	NEO
			<i>limpidosparsa</i>	(Ståhl 1859)	NEO
			<i>rufipennis</i>	(Walker 1851)	NEO
			<i>spinosa</i>	(Osborn 1924)	NEO
			spp.		NEO
		<i>Jawigia</i>	<i>angulata</i>	(Spångberg 1878)	NEA
		<i>Jikradia</i>	<i>olitoria</i>	(Say 1830)	NEA, NEO
		<i>Staloidia</i>	<i>fascifrons</i>	(Osborn 1924)	NEO
			<i>poecilia</i>	(Germar 1821)	NEO
			spp.		NEO
Coelidiinae	Tinobregmini	<i>Tinobregmus</i>	<i>vittatus</i>	Van Duzee 1894	NEA
			sp.		NEO
Coelidiinae	Youngolidiini	<i>Pilosana</i>	<i>bicolor</i>	(Stål 1862)	NEO
			<i>longipes</i>	(Fabricius 1803)	NEO
		<i>Youngolidia</i>	<i>lateralis</i>	Nielson 1983	NEO
Deltocephalinae	Acinopterini	<i>Acinopterus</i>	<i>acuminatus</i>	Van Duzee 1892	NEA
			spp.		NEA

Deltocephalinae	Agaliini	<i>Agallia</i>	<i>harrarensis</i>	(Melichar 1911)	ETH
Deltocephalinae	Athysanini	<i>Aligia</i>	<i>jucunda</i>	(Uhler 1877)	NEA
			<i>manitou</i>	(Ball 1901)	NEA
			spp.		NEA
		<i>Allygidius (Allygidius)</i>	<i>atomarius</i>	(Fabricius 1794)	NEA
			<i>commutatus</i>	(Fieber 1872)	PAL
		<i>Allygus</i>	<i>mixtus</i>	(Fabricius 1794)	PAL
			spp.		NEA
		<i>Anoterostemma</i>	<i>ivanhofi</i>	(Lethierry 1876)	PAL
		<i>Aplanus</i>	<i>albidus</i>	(Ball 1900)	NEA
		<i>Artianus</i>	<i>interstitialis</i>	(Germar 1821)	PAL
		<i>Atanus</i>	spp.		NEO
		<i>Athysanus</i>	<i>argentarius</i>	Metcalf 1955	NEA
			<i>parallelus</i>	Van Duzee 1891	NEA
			[<i>sulfuscatus</i>	F]	PAL
			spp.		NEA
		<i>Bandara (Bandara)</i>	<i>johnsoni</i>	(Van Duzee 1894)	NEA
		<i>Bandara</i>	spp.		NEO
		<i>Collandonus</i>	<i>belli</i>	(Uhler 1877)	NEA
			<i>brunneus</i>	(Osborn 1915)	NEA
			<i>clitellarius</i>	(Say 1830)	NEA
			<i>collaris</i>	(Ball 1902)	NEA
			<i>flavocapitatus</i>	(Van Duzee 1890)	NEA
			<i>geminatus</i>	(Van Duzee 1890)	NEA
			<i>montanus</i>	(Van Duzee 1892)	NEA
			<i>torneellus</i>	(Zetterstedt 1828)	PAL
		<i>Doleranus</i>	<i>lucidus</i>	(Baker 1895)	NEA
		<i>Dorydiella</i>	<i>floridana</i>	Baker 1897	NEA
		<i>Euscelidius</i>	<i>schenckii</i>	(Kirschbaum 1868)	PAL
			<i>variegatus</i>	(Kirschbaum 1858)	PAL
			spp.		NEA
		<i>Euscelis</i>	<i>distinguiendus</i>	(Kirschbaum 1858)	PAL
			<i>incisa</i>	(Kirschbaum 1858)	NEA, PAL
			<i>lineolata</i>	Brullé 1832	PAL
		<i>Eutettix</i>	<i>snowi</i>	Ball 1907	NEA
		<i>Eutettix (Eutettix)</i>	<i>marmoratus</i>	Van Duzee 1892	NEA
			<i>querci</i>	Gillette & Baker 1895	NEA
			<i>slossoni</i>	Van Duzee 1894	NEA

	<i>southwicki</i>	Van Duzee 1894	NEA
	<i>tristis</i>	Ball 1907	NEA
<i>Extrusanus</i>	<i>extrusus</i>	(Van Duzee 1893)	NEA
<i>Fitchana</i>	<i>vitellina</i>	(Fitch 1851)	NEA
<i>Graphocraerus</i>	<i>ventralis</i>	(Fallén 1806)	NEA, PAL
<i>Handianus (Handianus)</i>	<i>procerus</i>	(Herrich-Schäffer 1835)	PAL
<i>Hegira</i>	spp.		NEO
<i>Idiodonus</i>	<i>cruentatus</i>	(Panzer 1799)	PAL
	<i>kennicotti</i>	(Uhler 1864)	NEA
<i>Limotettix (Scleroracus)</i>	<i>anthracinus</i>	(Van Duzee 1894)	NEA
genus near <i>Limotettix</i>	sp.		NEO
<i>Macustus</i>	<i>grisescens</i>	Zetterstedt 1828	PAL
<i>Mesamia</i>	<i>coloradensis</i>	(Gillette & Baker 1895)	NEA
	<i>nigradorsum</i>	(Ball 1907)	NEA
	<i>straminea</i>	(Osborn 1898)	NEA
	spp.		NEA
<i>Mocydia</i>	<i>crocea</i>	(Herrich-Schäffer 1837)	PAL
<i>Norvellina</i>	<i>chenopodii</i>	(Osborn 1923)	NEA
	<i>clarivida</i>	(Van Duzee 1894)	NEA
	<i>mildredae</i>	(Ball 1901)	NEA
	<i>perelegantis</i>	(Ball 1901)	NEA
	<i>pulchella</i>	(Baker 1896)	NEA
	<i>pullata</i>	(Ball 1901)	NEA
	<i>seminuda</i>	(Say 1830)	NEA
	<i>snowi</i>	(Ball 1907)	NEA
	spp.		NEA
<i>Ollarianus</i>	<i>insanus</i>	(Ball 1900)	NEA
	spp.		NEA
<i>Orientus</i>	<i>ishidae</i>	(Matsumura 1902)	NEA
<i>Phlepsanus</i>	<i>denudatus</i>	(Ball 1901)	NEA
	<i>nigrifrons</i>	(Ball 1905)	NEA
<i>Phlepsis</i>	spp.		PAL
	<i>complex</i>		NEO
<i>Pithyotettix (Pithyotettix)</i>	<i>abietinus</i>	(Fallén 1806)	NEO
<i>Platymetopius</i>	<i>frontalis</i>	Van Duzee 1890	NEA
	<i>fuscifrons</i>	Van Duzee 1894	NEA
	<i>loricatus</i>	Van Duzee 1894	NEA
	spp.		NEA

		<i>Selenocephalus</i>	<i>plana</i>	(Turton 1802)	PAL
		<i>Speudotettix</i>	<i>subfuscus</i>	(Fallén 1806)	PAL
		<i>Stictocoris</i>	<i>picturatus</i>	(Sahlberg 1842)	PAL
		<i>Streptanus</i>	<i>marginatus</i>	(Kirschbaum 1858)	PAL
			<i>relativus</i>	(Gillette & Baker 1895)	NEA
		<i>Streptanus (Streptanus)</i>	<i>sordidus</i>	(Zetterstedt 1828)	PAL
		<i>Taurotettix</i>	<i>beckeri</i>	(Fieber 1885)	PAL
		<i>Thamnotettix</i>	[<i>lapicola</i>]		PAL
			<i>preyssieri</i>	Fieber]	PAL
			<i>viridinervis</i>	(Kirschbaum)]	PAL
		<i>Thamnotettix (Thamnotettix)</i>	<i>conifis</i>	(Zetterstedt 1828)	PAL
		<i>Thamnotettix</i>	sp.		NEO
Deltocephalinae	Bahitini	<i>Menosoma</i>	<i>cincta</i>	(Osborn & Ball 1898)	NEA
			sp.		NEO
			spp.		NEA
		genus near <i>Menosoma</i>	spp.		NEO
Deltocephalinae	Chiasmini	<i>Athysanella</i>	spp.		NEA
		<i>Doratura (Doratura)</i>	<i>stylata</i>	(Boheman 1847)	NEA, PAL
		<i>Driotura</i>	<i>gammaroides</i>	(Van Duzee 1894)	NEA
			<i>robusta</i>	(Osborn & Ball 1898)	NEA
			<i>vittata</i>	(Ball 1903)	NEA
			<i>vittata nigra</i>	Lawson 1928	NEA
		<i>Exitianus</i>	<i>exitiosus</i>	(Uhler 1880)	NEA
			<i>luctuosus</i>	(Stål 1895)	NEO
			<i>obscurinervis</i>	(Stål 1859)	NEA
			<i>obscurinervis</i>	(Stål 1859)	NEO
			sp.		NEA
			spp.		NEO
		<i>Nephotettix</i>	<i>nigropictus</i>	(Stål 1870)	ORI
			<i>virescens</i>	(Distant 1908)	ORI
Deltocephalinae	Cicadulini	<i>Cicadula (Cicadula)</i>	<i>longiseta</i>	(Van Duzee 1892)	NEA
			<i>melanogaster</i>	(Provancher 1872)	NEA
			<i>quadrinotata</i>	(Fabricius 1794)	PAL
			<i>quinqenotata</i>	(Boheman 1845)	NEA
			<i>subcupraea</i>	(Provancher 1872)	NEA
			<i>subcupraeus</i>	(Provancher 1872)	NEA
		<i>Cicadula (Henriana)</i>	<i>frontalis</i>	(Herrich-Schaeffer 1835)	NEA
		<i>Cicadula</i>	spp.		NEA

		<i>Elymana</i>	<i>acuma</i>	DeLong 1936	NEA
			<i>inornata</i>	(Van Duzee 1892)	NEA
			<i>sulphurella</i>	(Zetterstedt 1828)	PAL
			<i>sulphurella</i>	(Zetterstedt 1828)	NEA
Deltocephalinae	Cochlorhinini	<i>Cochlorhinus</i>	<i>unispinosus</i>	Beamer 1940	NEA
		<i>Drionia</i>	<i>nigra</i>	Ball 1915	NEA
		<i>Gloridonus (Ballana)</i>	<i>atridorsum</i>	(Van Duzee 1894)	NEA
Deltocephalinae	Deltocephalini	<i>Amblysellus</i>	<i>curtisii</i>	Fitch 1851	NEA
		<i>Amplicephalus</i>	<i>micarius</i>	(Ball 1911)	NEA
		<i>Amplicephalus (Amplicephalus)</i>	<i>littoralis</i>	(Ball 1905)	NEA
			<i>osborni</i>	(Van Duzee 1892)	NEA
			<i>simplex</i>	(Van Duzee 1892)	NEA
		<i>Amplicephalus</i>	spp.		NEA
		genus near <i>Amplicephalus</i>	spp.		NEO
		<i>Arundanus</i>	spp.		NEA
		<i>Bolarga</i>	<i>boliviana</i>	(Osborn 1923)	NEO
			spp.		NEO
		genus near <i>Bolarga</i>	spp.		NEO
		<i>Deltanus</i>	<i>texanus</i>	(Osborn & Ball 1898)	NEA
		<i>Deltocephalus</i>	<i>fuscinosus</i>	Van Duzee 1894	NEA
			<i>pulicaris</i>	(Fallén 1806)	PAL
			[<i>saginitus</i>	Uhler]	NEA
			[<i>sayi</i>]		NEA
			<i>terminatus</i>	Osborn]	NEA
			<i>vanduzei</i>	Gillette & Baker 1895	NEA
			<i>zephyrius</i>	Van Duzee 1925	NEA
			sp.		NEO
			spp.		NEA
		<i>Endria</i>	<i>inimica</i>	(Say 1830)	NEA
		<i>Graminella</i>	<i>comata</i>	(Ball 1900)	NEA
			<i>fitchii</i>	(Van Duzee 1890)	NEA
			<i>nigrifrons</i>	(Forbes 1885)	NEA, NEO
			<i>sonora</i>	(Ball 1900)	NEA
			<i>striatella</i>	Linnavuori 1959	NEO
			<i>villica</i>	(Crumb 1915)	NEA
			sp.		NEA
			spp.		NEA
		<i>Lonatura</i>	<i>bicolor</i>	Van Duzee 1909	NEA

		<i>Planicephalus</i>	<i>flavicosta</i>	(Stål 1862)	NEA, NEO
		<i>Polyamia (Copolyamia)</i>	<i>apicata</i>	(Osborn 1900)	NEA
			<i>compacta</i>	(Osborn & Ball 1897)	NEA
			<i>obtecta</i>	(Osborn & Ball 1898)	NEA
		<i>Polyamia (Polyamia)</i>	<i>weedi</i>	(Van Duzee 1892)	NEA
		<i>Polyamia</i>	spp.		NEA
		<i>Recilia</i>	<i>coronifera</i>	(Marshall 1866)	PAL
		<i>Sanctanus</i>	<i>fasciatus fasciatus</i>	(Osborn 1900)	NEA
			sp.		NEO
			spp.		NEA
		<i>Unerus</i>	sp.		NEO
			spp.		NEO
		<i>Unoka</i>	<i>gillettei</i>	Metcalf 1955	NEA
			spp.		NEO
Deltocephalinae	Eupelicini	<i>Eupelix</i>	<i>cuspidata</i>	(Fabricius 1794)	PAL
Deltocephalinae	Fieberiellini	<i>Fieberiella</i>	<i>florii</i>	(Stål 1864)	NEA
Deltocephalinae	Hecalini	<i>Hecalus</i>	<i>major</i>	(Osborn 1915)	NEA
			<i>viridis</i>	(Uhler 1877)	NEA
			sp.		NEA
		<i>Memnonia</i>	<i>brunneus</i>	(Ball 1900)	NEA
			<i>consobrina</i>	Ball 1900	NEA
			<i>flavida</i>	(Signoret 1879)	NEA
		<i>Neohecalus</i>	<i>lineatus</i>	(Uhler 1877)	NEA
		<i>Spangbergiella</i>	sp.		NEO
			spp.		NEA
Deltocephalinae	Koebeliini	<i>Grypotes</i>	<i>puncticollis</i>	(Herrich-Schäffer 1834)	NEA, PAL
		<i>Koebelia</i>	<i>californica</i>	Baker 1897	NEA
Deltocephalinae	Limotettigini	<i>Limotettix (Limotettix)</i>	<i>striola</i>	(Fallén 1806)	NEA, PAL
		<i>Limotettix (Neodrylix)</i>	<i>parallelus</i>	(Van Duzee 1891)	NEA
		<i>Limotettix (Ophiola)</i>	<i>arctostaphyli</i>	(Ball 1899)	NEA
			<i>comptoniana</i>	(Ball 1928)	NEA
			<i>osborni</i>	(Ball 1928)	NEA
			<i>uhleri</i>	(Ball 1911)	NEA
			<i>vaccinii</i>	(Van Duzee 1890)	NEA
			spp.		NEA
			<i>cuneatus</i>	(Sanders & DeLong 1920)	NEA
		<i>Limotettix (Scleroracus)</i>	<i>striatulus</i>	(Van Duzee 1890)	PAL
			spp.		NEA

		<i>Limotettix</i>	spp.		NEA
		genus near <i>Limotettix</i>	spp.		NEO
Deltocephalinae	Luhriini	<i>Luheria</i>	<i>constricta</i>	Osborn 1923	NEO
Deltocephalinae	Macrostelini	<i>Agelina</i>	<i>punctata</i>	Oman 1938	NEO
		<i>Auridius</i>	<i>auratus</i>	(Gillette & Baker 1895)	NEA
		<i>Balclutha</i>	<i>abdominalis</i>	(Van Duzee 1892)	NEA
			<i>frontalis</i>	(Ferrari 1882)	NEA, NEO
			<i>flavescens</i>	(Baker 1903)	NEA
			<i>impicta</i>	(Van Duzee 1892)	NEA
			<i>punctata</i>	(Fabricius 1775)	NEA, PAL
			<i>neglecta</i>	(DeLong & Davidson 1933)	NEA
			<i>saltuellua</i>	(Kirschbaum 1868)	NEA
			sp.		NEA
			spp.		NEA
		<i>Balclutha</i>	spp.		NEO
		<i>Macrosteles</i>	<i>divisus</i>	(Uhler 1877)	NEA
			<i>fascifrons</i>	(Stål 1858)	NEA
			<i>lepidus</i>	(Van Duzee 1894)	NEA
			<i>sexnotatus</i>	(Fallén 1806)	NEA, PAL
			<i>slossoni</i>	(Van Duzee 1893)	NEA
			<i>variatus</i>	(Fallén 1806)	NEA
			sp.		NEA
			spp.		NEA
		<i>Sagatus</i>	<i>punctifrons</i>	(Fallén 1826)	PAL
		<i>Sonronius</i>	<i>dahlbomi</i>	(Zetterstedt 1840)	NEA
			spp.		NEA
Deltocephalinae	Opsiini	<i>Dixianus</i>	<i>utahnus</i>	(Ball 1909)	NEA
			spp.		NEA
		<i>Japananus</i>	<i>hyalinus</i>	(Osborn 1900)	NEA
		<i>Lycioides</i>	<i>condalianus</i>	(Ball 1931)	NEA
			<i>lycioides</i>	(Ball 1931)	NEA
		<i>Nealiturus (Circulifer)</i>	<i>tenellus</i>	(Baker 1896)	NEA
		<i>Nealiturus</i>	sp.		PAL
		<i>Opsius</i>	<i>stactogalus</i>	(Fieber 1866)	NEA, PAL
Deltocephalinae	Paralimnini	<i>Adarrus (Adarrus)</i>	<i>multinotatus</i>	(Boheman 1847)	PAL
		<i>Aglena</i>	<i>ornata</i>	(Herrich-Schäffer 1838)	PAL
		<i>Agudus</i>	<i>longiceps</i>	(Berg 1879)	NEO
		<i>Alapus</i>	spp.		NEA

<i>Arthaldeus</i>	<i>pascuellus</i>	(Fallén 1826)	NEA
<i>Commellus</i>	<i>comma</i>	(Van Duzee 1892)	NEA
<i>Cosmotettix</i>	<i>bilineatus</i>	(Gillette & Baker 1895)	NEA
<i>Diplocolenus (Diplocolenus)</i>	<i>configuratus</i>	(Uhler 1878)	NEA
<i>Diplocolenus (Verdanus)</i>	<i>abdominalis</i>	Fabricius 1803	NEA
<i>Errastunus (Errastunus)</i>	<i>ocellaris</i>	(Fallén 1806)	PAL
<i>Flexamia</i>	<i>clayi</i>	Young & Beirne 1958	NEA
<i>Flexamia</i>	<i>inflata</i>	(Osborn & Ball 1897)	NEA
	<i>producta</i>	(Walker 1851)	NEA
	<i>sandersi</i>	(Osborn 1907)	NEA
	sp.		NEA
	sp. (prairiana group)		NEA
<i>Giprus</i>	<i>cinosus</i>	(Van Duzee 1892)	NEA
<i>Hebecephalus</i>	<i>signatifrons</i>	(Van Duzee 1892)	NEA
	spp.		NEA
<i>Henschia (Henschia)</i>	<i>collina</i>	(Boheman 1850)	PAL
<i>Jassargus</i>	<i>picturatus</i>	(Kirschbaum 1868)	PAL
<i>Jassargus (Arrailus)</i>	<i>flori</i>	(Fieber 1869)	PAL
<i>Jassargus (Jassargus)</i>	<i>distinguendus</i>	Flor 1861	PAL
<i>Laevicephalus</i>	<i>acus</i>	(Sanders & DeLong 1920)	NEA
<i>Laevicephalus</i>	<i>melsheimerii</i>	(Fitch 1851)	NEA
	<i>sylvestris</i>	(Osborn & Ball 1897)	NEA
	<i>unicoloratus</i>	(Gillette & Baker 1895)	NEA
	spp.		NEA
<i>Latalus</i>	<i>missellus</i>	(Ball 1899)	NEA
	<i>sayii</i>	(Fitch 1851)	NEA
<i>Latalus (Turrutus)</i>	<i>socialis</i>	(Flor 1861)	PAL
<i>Latalus</i>	spp.		NEA
<i>Lebradea</i>	<i>flavovirens</i>	(Gillette & Baker 1895)	NEA
<i>Lemellus</i>	<i>bimaculatus</i>	(Gillette & Baker 1895)	NEA
<i>Paramesus</i>	<i>obtusifrons</i>	(Stål 1853)	PAL
<i>Psammotettix</i>	<i>cephalotes</i>	(Herrich- Schäffer 1834)	PAL
	<i>lividellus</i>	(Zetterstedt 1840)	NEA
	<i>striatus</i>	(Linnaeus 1758)	NEA, PAL
	sp.		NEA, NEO
<i>Rosenus</i>	<i>debilis</i>	(Uhler 1876)	NEA
<i>Sorhoanus</i>	<i>orientalis</i>	(DeLong & Davidson 1935)	NEA
<i>Turrutus</i>	<i>personatus</i>	Beirne 1954	NEA

Deltocephalinae	Pendarini	<i>Verdanus (Verdanus)</i>	<i>abdominalis</i>	(Fabricius 1803)	PAL	
		<i>Chlorotettix</i>	<i>galbanatus</i>	Van Duzee 1892	NEA	
		<i>Chlorotettix</i>	<i>lusorius</i>	(Osborn & Ball 1897)	NEA	
		<i>Chlorotettix</i>	<i>necopinus</i>	Van Duzee 1893	NEA	
		<i>Chlorotettix</i>	<i>rugicollis</i>	Ball 1903	NEA	
		<i>Chlorotettix</i>	<i>tergatus</i>	(Fitch 1851)	NEA	
		<i>Chlorotettix (Chlorotettix)</i>	<i>minimus</i>	Baker 1898	NEA, NEO	
		<i>Chlorotettix (Chlorotettix)</i>	<i>unicolor</i>	(Fitch 1851)	NEA	
		<i>Chlorotettix (Chlorotettix)</i>	<i>viridius</i>	Van Duzee 1892	NEA	
		<i>Chlorotettix</i>	sp.		NEA, NEO	
		<i>Chlorotettix</i>	spp.		NEO	
		<i>Ileopeltus</i>	<i>tethys</i>	(Van Duzee 1907)	NEO	
		Deltocephalinae	Pendarini	<i>Paraphlepsius (Gamarex)</i>	<i>abruptus</i>	(DeLong 1938)
	<i>altus</i>			(Osborn & Ball 1897)	NEA	
	<i>cinereus</i>			(Van Duzee 1892)	NEA	
	<i>collitus</i>			(Ball 1903)	NEA	
	<i>continuus</i>			(DeLong 1938)	NEA	
	<i>fulvidorsum</i>			(Fitch 1851)	NEA	
	<i>fuscipennis</i>			(Van Duzee 1892)	NEA	
	<i>incisus</i>			(Van Duzee 1892)	NEA	
	<i>obvius</i>			(Oman 1931)	NEA	
	<i>tennessus</i>			(DeLong 1916)	NEA	
	<i>truncatus</i>			(Van Duzee 1892)	NEA	
	<i>Paraphlepsius (Paraphlepsius)</i>			<i>humidus</i>	(Van Duzee 1892)	NEA
				<i>lascivius</i>	(Ball 1900)	NEA
				<i>nebulosus</i>	(Van Duzee 1892)	NEA
				<i>occidentalis</i>	(Baker 1898)	NEA
				<i>solidaginis</i>	(Walker 1851)	NEA
				<i>strobi</i>	(Fitch 1851)	NEA
	<i>Paraphlepsius (Paraphysius)</i>			<i>attractus</i>	(Ball 1909)	NEA
	<i>Paraphlepsius (Sabix)</i>			<i>apertinus</i>	(Osborn & Lathrop 1923)	NEA
				<i>apertus</i>	(Van Duzee 1892)	NEA
				<i>excavatus</i>	Crowder 1952	NEA
				<i>irroratus</i>	(Say 1830)	NEA
	<i>Paraphlepsius (Strephonius)</i>			<i>dentatus</i>	(Baker 1898)	NEA
	<i>Pendarus (Pendarus)</i>	<i>stipatus</i>	(Walker 1851)	NEA		
	<i>Tropicanus (Tropicanus)</i>	<i>costomaculatus</i>	(Van Duzee 1894)	NEA		
	genus near <i>Tropicanus</i>	spp.		NEO		

Deltocephalinae	Penthimiini	<i>Penthimia</i>	<i>americana</i>	Fitch 1851	NEA		
			<i>nigra</i>	(Goeze 1778)	PAL		
Deltocephalinae	Phlepsiini	<i>Excultanus</i>	spp.		NEA		
			spp.		PAL		
			<i>dorothyae</i>	(DeLong 1939)	NEA		
			<i>excultus</i>	(Uhler 1877)	NEA		
			<i>Phlepsius</i>	<i>apertus</i>	Van Duzee 1892	NEA	
				<i>fuscipennis</i>	Van Duzee 1892	NEA	
				<i>humidus</i>	Van Duzee 1892	NEA	
				<i>incisus</i>	Van Duzee 1892	NEA	
				<i>spatulatus</i>	Van Duzee 1892	NEA	
				<i>truncatus</i>	Van Duzee 1892	NEA	
				spp.		NEA	
				<i>Texananus (Iowanus)</i>	<i>longipennis</i>	Crowder 1952	NEA
					spp.		NEA
				<i>Texananus (Texananus)</i>	<i>angus</i>	DeLong 1938	NEA
					<i>decorus</i>	(Osborn & Ball 1897)	NEA
		<i>lathropi</i>	(Baker 1925)	NEA			
Deltocephalinae	Scaphoideini	<i>Cantura</i>	<i>jucunda</i>	DeLong 1938	NEA		
			<i>Osbornellus</i>	(Uhler 1889)	NEA		
				(Uhler 1889)	NEA		
				Beamer 1937	NEA		
				(Van Duzee 1890)	NEA		
				(Osborn 1900)	NEA		
				(Provancher 1889)	NEA		
				sp.		NEO	
				spp.		NEA, NEO	
				<i>Prescottia</i>	<i>lobata</i>	(Van Duzee 1894)	NEA
					sp.		NEA
				<i>Scaphoideus</i>	<i>cyprius</i>	Ball 1932	NEA
				<i>Scaphoideus (Latenus)</i>	<i>minor</i>	Osborn 1900	NEA
					<i>ochraceus</i>	Osborn 1898	NEA
					<i>productus</i>	Osborn 1900	NEA

		<i>Scaphoideus (Scaphoides)</i>	<i>bihamatus</i>	DeLong & Knoll 1971	NEA
			<i>immistus</i>	(Say 1830)	NEA
			<i>luteolus</i>	Van Duzee 1894	NEA
			<i>obtusus</i>	Osborn 1900	NEA
		<i>Scaphoideus</i>	spp.		NEA
		<i>Scaphoidula</i>	<i>dentata</i>	Oman 1937	NEO
			<i>incisa</i>	Oman 1937	NEO
Deltocephalinae	Scaphytopiini	<i>Scaphytopius (Cloanthanus)</i>	<i>acutus</i>	(Say 1830)	NEA
			<i>angustatus</i>	(Osborn 1905)	NEA
			<i>cinereus</i>	(Osborn & Ball 1897)	NEA
			<i>frontalis</i>	(Van Duzee 1890)	NEA
			<i>frontalis</i>	(Van Duzee 1890)	NEA
			<i>magdalensis</i>	(Provancher 1889)	NEA
			<i>nigrifrons</i>	(DeLong 1923)	NEA
			<i>slossoni</i>	(Van Duzee 1910)	NEA
			<i>verecundus</i>	(Van Duzee 1910)	NEA
		<i>Scaphytopius (Convelinus)</i>	<i>fuscifrons</i>	(Van Duzee 1894)	NEA
			<i>loricatus</i>	(Van Duzee 1894)	NEA, NEO
		<i>Scaphytopius</i>	spp.		NEA, NEO
Deltocephalinae	Stenometopiini	<i>Stirellus</i>	<i>bicolor</i>	(Van Duzee 1892)	NEA
			<i>mexicanus</i>	(Osborn & Ball 1902)	NEA
			sp.		NEO
			spp.		NEA, NEO
Deltocephalinae	Teruliini	<i>Harasupia</i>	<i>snowi</i>	(Lawson 1927)	NEA
		<i>Jikradia</i>	<i>melanota</i>	(Spångberg 1878)	NEA
Deltocephalinae	unplaced	<i>Latinocesa</i>	<i>longicauda</i>	(Oman 1938)	NEO
Deltocephalinae	unplaced	<i>Jassus</i>	<i>snowi</i>	Lawson 1927	NEA
Deltocephalinae	unplaced	[<i>Halodorus</i>	sp.]		NEO
Deltocephalinae			spp.		NEA
Eurymelinae	Eurymelini	<i>Eurymeloides</i>	<i>pulchra</i>	(Signoret 1850)	PAL
Eurymelinae	Idiocerini	<i>Balcanocerus</i>	<i>crataegi</i>	(Van Duzee 1890)	NEA
			<i>fitchi</i>	(Van Duzee 1909)	NEA
		<i>Chiasmodolon</i>	<i>acutus</i>	Freytag 2006	NEO
			<i>bhagwandomum</i>	Dietrich 1990	NEO
		<i>Idiocerus</i>	<i>amoemus</i>	Van Duzee 1894	NEA
			<i>gemmisimulans</i>	Leonard & Crosby 1915	NEA
			<i>moniliferae</i>	Osborn & Ball 1898	NEA
			<i>parvulus</i>	Osborn 1935	NEO

			<i>suturalis</i> var. <i>lunaris</i>	Ball 1902	NEA
			[<i>suturalis</i> var. <i>vagus</i>	Ball]	NEA
			<i>varians</i>	(Hamilton 1980)	PAL
			spp.		NEA
		<i>Idiocerus (Idiocerus)</i>	<i>alternatus</i>	Fitch 1851	NEA
			<i>amabilis</i>	Ball 1902	NEA
			<i>brunneus</i>	Osborn & Ball 1898	NEA
			<i>cognatus</i>	Fieber 1868	NEA
			<i>duzeei</i>	Provancher 1890	NEA
			<i>herrichii</i>	(Kirschbaum 1868)	PAL
			<i>lachrymalis</i>	Fitch 1851	NEA
			<i>lituratus</i>	(Fallén 1806)	PAL
			<i>musteus</i>	Ball 1902	NEA
			<i>nervatus</i>	Van Duzee 1894	NEA
			<i>pallidus</i>	Fitch 1851	NEA
Eurymelinae	Idiocerini	<i>Idiocerus (Idiocerus)</i>	<i>provancheri</i>	Van Duzee 1890	NEA
			<i>snowi</i>	Gillette & Baker 1895	NEA
			near <i>snowi</i>	Gillette & Baker 1895	NEA
			<i>stigmatalis</i>	(Lewis 1834)	PAL
			<i>suturalis</i>	Fitch 1851	NEA
Eurymelinae	Idiocerini	<i>Luteobalmus</i>	<i>boulardi</i>	Freytag 2006	NEO
		<i>Populicerus</i>	<i>albicans</i>	(Kirschbaum 1868)	PAL
			<i>confusus</i>	(Flor 1861)	PAL
			<i>populi</i>	(Linnaeus 1761)	PAL
		<i>Rhytidodus</i>	<i>decimusquartus</i>	(Shrank 1776)	NEA, PAL
Eurymelinae	Macropsini	<i>Macropsidius</i>	<i>trimaculatus</i>	(Fitch 1851)	NEA
		[<i>Macropsis</i>	<i>massata</i>	Germar]	PAL
		<i>Macropsis (Macropsis)</i>	<i>cerea</i>	(Germar 1837)	PAL
			<i>graminea</i>	(Fabricius 1798)	NEA
			<i>prasina</i>	(Boheman 1852)	PAL
			<i>prasina</i>	(Boheman 1852)	NEA
		<i>Macropsis (Neomacropsis)</i>	<i>basalis</i>	(Van Duzee 1889)	NEA
			<i>canadensis</i>	(Van Duzee 1890)	NEA
			<i>ferrugineoides</i>	(Van Duzee 1889)	NEA
			<i>fumipennis</i>	(Gillette & Baker 1895)	NEA
			<i>occidentalis</i>	(Van Duzee 1889)	NEA
			<i>punctifrons</i>	(Van Duzee 1889)	NEA
			<i>sordida</i>	(Van Duzee 1894)	NEA

		<i>Macropsis</i>	<i>viridis</i>	(Fitch 1851)	NEA
			sp.		NEA
			spp.		NEA
		<i>Oncopsis (Oncopsis)</i>	<i>abietis</i>	(Fitch 1851)	NEA
			<i>alni</i>	(Shrank 1801)	PAL
			<i>cinctifrons</i>	(Provancher 1889)	NEA
			<i>flavicollis</i>	(Linnaeus 1761)	PAL
			<i>flavidorsum</i>	(Amyot & Serville 1843)	NEA
			<i>sobria</i>	(Walker 1851)	NEA
			<i>variabilis</i>	(Fitch 1851)	NEA
		<i>Oncopsis</i>	spp.		NEA
		<i>Pediopsoides (Nanopsis)</i>	<i>verticis</i>	(Say 1830)	NEA
		<i>Reticopsis</i>	<i>nubila</i>	(Van Duzee 1890)	NEA
Evacanthinae	Evacanthini	<i>Evacanthus (Evacanthus)</i>	<i>acuminatus</i>	(Fabricius 1794)	NEA, PAL
			<i>interruptus</i>	(Linnaeus 1758)	PAL
		<i>Evacanthus</i>	spp.		NEA, NEO
Evacanthinae	Pagaroniini	<i>Paragonia</i>	<i>triunata</i>	Ball 1902	NEA
		<i>Paragonia (Paragonia)</i>	<i>tredecimpunctata</i>	Ball 1902	NEA
lassinae	lassini	<i>lassus</i>	<i>lanio</i>	(Linnaeus 1761)	PAL
			<i>scutellaris</i>	(Fieber 1868)	PAL
		<i>Momoria</i>	<i>rufoscutellata</i>	(Baker 1900)	NEA
		<i>Penestrangania</i>	<i>robustus</i>	(Uhler 1877)	NEA
		<i>Strangania</i>	<i>apicalis</i>	(Osborn & Ball 1898)	NEA
			spp.		NEA, NEO
lassinae	Scarini	<i>Acusana</i>	spp.		NEO
		[<i>Gypona</i>	<i>octolineata octolineata</i>	Say]	NEA
		<i>Gypona (Marganalana)</i>	<i>signoreti</i>	Stål 1864	NEA
			<i>melanota</i>	Spångberg 1878	NEA
			<i>verticalis</i>	Stål 1864	NEA
		<i>Gypona</i>	spp.		NEA, NEO
		<i>Gyponana (Gyponana)</i>	<i>cacumina</i>	DeLong 1942	NEA
			<i>cana</i>	Burmeister 1839	NEA
			<i>expanda</i>	DeLong 1942	NEA
			<i>extenda</i>	DeLong 1942	NEA
			<i>flavilineata</i>	(Fitch 1851)	NEA
			<i>octolineata</i>	(Say 1825)	NEA

			<i>striata</i>	(Burmeister 1839)	NEA
			<i>unicolor</i>	(Stål 1864)	NEA
			spp.		NEA
		<i>Gyponana</i>	sp.		NEA
			spp.		NEA
		<i>Negosiana</i>	<i>miliaris</i>	(Stål 1864)	NEA
		<i>Polana</i>	<i>bohemani</i>	(Stål 1864)	NEO
		<i>Polana (Nihilana)</i>	<i>fin</i>	(DeLong & Freytag 1972)	NEO
		<i>Polana</i>	spp.		NEO
		<i>Ponana (Ponana)</i>	<i>aenea</i>	(DeLong 1942)	NEA
			<i>limbatipennis</i>	(Spångberg 1878)	NEA
			<i>modesta</i>	(Spångberg 1883)	NEA
			<i>pectoralis</i>	(Spångberg 1878)	NEA
			<i>scarlatina</i>	(Fitch 1851)	NEA
		<i>Ponana</i>	spp.		NEA
		<i>Reticana</i>	<i>lineata</i>	(Burmeister 1839)	PAL
		<i>Rugosana</i>	<i>rugosa</i>	(Spångberg 1878)	NEA
			spp.		NEO
Ledrinae	Ledrini	<i>Ledra</i>	<i>aurita</i>	(Linnaeus 1758)	PAL
Ledrinae	Xerophloeini	<i>Xerophloea</i>	<i>cephalica</i>	Oman 1936	NEA
			<i>majesta</i>	Lawson 1931	NEA
			<i>major</i>	Baker 1898	NEA
			<i>peltata</i>	(Uhler 1877)	NEA
			<i>viridis</i>	(Fabricius 1794)	NEA
Megopthalminae	Agalliini	<i>Aceratagallia</i>	<i>dondia</i>	Oman 1933	NEA
			<i>arida</i>	Oman 1933	NEO
			<i>rufa</i>	Hamilton	NEA
			<i>vastitatis</i>	Oman 1933	NEA
		<i>Aceratagallia (Aceratagallia)</i>	<i>arida</i>	Oman 1933	NEO
			<i>californica</i>	(Baker 1898)	NEA
			<i>cinerea</i>	(Osborn & Ball 1898)	NEA
			<i>sanguinolenta</i>	(Provancher 1872)	NEA, NEO
			<i>uhleri</i>	(Van Duzee 1894)	NEA
			<i>vulgaris</i>	(Oman 1933)	NEA
		<i>Aceratagallia</i>	spp.		NEA, NEO
		<i>Agallia</i>	<i>albidula</i>	Uhler 1895	NEO
			<i>atromaculata</i>	Oman 1938	NEO
			<i>brevicauda</i>	Oman 1938	NEO

	<i>configurata</i>	Fitch 1851	NEO
	<i>constricta</i>	(Van Duzee 1894)	NEA
	<i>deleta</i>	Van Duzee 1909	NEA
	<i>depleta</i>	Oman 1938	NEO
	<i>interrogationis</i>	Osborn 1923	NEO
	<i>lauta</i>	(Stål 1862)	NEO
	<i>lineata</i>	Osborn 1923	NEO
	<i>lingula</i>	Van Duzee 1907	NEO
	<i>minuenda</i>	Oman 1938	NEO
	<i>quadrata</i>	Oman 1938	NEO
	<i>quadripunctata</i>	(Provancher 1872)	NEA
	<i>repleta</i>	Van Duzee 1907	NEO
	spp.		NEA
<i>Agalliana</i>	<i>ensigera</i>	Oman 1934	NEO
	<i>fusca</i>	Oman 1934	NEO
	<i>sticticollis</i>	(Stål 1859)	NEO
	spp.		NEO
<i>Agalliopsis</i>	<i>tenella</i>	(Osborn & Ball 1898)	NEA, NEO
	<i>vicosa</i>	Oman 1938	NEO
<i>Agalliopsis (Agallaria)</i>	<i>peneoculata</i>	Oman 1933	NEA
<i>Agalliopsis (Agalliopsis)</i>	<i>novella</i>	(Say 1830)	NEO
<i>Agalliopsis</i>	spp.		NEA
<i>Agalliota</i>	<i>parma</i>	Oman 1938	NEO
<i>Anaceratagallia</i>	<i>brachyptera</i>	(Boheman 1847)	PAL
	<i>venosa</i>	(Fourcroy 1785)	PAL
<i>Austroagallia</i>	<i>fagonica</i>	Singh & Gill 1973	ORI
	<i>flavovenosa</i>	(Evans 1955)	ETH
	<i>nitobei</i>	(Matsumura 1912)	ORI
<i>Bergallia</i>	<i>signata</i>	(Stål 1859)	NEO
<i>Ceratagallia</i>	<i>bigeloviae</i>	(Baker 1896)	NEA
	<i>dondia</i>	(Oman 1933)	NEA
	<i>gillettei</i>	(Osborn & Ball 1898)	NEA
	<i>vastitatis</i>	(Oman 1933)	NEA
	spp.		NEA
<i>Euragallia</i>	<i>lata</i>	Oman 1938	NEO
<i>Euragallia</i>	<i>major</i>	(Lethierry 1890)	NEO
<i>Hemagallia</i>	<i>biplagiata</i>	(Melichar 1903)	ETH
<i>Humpatagallia</i>	<i>ornata</i>	(Distant 1914)	ETH

		<i>Ianagallia</i>	<i>bifurcata</i>	(Singh & Gill 1973)	ORI
		<i>Igerna</i>	<i>nigrofusca</i>	(Melichar 1905)	ETH
			<i>violacea</i>	(Distant 1916)	ORI
		<i>Stonasla</i>	sp.		ETH
Megopthalminae	Megopthalmini	<i>Megopthalmus</i>	<i>scanicus</i>	(Fallén 1806)	PAL
		<i>Tiaja</i>	<i>californica</i>	(Ball 1909)	NEO
			<i>interrupta</i>	(Ball 1902)	NEO
			spp.		NEO
Neobalinae		<i>Calliscarta</i>	spp.		NEO
Neocoelidiinae		<i>Neocoelidia</i>	<i>tumidifrons</i>	Gillette & Baker 1895	NEA
Neocoelidiinae			<i>tuberculata</i>	(Baker 1898)	NEA
Nioniinae	Nioniini	<i>Nionia</i>	sp.		NEO
Typhlocybinae	Alebrini	<i>Alebra</i>	<i>albostriella</i>	(Fallén 1826)	NEA
			<i>fumida</i>	(Gillette 1898)	NEA
			<i>wahlbergi</i>	(Boheman 1845)	NEA
			sp.		NEA
		<i>Omegalebra</i>	<i>lenticula</i>	(Osborn 1929)	NEO
		<i>Parallaxis</i>	spp.		NEO
		<i>Protalebra</i>	spp.		NEA
			spp.		NEO
		<i>Protalebrella</i>	<i>brasiliensis</i>	(Baker 1899)	NEA, NEO
Typhlocybinae	Dikraneurini	<i>Alconeura</i>	spp.		NEA
		<i>Dikraneura (Dikraneura)</i>	<i>abnormis</i>	(Walsh 1862)	NEA
			<i>angustata</i>	Ball & DeLong 1925	NEA
			<i>carneola</i>	(Stål 1858)	NEA
			<i>mali</i>	(Provancher 1890)	NEA
			spp.		NEA
		<i>Dikraneura</i>	<i>cockerelli</i>	(Gillette 1895)	NEO
		<i>Dikrella (Dikrella)</i>	<i>cruentata</i>	(Gillette 1898)	NEA
			<i>molliculla</i>	(Boheman 1845)	PAL
		<i>Emelyanoviana</i>	<i>manderstjernae</i>	(Kirschbaum 1868)	PAL
		<i>Erythria</i>	spp.		NEA
		<i>Forcipata</i>	spp.		NEA
		<i>Kunzeana</i>	spp.		NEA
		<i>Kunzella</i>	<i>marginella</i>	(Baker 1925)	NEA
		<i>Matatua</i>	<i>maorica</i>	(Myers 1923)	AUS
		<i>Notus</i>	<i>flavipennis</i>	(Zetterstedt 1828)	PAL
		<i>Typhlocybella</i>	<i>minima</i>	(Baker 1903)	NEO
Typhlocybinae	Empoascini	<i>Chlorita</i>	<i>viridula</i>	(Fallén 1806)	PAL

		<i>Edwardsiana</i>	<i>flavescens</i>	(Fabricius 1794)	NEA
		<i>Empoasca (Empoasca)</i>	<i>aculeata</i>	Young 1953	NEO
			<i>anfracta</i>	Southern 1982	NEO
			<i>bifurcata</i>	DeLong 1931	NEA
			<i>bispinatella</i>	Young 1953	NEO
			<i>cisnora</i>	Langlitz 1964	NEO
			<i>curveola</i>	Oman 1936	NEO
			sp., poss. <i>curveola</i>	Oman 1936	NEO
			<i>erigeron</i>	DeLong 1931	NEA
			<i>esuma</i>	Goding 1890	NEA
			<i>fabae</i>	(Harris 1841)	NEA
			sp., <i>fabae</i> complex		NEO
			<i>filimenta</i>	DeLong 1931	NEA
			<i>joshuai</i>	Southern 2006	NEO
			<i>pseudosetigera</i>	Caldwell 1952	NEO
			<i>solani</i>	(Curtis 1846)	PAL
			<i>telpa</i>	Southern 1982	NEO
			<i>triangulifera</i>	Young 1953	NEO
			<i>trindula</i>	Southern 1982	NEO
		<i>Empoasca (Hebata)</i>	<i>alboneura</i>	Gillette 1898	NEA
			<i>aspersa</i>	Gillette & Baker 1895	NEA
		<i>Empoasca</i>	spp.		NEA, NEO
		<i>Joruma</i>	spp.		NEO
		<i>Kyboasca</i>	<i>atrolabes</i>	(Gillette 1898)	NEA
			<i>maligna</i>	(Walsh 1862)	NEA
		<i>Kybos</i>	<i>aureoviridis</i>	(Uhler 1877)	NEA
			<i>incida</i>	(DeLong 1931)	NEA
			<i>obtusa</i>	(Walsh 1862)	NEA
			<i>smaragdula</i>	(Fallén 1806)	NEA
			<i>unica</i>	(Provancher 1890)	NEA
Typhlocybae	Erythroneurini	<i>Alnetoidia (Alnetoidia)</i>	<i>alneti</i>	(Dahlbom 1850)	PAL
		<i>Erasmoneura</i>	<i>vulnerata</i>	(Fitch 1851)	NEA
		<i>Eratoneura</i>	<i>hartii</i>	(Gillette 1898)	NEA
			<i>maculata</i>	(Gillette 1898)	NEA
			<i>rubranotata</i>	(Beamer 1927)	NEA
		<i>Erythridula</i>	<i>crevecoeuri</i>	(Gillette 1898)	NEA
			<i>electa</i>	(McAtee 1920)	NEA
			<i>fumida</i>	(Gillette 1898)	NEA

		<i>lawsoniana</i>	(Baker 1926)	NEA
		<i>obliqua</i>	(Say 1825)	NEA
		<i>obliqua</i> (Say 1825) group		NEA
		<i>quadrata</i>	(Beamer 1930)	NEA
		<i>rubens</i>	(Beamer 1930)	NEA
	<i>Erythroneura</i>	<i>bistrata</i>	(McAtee 1920)	NEA
		<i>coloradoensis</i>	(Gillette 1892)	NEA
		<i>comes</i>	(Say 1825)	NEA
		<i>infuscata</i>	(Gillette 1898)	NEA
		[<i>noerus</i>	(Gillette)]	NEA
		<i>octonotata</i>	(Walsh 1862)	NEA
		<i>tricinta</i>	Fitch 1851	NEA
		<i>vitifex</i>	Fitch 1856	NEA
		<i>vitis</i>	(Harris 1831)	NEA
		<i>ziczac</i>	Walsh 1862	NEA
		spp.		NEA
	<i>Hymetta</i>	<i>trifasciata</i>	(Say 1825)	NEA
		spp.		NEA
	<i>Illinigina</i>	<i>illinoensis</i>	(Gillette 1898)	NEA
	<i>Zygina (Zygina)</i>	<i>flammigera</i>	(Geoffroy 1785)	PAL
	<i>Aguriahana</i>	<i>germari</i>	(Zetterstedt 1840)	PAL
		<i>stellulata</i>	(Burmeister 1841)	NEA
	<i>Edwardsiana</i>	<i>commissuralis</i>	(Stål 1858)	NEA
		<i>flavescens</i>	(Fabricius 1794)	NEA, PAL
		<i>geometrica</i>	(Schrank 1801)	PAL
		<i>rosae</i>	(Linnaeus 1758)	NEA
	<i>Empoa</i>	<i>caryata</i>	Christian 1953	NEA
		<i>albicans</i>	Walsh 1862	NEA
		<i>aureotecta</i>	Sanders & DeLong 1917	NEA
		<i>casta</i>	(McAtee 1926)	NEA
		<i>gillettei</i>	Van Duzee 1917	NEA
		<i>querci</i>	Fitch 1851	NEA
		<i>venusta</i>	(McAtee 1926)	NEA
		<i>vestita</i>	(McAtee 1926)	NEA
	<i>Eupteryx (Eupteryx)</i>	<i>atropunctata</i>	(Goeze 1778)	NEA, PAL
		<i>aurata</i>	(Linnaeus 1758)	PAL
		<i>curtisii</i>	(Flor 1861)	PAL
		<i>flavoscuta</i>	Gillette 1898	NEA

			<i>melissae</i>	Curtis 1837	NEA
			<i>nigra</i>	Osborn 1905	NEA
			<i>notata</i>	Curtis 1837	PAL
			<i>urticae</i>	(Fabricius 1803)	PAL
			<i>vittata</i>	(Linnaeus 1758)	PAL
		<i>Eupteryx</i>	[<i>clandestina</i>	Hrv]	PAL
			[<i>diminutus</i>	Fabricius]	PAL
		<i>Eurhadina (Eurhadina)</i>	<i>loewii</i>	(Then 1886)	PAL
			<i>pulchella</i>	(Fallén 1806)	NEA, PAL
		<i>Mcateeana</i>	<i>sexnotata</i>	(Van Duzee 1914)	NEA
		<i>Ossiannilssonola</i>	<i>appendiculata</i>	(Malloch 1920)	NEA
			<i>danae</i>	(McAtee 1926)	NEA
			<i>phryne</i>	(McAtee 1926)	NEA
			<i>serrula</i>	(Ross & DeLong 1949)	NEA
			<i>ulmi</i>	Hamilton 1982	NEA
			<i>volans</i>	(McAtee 1919)	NEA
		<i>Ribautiana</i>	<i>unca</i>	(McAtee 1926)	NEA
		<i>Typhlocyba</i>	<i>alabamaensis</i>	Christian 1953	NEA
			[<i>gillettei</i>]		NEA
			<i>modesta</i>	Gibson 1917	NEA
			<i>putmani</i>	Knull 1945	NEA
			<i>quercus</i>	(Fabricius 1777)	NEA
			<i>rubriocellata</i>	Malloch 1920	NEA
			spp.		NEA, NEO
		genus near <i>Typhlocyba</i>	spp.		NEA
		<i>Zonocyba</i>	<i>persephone</i>	(McAtee 1926)	NEA
			<i>pomaria</i>	(McAtee 1926)	NEA
			spp.		NEA
Typhlocybinae			<i>reticulata</i>	(Fabricius 1794)	PAL
Ulopinæ	Ulopini	<i>Ulopa</i>			