

Cornell University Insect Collection
Membracidae

Brett A. Morgan
Brendan O. Morris

Determined Species: 496

Total Drawers: 68

Updated December 17, 2012

| <u>Subfamily</u> | <u>Tribe</u> | <u>Genus</u> | <u>species</u> | <u>Author</u> | <u>Zoogeography</u> | | |
|------------------|----------------|-----------------------|------------------------|---------------------------|---------------------|--------------|-----|
| Centrotinae | Boocerini | <i>Abelus</i> | <i>luctuosus</i> | Stål | NEO | | |
| | | <i>Amblycentrus</i> | <i>pubescens</i> | Fowler | NEO | | |
| | | <i>Brachybelus</i> | <i>cruralis</i> | Stål | NEO | | |
| | | <i>Campylocentrus</i> | <i>brunneus</i> | Fowler | NEO | | |
| | | | <i>curvidens</i> | (Fairmaire) | NEO | | |
| | | | <i>nigris</i> | Funkhouser | NEO | | |
| | | | <i>pusillus</i> | (Fairmaire) | NEO | | |
| | | | <i>sinuatus</i> | (Fowler) | NEO | | |
| | | | spp. | | NEO | | |
| | | | <i>Ischnocentrus</i> | <i>inconspicuous</i> | Buckton | NEO | |
| | | | spp. | | NEO | | |
| | | Centrocharesini | <i>Centrochares</i> | spp. | | NEO | |
| | | Centrodontini | <i>Centrodontus</i> | <i>atlas</i> | (Goding) | NEA | |
| | | | | <i>atlas atlas</i> | (Goding) | NEA | |
| | | | | <i>atlas paucivenosus</i> | Cook | NEA | |
| | | | | <i>Multareis</i> | <i>cornutus</i> | Goding | NEA |
| | | | | <i>Multareoides</i> | <i>bifurcatus</i> | Cook | NEA |
| | | | | <i>digitatus</i> | (Van Duzee) | NEA | |
| | | | | <i>planifrons</i> | (Van Duzee) | NEA | |
| | | Centrotini | <i>Anchon</i> | spp. | | ETH | |
| | | | | <i>Anchonomonoides</i> | <i>expansa</i> | (Capener) | ETH |
| | | | | <i>Centrotus</i> | <i>cornutus</i> | (Linnaeus) | PAL |
| | | | | <i>Spalirises</i> | <i>rugosa</i> | (Funkhouser) | ETH |
| | | | <i>Tricoceps</i> | spp. | | ETH | |
| | Gargarini | <i>Gargara</i> | <i>genistae</i> | (Fabricius) | NEA | | |
| | | | | spp. | | ETH | |
| | | | <i>Machaerotypus</i> | <i>sibiricus</i> | (Lethierry) | PAL | |
| | | | | spp. | | PAL | |
| | | | <i>Nondenticentrus</i> | spp. | | PAL | |
| | | | <i>Sipylus</i> | <i>dilatatus</i> | (Walker) | ORI | |
| | | | <i>Tricentrus</i> | <i>concavus</i> | (Funkhouser) | ORI | |
| | | | | <i>convergens</i> | (Walker) | ORI | |
| | | | | <i>fairmairei</i> | (Stål) | ORI | |
| | | | | <i>flavipes</i> | Melichar | PAL | |
| | | | spp. | | ORI | | |
| | Hypsaucheniini | <i>Hypsauchenia</i> | <i>hardwickii</i> | (Kirby) | ORI | | |
| | | | <i>Hypsolyrium</i> | <i>uncinatum</i> | (Stål) | ORI | |
| | Leptocentrini | <i>Awania</i> | spp. | | ETH | | |
| | | | <i>Leptocentrus</i> | <i>vicarius</i> | (Walker) | ORI | |
| | | | spp. | | ETH | | |
| | Terentiini | <i>Sertorius</i> | spp. | | ORI | | |
| | Monobelini | <i>Monobelus</i> | spp. | | NEA | | |
| | Oxyrhachini | <i>Oxyrhachis</i> | <i>fuscicornis</i> | (Germar) | ETH | | |
| | | | | spp. | | ETH | |
| | Platycentrini | <i>Platycentrus</i> | <i>acuticornis</i> | Stål | NEA, NEO | | |
| | | | | <i>auriculatus</i> | Pelaez | NEO | |

| | | | | | | | |
|---------------|------------------|---------------------|---------------------|------------------------|----------------------|--------------|-----|
| Centrotinae | Platycentrini | <i>Platycentrus</i> | <i>taurinus</i> | Ball | NEA | | |
| | | <i>Tylocentrus</i> | <i>reticulatus</i> | Van Duzee | NEA | | |
| Darninae | Cymbomorphini | <i>Cymbomorpha</i> | <i>quadricornis</i> | Funkhouser | NEA | | |
| | | | <i>prasina</i> | (Germar) | NEO | | |
| | | | <i>vaginata</i> | (Germar) | NEO | | |
| | Darnini | <i>Darnis</i> | spp. | | | NEO | |
| | | | <i>lateralis</i> | (Coquebert) | NEO | | |
| | | | <i>latior</i> | Fowler | NEO | | |
| | | | <i>partita</i> | Walker | NEO | | |
| | | | <i>trifasciata</i> | Fabricius | NEO | | |
| | | | <i>Hebeticoides</i> | <i>actua</i> | Fowler | NEO | |
| | | | | <i>Stictopelta</i> | <i>acutula</i> | (Fairmaire) | NEO |
| | | | | | <i>adusta</i> | (Burmeister) | NEO |
| | | | | | <i>caerulea</i> | Ball | NEO |
| | | | | | <i>fraterna</i> | Butler | NEO |
| | | | | | <i>indeterminata</i> | (Walker) | NEO |
| | | | | | <i>latilinea</i> | (Walker) | NEO |
| | | | | | <i>marmorata</i> | Goding | NEA |
| | | | | | <i>nova</i> | Goding | NEA |
| | | | | | <i>pulchella</i> | Ball | NEA |
| | | | | <i>Sundarion</i> | <i>xanthographa</i> | (Germar) | NEO |
| | | | | spp. | | | NEO |
| | Hemikypthini | <i>Atypa</i> | <i>bucktoni</i> | Goding | NEO | | |
| | | | <i>Hemikyptha</i> | <i>compressicornis</i> | (Fairmaire) | NEO | |
| | | | <i>marginata</i> | (Fabricius) | NEO | | |
| Hyphinoini | <i>Hyphinoe</i> | <i>asphaltina</i> | (Fairmaire) | NEO | | | |
| | | <i>cornuta</i> | Distant | NEO | | | |
| | | <i>latifrons</i> | (Fowler) | NEO | | | |
| | | <i>obliqua</i> | (Walker) | NEO | | | |
| | | <i>vulpecula</i> | Fowler | NEO | | | |
| | | <i>brunnea</i> | (Germar) | NEO | | | |
| Endoiastinae | Endoiastini | <i>Endoiastus</i> | <i>pectoralis</i> | (Fabricius) | NEO | | |
| | | <i>Scytodepsa</i> | <i>caviceps</i> | Fowler | NEO | | |
| Heteronotinae | Heteronotini | <i>Heteronotus</i> | <i>tricarinata</i> | Funkhouser | NEO | | |
| | | | <i>abbreviatus</i> | Fairmaire | NEO | | |
| | | | <i>delineatus</i> | Walker | NEO | | |
| | | | <i>glandifera</i> | (Lesson) | NEO | | |
| | | | <i>nodosa</i> | (Germar) | NEO | | |
| | | | <i>spinosus</i> | Laporte | NEO | | |
| | | | <i>tridens</i> | (Burmeister) | NEO | | |
| | | | <i>trinodosus</i> | Butler | NEO | | |
| | | | spp. | | NEO | | |
| | | | <i>Omolon</i> | spp. | NEO | | |
| | | | <i>Nassunia</i> | <i>bipunctata</i> | (Fairmaire) | NEO | |
| | <i>conficita</i> | (Walker) | NEO | | | | |
| Membracinae | Aconophorini | <i>Aconophora</i> | <i>albipennis</i> | Dietrich | NEO | | |
| | | | <i>compressa</i> | Walker | NEO | | |

| | | | | | | |
|----------------|---------------------|---------------------|-----------------------|---------------------|--------------|--------|
| Membracinae | Aconophorini | <i>Aconophora</i> | <i>cultellata</i> | Walker | NEO | |
| | | | <i>elongata</i> | Dietrich | NEO | |
| | | | <i>laminata</i> | Fairmaire | NEO | |
| | | | <i>mexicana</i> | Stål | NEO | |
| | | | <i>robusta</i> | Dietrich | NEO | |
| | | | <i>Calloconophora</i> | <i>caliginosa</i> | (Walker) | NEO |
| | | <i>furcata</i> | | Dietrich | NEO | |
| | | <i>obliqua</i> | | Dietrich | NEO | |
| | | <i>obtusa</i> | | (Walker) | NEO | |
| | | <i>pinguis</i> | | (Fowler) | NEO | |
| | | <i>rubricornis</i> | | Dietrich | NEO | |
| | | <i>Guayaquila</i> | <i>attenuata</i> | Dietrich | NEO | |
| | | | <i>emarginata</i> | Dietrich | NEO | |
| | | | <i>fusiformis</i> | (Fowler) | NEO | |
| | | | <i>gracilicornis</i> | (Stål) | NEO | |
| | | | <i>inflata</i> | Dietrich | NEO | |
| | | | <i>minuta</i> | (Fowler) | NEO | |
| | | | <i>obesa</i> | Dietrich | NEO | |
| | <i>pallescens</i> | | (Stål) | NEO | | |
| | <i>projecta</i> | | (Funkhouser) | NEO | | |
| | <i>xiphias</i> | | (Fabricius) | NEO | | |
| | spp. | | | NEO | | |
| | Hoplophorionini | | <i>Alchisme</i> | <i>grossa</i> | (Fairmaire) | NEO |
| | | | | <i>inermis</i> | (Fairmaire) | NEO |
| | | | | <i>rubrocostata</i> | (Spinola) | NEO |
| | | | | <i>turrata</i> | (Germar) | NEO |
| | | | | spp. | | NEO |
| | | <i>Metcalfiella</i> | | <i>cinerea</i> | (Fairmaire) | NEO |
| | | | <i>jaramillorum</i> | McKamey | NEO | |
| | | | <i>monogramma</i> | (Germar) | NEO | |
| | | | <i>nigrihumera</i> | McKamey | NEO | |
| | | | <i>pertusa</i> | (Germar) | NEO | |
| | | | <i>vicina</i> | (Fairmaire) | NEO | |
| | | | <i>Ochropepla</i> | <i>pallens</i> | Stål | NEO |
| | | | | <i>Platycotis</i> | <i>minax</i> | Goding |
| | | <i>nigrorufa</i> | (Walker) | | NEA | |
| | <i>tuberculatus</i> | (Fairmaire) | NEO | | | |
| | <i>vittata</i> | (Fabricius) | NEA | | | |
| | spp. | | NEA, NEO | | | |
| | <i>Potnia</i> | <i>gladiator</i> | (Walker) | NEO | | |
| | | <i>jacula</i> | (Fabricius) | NEO | | |
| | | <i>maculata</i> | Funkhouser | NEO | | |
| <i>venosa</i> | | (Germar) | NEA | | | |
| <i>Umbonia</i> | <i>amazili</i> | Fairmaire | NEO | | | |
| | <i>ataliba</i> | Fairmaire | NEO | | | |
| | <i>crassicornis</i> | (Amyot & Serville) | NEO | | | |
| | <i>curvispina</i> | Stål | NEO | | | |

| | | | | | | |
|-------------------|---------------------|----------------------|---------------------|----------------------|-------------|-----|
| Membracinae | Hoplophorionini | <i>Umbonia</i> | <i>octolineata</i> | Goding | NEO | |
| | | | <i>reclinata</i> | (Germar) | NEO | |
| | | | <i>spinosa</i> | (Fabricius) | NEO | |
| | | | spp. | | NEO | |
| | Hypsoprorini | <i>Cladonota</i> | <i>apicalis</i> | (Stål) | NEO | |
| | | | <i>bulbosa</i> | (Flynn, 2009) | NEO | |
| | | | <i>clavigera</i> | (Stål) | NEO | |
| | | | <i>inflata</i> | Fowler | NEO | |
| | | | spp. | | NEO | |
| | | | <i>Hypsoprora</i> | <i>anatina</i> | Fowler | NEO |
| | | | | <i>coronata</i> | (Fabricius) | NEO |
| | | | | spp. | | NEO |
| | | <i>Notocera</i> | | <i>bituberculata</i> | (Fowler) | NEO |
| | | | <i>brachycera</i> | (Fairmaire) | NEO | |
| | | | <i>cerviceps</i> | (Fowler) | NEO | |
| | | | <i>crassicornis</i> | (Fairmaire) | NEO | |
| | | | <i>cruciatus</i> | (Fabricius) | NEO | |
| | | | <i>satanas</i> | (Lesson) | NEO | |
| | | | <i>spinidorsa</i> | Goding | NEO | |
| | | | spp. | | NEO | |
| | | | <i>Philya</i> | <i>californensis</i> | (Goding) | NEA |
| | | | | <i>ferruginosa</i> | (Goding) | NEA |
| | | <i>lowryi</i> | | Plummer | NEO | |
| | | <i>pallidipennis</i> | | (Walker) | NEO | |
| | | spp. | | | NEO | |
| | | Membracini | <i>Bolbonota</i> | <i>aspidistrae</i> | Haviland | NEO |
| | | | | <i>bituberculata</i> | Stål | NEO |
| | | | | <i>corrugata</i> | Fowler | NEO |
| | | | | <i>cuneata</i> | Fowler | NEO |
| | | | | <i>inaequalis</i> | (Fabricius) | NEO |
| | | | | <i>inconspicua</i> | Fowler | NEO |
| | | | | <i>insignis</i> | Fowler | NEO |
| | <i>nisus</i> | | | (Germar) | NEO | |
| | <i>pictipennis</i> | | | Fairmaire | NEO | |
| | spp. | | | | NEO | |
| | <i>Campylenchia</i> | | | <i>curvata</i> | (Fabricius) | NEA |
| | | | | <i>hastata</i> | (Fabricius) | NEO |
| | | | | <i>latipes</i> | (Say) | NEA |
| | | | | spp. | | NEA |
| | | | <i>Enchenopa</i> | <i>albidorsa</i> | (Fairmaire) | NEO |
| | <i>altissima</i> | | | (Fairmaire) | NEO | |
| | <i>ansera</i> | | | Funkhouser | NEO | |
| | <i>apicalis</i> | | | (Stål) | NEO | |
| | <i>binotata</i> | | | (Say) | NEA, NEO | |
| | <i>concolor</i> | | | (Fairmaire) | NEO | |
| <i>ferruginea</i> | Walker | | | NEO | | |
| <i>gladius</i> | (Fabricius) | | | NEO | | |
| <i>ignidorsum</i> | Walker | | | NEO | | |

| | | | | | |
|-------------|------------|---------------------|-------------------------|------------------------|-----|
| Membracinae | Membracini | <i>Enchenopa</i> | <i>monoceros</i> | (Germar) | NEO |
| | | | <i>multicarinata</i> | Fowler | NEO |
| | | | <i>permutata</i> | Van Duzee | NEO |
| | | | <i>quadricolor</i> | Walker | NEO |
| | | | <i>sericea</i> | Walker | NEO |
| | | | <i>serratipes</i> | Buckton | NEO |
| | | | <i>squamigera</i> | (Linnaeus) | NEO |
| | | | spp. | | NEO |
| | | <i>Enchophyllum</i> | <i>dubium</i> | Fowler | NEO |
| | | | <i>lanceolatum</i> | (Fabricius) | NEO |
| | | | <i>melaleucum</i> | (Walker) | NEO |
| | | | <i>nigrocupreum</i> | (Walker) | NEO |
| | | | <i>quinquemaculatum</i> | (Fairmaire) | NEO |
| | | | <i>schmidti</i> | (Funkhouser) | NEO |
| | | | spp. | | NEO |
| | | <i>Erechtia</i> | <i>sallaei</i> | (Fowler) | NEO |
| | | | <i>sucedanii</i> | (Buckton) | NEO |
| | | | spp. | | NEO |
| | | <i>Eunusa</i> | <i>concolor</i> | (Fonseca) | NEO |
| | | | spp. | | NEO |
| | | <i>Kronides</i> | <i>cochleata</i> | (Schmidt) | NEO |
| | | | <i>incumbens</i> | (Germar) | NEO |
| | | <i>Leioscyta</i> | <i>bolbonotoides</i> | Strumpel & Strumpel | NEO |
| | | | <i>cornutula</i> | (Stål) | NEO |
| | | | <i>ferruginipennis</i> | (Goding) | NEA |
| | | | <i>gracilis</i> | Strumpel & Strumpel | NEO |
| | | | <i>maculata</i> | (Funkhouser) | NEO |
| | | | <i>nitida</i> | Fowler | NEO |
| | | | <i>pallidipennis</i> | (Stål) | NEO |
| | | | <i>similis</i> | Fonseca & Diringshofen | NEO |
| | | | spp. | | NEO |
| | | <i>Membracis</i> | <i>albolimbata</i> | Fowler | NEO |
| | | | <i>confusa</i> | Fairmaire | NEO |
| | | | <i>dorsata</i> | Fabricius | NEO |
| | | | <i>flava</i> | Richter | NEO |
| | | | <i>flaveola</i> | Gmelin | NEO |
| | | | <i>foliata</i> | (Linnaeus) | NEO |
| | | | <i>foliata c-album</i> | Fairmaire | NEO |
| | | | <i>foliataarcuata</i> | (De Geer) | NEO |
| | | | <i>foliatafusca</i> | (De Geer) | NEO |
| | | | <i>lefebvrei</i> | Fairmaire | NEO |
| | | | <i>mexicana</i> | Guerin-Meneville | NEO |
| | | | <i>peruviana</i> | Fairmaire | NEO |
| | | | <i>sanguineoplaga</i> | Schmidt | NEO |
| | | | <i>tectigera</i> | Olivier | NEO |
| | | | <i>trimaculata</i> | Fairmaire | NEO |
| | | | <i>zonata</i> | Fairmaire | NEO |

| | | | | | |
|--------------------|-------------------|---------------------|-----------------------|----------------|----------|
| Membracinae | Membracini | <i>Membracis</i> | spp. | | NEO |
| | | <i>Phyllotropis</i> | <i>cingulata</i> | (Germar) | NEO |
| | | | <i>fasciata</i> | (Fabricius) | NEO |
| | | | <i>nigrolutea</i> | (Funkhouser) | NEO |
| | | <i>Tylopelta</i> | <i>americana</i> | Goding | NEA, NEO |
| | | <i>Tylopelta</i> | <i>gibbera</i> | (Stål) | NEA, NEO |
| Nicomiinae | Nicomiini | <i>Tolania</i> | spp. | | NEA, NEO |
| | | | <i>fraterna</i> | Stål | NEO |
| | | | <i>opponens</i> | (Walker) | NEO |
| Smiliinae | Acutalini | <i>Acutalis</i> | spp. | | NEO |
| | | | <i>fusconervosa</i> | Fairmaire | NEO |
| | | | <i>nigrinervis</i> | Fowler | NEO |
| | | | <i>tartarea</i> | (Say) | NEA |
| | | | spp. | | NEA, NEO |
| | | | <i>darnoides</i> | (Walker) | NEO |
| | Amastrini | <i>Amastris</i> | <i>flavomarginata</i> | (Stål) | NEO |
| | | | <i>pallescens</i> | (Stål) | NEO |
| | | | <i>walkeri</i> | Metcalf & Wade | NEO |
| | | | <i>alapigmentata</i> | Broomfield | NEO |
| | | | <i>angulata</i> | Broomfield | NEO |
| | | | <i>compacta</i> | (Walker) | NEO |
| | | | <i>concolor</i> | Broomfield | NEO |
| | | | <i>elevata</i> | Funkhouser | NEO |
| | | | <i>flavifolia</i> | Funkhouser | NEO |
| | | | <i>funkhouserii</i> | Haviland | NEO |
| | | | <i>maculata</i> | Funkhouser | NEO |
| | | | <i>obtegens</i> | (Fabricius) | NEO |
| | | | <i>panamensis</i> | Broomfield | NEO |
| | | | <i>pseudomaculata</i> | Broomfield | NEO |
| | | | <i>ramosa</i> | Broomfield | NEO |
| <i>sabulosa</i> | Funkhouser | NEO | | | |
| <i>simillima</i> | Stål | NEO | | | |
| <i>straminea</i> | Broomfield | NEO | | | |
| <i>templa</i> | Ball | NEA | | | |
| <i>vismiae</i> | Haviland | NEO | | | |
| spp. | | NEO | | | |
| <i>Bajulata</i> | <i>bajula</i> | (Goding) | NEA, NEO | | |
| <i>Harmonides</i> | <i>dispar</i> | (Fabricius) | NEO | | |
| | <i>reticulata</i> | (Fabricius) | NEO | | |
| <i>Idioderma</i> | <i>virescens</i> | Van Duzee | NEA | | |
| <i>Lallemandia</i> | <i>nodosa</i> | Funkhouser | NEO | | |
| <i>Tynelia</i> | <i>cinctata</i> | (Haviland) | NEO | | |
| | <i>hirsuta</i> | (Funkhouser) | NEO | | |
| | <i>longula</i> | (Burmeister) | NEO | | |
| <i>Vanduzea</i> | <i>arquata</i> | (Say) | NEA | | |
| | <i>decorata</i> | Funkhouser | NEO | | |
| | <i>laeta</i> | Goding | NEA, NEO | | |

| | | | | | | |
|---------------------|---------------------------|----------------------|------------------------------|------------------|----------|------------|
| Smiliinae | Amastrini | <i>Vanduzea</i> | <i>mayana</i> | Funkhouser | NEO | |
| | | | <i>punctipennis</i> | Funkhouser | NEO | |
| | | | <i>segmentata</i> | (Fowler) | NEA, NEO | |
| | | | <i>triguttata</i> | (Burmeister) | NEA | |
| | | | spp. | | | AUS, NEA/O |
| | Ceresini | <i>Amblyophallus</i> | <i>maculatus</i> | Funkhouser | NEO | |
| | | | <i>Anisostylus gillettei</i> | (Goding) | NEA | |
| | | | <i>Antoniae centrotoides</i> | Walker | NEO | |
| | | | | spp. | | NEO |
| | | <i>Ceresa</i> | <i>albosignata</i> | Remes-Lenicov | NEO | |
| | | | <i>bubalus</i> | (Fabricius) | NEA | |
| | | | <i>denticulata</i> | Andrade | NEO | |
| | | | <i>malina</i> | (Germar) | NEO | |
| | | | <i>mulsa</i> | Remes-Lenicov | NEO | |
| | | | <i>nigripectus</i> | Remes-Lenicov | NEO | |
| | | | <i>paulistana</i> | Remes-Lenicov | NEO | |
| | | | <i>peruensis</i> | Remes-Lenicov | NEO | |
| | | | <i>ustulata</i> | Fairmaire | NEO | |
| | | | <i>vitulus</i> | (Fabricius) | NEO | |
| | | | | | spp. | NEO |
| | | | <i>Cyphonia</i> | <i>ancoralis</i> | Berg | NEO |
| | | <i>braccata</i> | | (Germar) | NEO | |
| | | <i>clavata</i> | | (Fabricius) | NEO | |
| | | <i>clavigera</i> | | (Fabricius) | NEO | |
| | | <i>trifida</i> | | (Fabricius) | NEO | |
| | | | | | spp. | NEO |
| | | <i>Eucyphonia</i> | <i>furcata</i> | (Burmeister) | NEO | |
| | | | | spp. | NEO | |
| | | <i>Hadrophallus</i> | <i>bubalus</i> | (Fabricius) | NEA | |
| | | <i>Paraceresa</i> | <i>bifasciata</i> | Fairmaire | NEO | |
| | | | <i>unguicularis</i> | (Stål) | NEO | |
| | | | | spp. | NEO | |
| | | <i>Parantoniae</i> | <i>dipteroides</i> | Fowler | NEO | |
| <i>ornata</i> | | | Plummer | NEA | | |
| <i>Poppea</i> | <i>capricornis</i> | Fowler | NEO | | | |
| | <i>delicata</i> | Plummer | NEO | | | |
| | <i>setosa</i> | Fowler | NEO | | | |
| | <i>rectispina</i> | (Fairmaire) | NEO | | | |
| | <i>variegata</i> | Plummer | NEO | | | |
| | | | spp. | NEO | | |
| <i>Spissistilus</i> | <i>borealis</i> | Fairmaire | NEA | | | |
| | <i>femoratus</i> | (Fairmaire) | NEA | | | |
| | <i>festinus</i> | (Say) | NEA | | | |
| | <i>festinus angulata</i> | Van Duzee | NEA | | | |
| | <i>festinus rufivitta</i> | Walker | NEA | | | |
| | <i>franciscanus</i> | Stål | NEA | | | |
| | <i>occidentalis</i> | (Funkhouser) | NEA | | | |

| | | | | | | |
|-----------|--------------|----------------------|----------------------|----------------------|--------------|-----|
| Smiliinae | Ceresini | <i>Spissistilus</i> | <i>uniformis</i> | (Fairmaire) | NEO | |
| | | | spp. | | NEO | |
| | | <i>Stictocephala</i> | <i>albescens</i> | (Van Duzee) | NEA | |
| | | | <i>basalis</i> | (Walker) | NEA | |
| | | | <i>bisonia</i> | (Kopp & Yonke) | NEA | |
| | | | <i>brevicornis</i> | (Fitch) | NEA | |
| | | | <i>brevis</i> | (Walker) | NEA | |
| | | | <i>brevitylus</i> | (Van Duzee) | NEA | |
| | | | <i>diceros</i> | (Say) | NEA | |
| | | | <i>diminuta</i> | Van Duzee | NEA | |
| | | | <i>lutea</i> | (Walker) | NEA | |
| | | | <i>militaris</i> | (Gibson & Wells) | NEA | |
| | | | <i>palmeri</i> | (Van Duzee) | NEA | |
| | | | <i>substriata</i> | (Walker) | NEA | |
| | | | <i>taurina</i> | (Fitch) | NEA | |
| | | | <i>tauriniformis</i> | Caldwell | NEA | |
| | | | | spp. | NEA | |
| | | | <i>Stictolobus</i> | <i>minor</i> | (Fowler) | NEO |
| | | | | <i>testacea</i> | Fairmaire | NEO |
| | | | | <i>trilineatus</i> | Funkhouser | NEA |
| | | | <i>Tapinolobus</i> | <i>albifasciatus</i> | (Funkhouser) | NEO |
| | | | <i>Tortistilus</i> | <i>abnorma</i> | (Caldwell) | NEA |
| | | | | <i>albidosparsa</i> | Stål | NEA |
| | | | | <i>collina</i> | Van Duzee | NEA |
| | | | | <i>inermis</i> | Fabricius | NEA |
| | | | | <i>pacifica</i> | Van Duzee | NEA |
| | | | | <i>trilineatus</i> | (Funkhouser) | NEA |
| | | | | <i>wickhami</i> | Van Duzee | NEA |
| | | | <i>Trichaetipyga</i> | <i>infantulus</i> | Ball | NEO |
| | | | <i>Vestistilus</i> | <i>affinis</i> | (Fairmaire) | NEO |
| | | | | <i>nigrovittata</i> | Fowler | NEO |
| | | | | spp. | | NEO |
| | | | | spp. | | NEA |
| | Micrutralini | <i>Micrutralis</i> | <i>apicalis</i> | Goding | NEA | |
| | | | <i>binaria</i> | (Fairmaire) | NEO | |
| | | | <i>calva</i> | (Say) | NEA | |
| | | | <i>dorsalis</i> | (Fitch) | NEA | |
| | | | <i>ephippium</i> | (Burmeister) | NEO | |
| | | | <i>malleifera</i> | Fowler | NEO | |
| | | | <i>occidentalis</i> | (Goding) | NEA | |
| | | | <i>parva</i> | (Goding) | NEA | |
| | | | spp. | | NEA, NEO | |
| | | | <i>Trachytalis</i> | spp. | NEO | |
| | Polyglyptini | <i>Adippe</i> | <i>inaequalis</i> | Fowler | NEO | |
| | | | <i>nigrorubra</i> | Funkhouser | NEO | |
| | | | <i>zebrina</i> | (Fairmaire) | NEO | |
| | | | spp. | | NEO | |

| | | | | | | |
|-----------|--------------------|----------------------|--------------------|--------------------|-------------|-----|
| Smiliinae | Polyglyptini | <i>Aphetea</i> | <i>inconspicua</i> | Fowler | NEO | |
| | | | spp. | | NEO | |
| | | <i>Bilimekia</i> | <i>minor</i> | Fowler | NEO | |
| | | | <i>styliformis</i> | Fowler | NEO | |
| | | <i>Bryantopsis</i> | <i>ensigera</i> | Ball | NEA | |
| | | <i>Ennya</i> | <i>chysura</i> | (Fairmaire) | NEO | |
| | | | <i>dorsalis</i> | (Fairmaire) | NEO | |
| | | | <i>pacifica</i> | (Fairmaire) | NEO | |
| | | <i>Entylia</i> | <i>carinata</i> | (Forster) | NEA, NEO | |
| | | <i>Heranice</i> | <i>miltoglypta</i> | (Fairmaire) | NEO | |
| | | <i>Maturnaria</i> | <i>ephippigera</i> | (Fairmaire) | NEO | |
| | | <i>Metheisa</i> | <i>lucillodes</i> | Fowler | NEO | |
| | | <i>Notogonioides</i> | <i>erythropus</i> | (Burmeister) | NEO | |
| | | <i>Polyglypta</i> | <i>costata</i> | Burmeister | NEO | |
| | | | <i>lineata</i> | Burmeister | NEO | |
| | | | spp. | | NEO | |
| | | <i>Polyglyptodes</i> | <i>viridis</i> | Plummer | NEO | |
| | | <i>Publilia</i> | <i>concava</i> | (Say) | NEA | |
| | | | <i>erecta</i> | Plummer | NEA | |
| | | | <i>modesta</i> | (Uhler) | NEA | |
| | | | <i>porrecta</i> | Fowler | NEA | |
| | | | <i>reticulata</i> | Van Duzee | NEA | |
| | | | spp. | | NEA | |
| | | | spp. | | NEA, NEO | |
| | | Smiliini | <i>Ashmeadea</i> | <i>carinata</i> | (Stål) | NEA |
| | | | | spp. | | NEO |
| | | | <i>Atymna</i> | <i>castneae</i> | (Fitch) | NEA |
| | | | | <i>helena</i> | (Woodruff) | NEA |
| | | | | <i>inornata</i> | (Say) | NEA |
| | | | | <i>querci</i> | (Fitch) | NEA |
| | | | | <i>reticulata</i> | Ball | NEA |
| | | | | <i>simplex</i> | (Van Duzee) | NEA |
| | | | | spp. | | NEA |
| | | | <i>Atymnina</i> | <i>elongata</i> | Plummer | NEA |
| | | | <i>Cyrtolobus</i> | <i>acuminatus</i> | Woodruff | NEA |
| | | | | <i>acutus</i> | Van Duzee | NEA |
| | | | | <i>arcuatus</i> | (Emmons) | NEA |
| | | | | <i>arizonae</i> | Ball | NEA |
| | | | | <i>auroreus</i> | Woodruff | NEA |
| | | | | <i>celsus</i> | Van Duzee | NEA |
| | | | | <i>cinctus</i> | Van Duzee | NEA |
| | | | | <i>clarus</i> | Woodruff | NEA |
| | | | | <i>discoidalis</i> | (Emmons) | NEA |
| | | | | <i>dixianus</i> | Woodruff | NEA |
| | | | | <i>fenestratus</i> | (Fitch) | NEA |
| | <i>flavolatus</i> | | Woodruff | NEA | | |
| | <i>fuliginosus</i> | | (Emmons) | NEA | | |

| | | | | | | |
|-----------|----------|-------------------|-----------------------|---------------------|------------------|----------|
| Smiliinae | Smiliini | <i>Cyrtolobus</i> | <i>funkhouseri</i> | Woodruff | NEA | |
| | | | <i>fuscipennis</i> | Van Duzee | NEA | |
| | | | <i>gramatanus</i> | Woodruff | NEA | |
| | | | <i>gratiosus</i> | Woodruff | NEA | |
| | | | <i>griseus</i> | Van Duzee | NEA | |
| | | | <i>inermis</i> | (Emmons) | NEA | |
| | | | <i>limus</i> | Van Duzee | NEA | |
| | | | <i>maculifrontis</i> | (Emmons) | NEA | |
| | | | <i>maxinei</i> | Dennis | NEA | |
| | | | <i>ovatus</i> | Van Duzee | NEA, NEO | |
| | | | <i>pallidifrontis</i> | (Emmons) | NEA | |
| | | | <i>parvulus</i> | Woodruff | NEA | |
| | | | <i>pictus</i> | Van Duzee | NEA | |
| | | | <i>puritanus</i> | Woodruff | NEA | |
| | | | <i>"ritanus"</i> | M.S. Name | NEA | |
| | | | <i>rufulus</i> | Woodruff | NEA | |
| | | | <i>togatus</i> | Woodruff | NEA | |
| | | | <i>tuberosus</i> | Fairmaire | NEA | |
| | | | <i>vanduzii</i> | (Goding) | NEA | |
| | | | <i>vau</i> | (Say) | NEA | |
| | | | <i>viridis</i> | (Emmons) | NEA | |
| | | | <i>woodruffi</i> | Ball | NEA | |
| | | | | spp. | NEA, NEO | |
| | | | <i>Grandolobus</i> | <i>grandis</i> | (Van Duzee) | NEA |
| | | | | spp. | | NEO |
| | | | <i>Ophiderma</i> | <i>definita</i> | Woodruff | NEA |
| | | | | <i>evelyna</i> | Woodruff | NEA |
| | | | | <i>flava</i> | Goding | NEA |
| | | | | <i>flavicephala</i> | Goding | NEA |
| | | | | <i>grisea</i> | Woodruff | NEA |
| | | | | <i>infantulus</i> | Ball | NEA |
| | | | | <i>pallida</i> | Van Duzee | NEA |
| | | | | <i>pubescens</i> | (Emmons) | NEA |
| | | | | <i>salamandra</i> | Fairmaire | NEA |
| | | | | spp. | | NEA, NEO |
| | | | <i>Smilia</i> | <i>camelus</i> | (Fabricius) | NEA |
| | | | | <i>fasciata</i> | Amyot & Serville | NEA |
| | | | | spp. | | NEA |
| | | | <i>Xantholobus</i> | <i>coconinus</i> | Ball | NEA |
| | | | | <i>inflatus</i> | (Van Duzee) | NEO |
| | | | | <i>intermedius</i> | (Emmons) | NEA |
| | | | | <i>lateralis</i> | (Van Duzee) | NEA |
| | | | | <i>nigrocinctus</i> | (Van Duzee) | NEA |
| | | | | <i>nitidus</i> | (Van Duzee) | NEA |
| | | | | <i>muticus</i> | (Fabricius) | NEA |
| | | | spp. | | NEA, NEO | |
| | spp. | | NEA | | | |

| | | | | | | |
|------------------|-------------|--------------------|-----------------------------|-----------------|----------------|---------|
| Smiliinae | Telamonini | <i>Archasia</i> | <i>auriculata</i> | (Fitch) | NEA | |
| | | | <i>belfragei</i> | Stål | NEA | |
| | | | spp. | | NEA | |
| | | <i>Carynota</i> | <i>maculata</i> | Funkhouser | NEA | |
| | | | <i>marmorata</i> | (Say) | NEA | |
| | | | <i>mera</i> | (Say) | NEA | |
| | | | <i>stupida</i> | (Walker) | NEA | |
| | | | spp. | | NEA | |
| | | <i>Glossonotus</i> | <i>acuminatus</i> | (Fabricius) | NEA | |
| | | | <i>crataegi</i> | (Fitch) | NEA | |
| | | <i>Glossonotus</i> | <i>turriculatus</i> | (Emmons) | NEA | |
| | | | <i>univittatus</i> | (Harris) | NEA | |
| | | | <i>univittatus pumilus</i> | Ball | NEA | |
| | | <i>Heliria</i> | spp. | | NEA | |
| | | | <i>cristata</i> | (Fairmaire) | NEA | |
| | | | <i>molaris</i> | Butler | NEA | |
| | | | <i>molaris</i> | (Butler) | NEA | |
| | | | <i>praelta</i> | (Fowler) | NEA | |
| | | | <i>praelta rubidella</i> | (Fowler) | NEA | |
| | | | <i>scalaris</i> | (Fairmaire) | NEA | |
| | | | <i>sinuata</i> | (Fowler) | NEA | |
| | | | <i>strombergi</i> | Goding | NEA | |
| | | | spp. | | NEA | |
| | | | <i>Helonica</i> | <i>excelsa</i> | (Fairmaire) | NEA |
| | | | | <i>Palonica</i> | <i>deserta</i> | Plummer |
| | | | <i>pyramidata</i> | | (Uhler) | NEA |
| | | | <i>pyramidata declivata</i> | | (Van Duzee) | NEA |
| | | | <i>pyramidata portola</i> | | Ball | NEO |
| | | <i>satyrus</i> | (Fowler) | | NEO | |
| | | <i>tremulata</i> | (Ball) | | NEA | |
| | | <i>viridia</i> | (Ball) | | NEA | |
| | | <i>Telamona</i> | <i>agrandata</i> | | Ball | NEA |
| | | | <i>ampelopsidis</i> | | (Harris) | NEA |
| | | | <i>barbata</i> | | Van Duzee | NEA |
| | | | <i>calva</i> | Ball | NEA | |
| | | | <i>collina</i> | (Walker) | NEA | |
| | | | <i>compacta</i> | Ball | NEA | |
| | | | <i>concava</i> | Fitch | NEA | |
| | | | <i>decorata</i> | Ball | NEA | |
| | | | <i>dubiosa</i> | Van Duzee | NEA | |
| | | | <i>extrema</i> | Ball | NEA | |
| | | | <i>gibbera</i> | Ball | NEA | |
| <i>lugubris</i> | Ball | | NEA | | | |
| <i>maculata</i> | Van Duzee | | NEA | | | |
| <i>monticola</i> | (Fabricius) | | NEA | | | |
| <i>reclivata</i> | Fitch | | NEA | | | |
| <i>salvini</i> | Distant | NEA | | | | |

| | | | | | | |
|-----------------------|------------------------|-----------------------|-----------------------|----------------------|--------------|---------|
| Smiliinae | Telamonini | <i>Telamona</i> | <i>spretta</i> | Goding | NEA | |
| | | | <i>tarda</i> | Ball | NEA | |
| | | | <i>tiliae</i> | Ball | NEA | |
| | | | <i>tristis coryli</i> | Fitch | NEA | |
| | | | <i>unicolor</i> | Fitch | NEA | |
| | | | <i>vestita</i> | Ball | NEA | |
| | | | <i>wescotti</i> | Goding | NEA | |
| | | | <i>woodruffi</i> | Ball | NEA | |
| | | | spp. | | NEA | |
| | | <i>Telamonanthe</i> | <i>pulchella</i> | (Ball) | NEA, NEO | |
| | | | <i>rileyi</i> | (Goding) | NEA | |
| | | | <i>Telonaca</i> | <i>alta</i> | (Funkhouser) | NEA |
| | | <i>ramona</i> | | Ball | NEA | |
| | | <i>Thelia</i> | <i>bimaculata</i> | (Fabricius) | NEA | |
| | | | <i>uhleri</i> | Stål | NEA | |
| | | spp. | | | NEA, NEO | |
| | | Tragopini | <i>Anobilia</i> | <i>luteimaculata</i> | (Funkhouser) | NEO |
| | | | | <i>Chelyoidea</i> | <i>aenea</i> | (Perty) |
| | | | <i>dohrni</i> | | (Fairmaire) | NEO |
| | spp. | | | | NEO | |
| | <i>Colisicostata</i> | | <i>scutellaris</i> | (Buckton) | NEO | |
| | <i>Horiola</i> | | <i>ferruginea</i> | Fairmaire | NEO | |
| | | | <i>picta</i> | (Coquebert) | NEO | |
| | <i>Tragopa</i> | | <i>albifascia</i> | Funkhouser | NEO | |
| | | | <i>bugabensis</i> | Fowler | NEO | |
| | | | <i>decorata</i> | Funkhouser | NEO | |
| | | | <i>fasciata</i> | (Funkhouser) | NEO | |
| | | | <i>testudina</i> | Funkhouser | NEO | |
| | | | spp. | | NEO | |
| | | | <i>Todea</i> | <i>peruviana</i> | (Funkhouser) | NEO |
| | <i>Tropidolomia</i> | <i>auriculata</i> | (Olivier) | NEO | | |
| | | Incertae sedis | <i>Antianthe</i> | <i>expansa</i> | Germar | NEO |
| | <i>expansa humilis</i> | | Fowler | NEO | | |
| <i>foliacea</i> | Stål | | NEO | | | |
| spp. | | | NEO | | | |
| Incertae sedis | <i>Hemicardiacus</i> | <i>saundersi</i> | Plummer | NEO | | |
| | | spp. | | NEA, NEO | | |
| Stegaspidae | Microcentrini | <i>Microcentrus</i> | <i>auritus</i> | Ball | NEA | |
| | | | <i>caryae</i> | (Fitch) | NEA | |
| | | | <i>lynx</i> | Ball | NEA | |
| | | | <i>perdita</i> | (Amyot & Serville) | NEA, NEO | |
| | | | <i>Tumecauda</i> | <i>schaefferi</i> | Goding | NEO |
| | <i>Bocydium</i> | <i>globularis</i> | | (Fabricius) | NEO | |
| | | <i>globulifera</i> | | (Pallas) | NEO | |
| | spp. | | NEO | | | |
| | <i>Lycoderes</i> | <i>gaffa</i> | Fairmaire | NEO | | |
| | | <i>fabricii</i> | Metcalf & Wade | NEO | | |

| | | | | | |
|-------------|-------------|---------------------|----------------------|-------------|----------|
| Stegaspidae | Stegaspidae | <i>Lycoderes</i> | <i>phasianus</i> | Fowler | NEO |
| | | | <i>serraticornis</i> | Fowler | NEO |
| | | <i>Oeda</i> | <i>inflata</i> | (Fabricius) | NEO |
| | | <i>Smerdalea</i> | <i>horrescens</i> | Fowler | NEO |
| | | | spp. | | NEO |
| | | <i>Stegaspis</i> | <i>fronditia</i> | Linnaeus | NEO |
| | | <i>Stylocentrus</i> | <i>ancora</i> | (Perty) | NEO |
| | | | <i>championi</i> | Fowler | NEO |
| spp. | | | | | NEA, NEO |