

Cornell University Insect Collection

Lasiocampidae

Ryan St. Laurent

Determined species: 272

Updated: February, 2015

| Family | Subfamily | Tribe | Genus | Species | Author | Zoogeography |
|-------------------|-----------------------|-----------------|-------------------------|--------------------------|---------|--------------|
| Lasiocampidae | Chondrosteginae | | <i>Chondrostega</i> | <i>pastrana</i> | Lederer | PAL |
| | | | <i>Anchirithra</i> | <i>insignis</i> | Butler | ETH |
| | <i>Bombycopsis</i> | | <i>indecora</i> | (Walker) | ETH | |
| | <i>Borocera</i> | | <i>madagascariensis</i> | Boisduval | ETH | |
| | <i>Caloecia</i> | | <i>entima</i> | Franclemont | NEA | |
| | | | <i>juvenalis</i> | Barnes & McDunnough | NEA | |
| | <i>Catalebeda</i> | | <i>cuneilinea</i> | (Walker) | ETH | |
| | <i>Chrysopsyche</i> | | <i>viridescens</i> | (Holland) | ETH | |
| | <i>Cosmotriche</i> | | <i>lunigera</i> | (Esper) | PAL | |
| | <i>Crexa</i> | | <i>dianipha</i> | (Turner) | AUS | |
| | <i>Dendrolimus</i> | | <i>pini</i> | (Linnaeus) | PAL | |
| | | | <i>punctata</i> | (Walker) | ORI | |
| | | | <i>sibiricus</i> | Tschetverikov | PAL | |
| | | | <i>spectabilis</i> | (Butler) | PAL | |
| | | | <i>superans</i> | (Butler) | PAL | |
| | <i>Dicogaster</i> | | <i>coronada</i> | (Barnes) | NEA | |
| | <i>Eriogaster</i> | | <i>catax</i> | (Linnaeus) | PAL | |
| | | | <i>lanestris</i> | (Linnaeus) | PAL | |
| | | | <i>rimicola</i> | (Denis & Schiffermüller) | PAL | |
| | <i>Eucraera</i> | | <i>gemmata</i> | (Distant) | ETH | |
| | <i>Euthrix</i> | | <i>albomaculata</i> | (Bremer) | PAL | |
| | | | <i>consimilis</i> | (Candeze) | ORI | |
| | | | <i>laeta</i> | (Walker) | ORI | |
| | | | <i>ochreipuncta</i> | (Wileman) | PAL | |
| | | | <i>potatoria</i> | (Linnaeus) | PAL | |
| | <i>Eutachyptera</i> | | <i>psidii</i> | (Sallé) | NEO | |
| | <i>Euwallengrenia</i> | | <i>reducta</i> | (Walker) | ETH | |
| | <i>Gastropacha</i> | | <i>pardale</i> | (Walker) | ORI | |
| | | | <i>populifolia</i> | (Esper) | PAL | |
| | | | <i>quercifolia</i> | | | |
| | | | <i>quercifolia</i> | (Linnaeus) | PAL | |
| | | | <i>quercifolia</i> | | | |
| | | | <i>sibirica</i> | Krulikowsky | PAL | |
| | <i>Gloveria</i> | | <i>arizonensis</i> | Packard | NEA | |
| | | | <i>gargamelle</i> | (Strecker) | NEA | |
| | | | <i>medusa</i> | (Strecker) | NEA | |
| | | | <i>sphingiformis</i> | Barnes & McDunnough | NEA | |
| | <i>Grammodora</i> | | <i>nigrolineata</i> | (Aurivillius) | ETH | |
| | <i>Heteropacha</i> | | <i>rileyana</i> | Harvey | NEA | |
| | <i>Kunugia</i> | | <i>ampla</i> | (Walker) | ORI | |
| | <i>brunnea</i> | (Wileman) | ORI | | | |
| | <i>fulgens</i> | (Moore) | ETH | | | |
| | <i>lateipennis</i> | (Walker) | ORI | | | |
| | <i>undans</i> | (Walker) | PAL | | | |
| <i>Lasiocampa</i> | <i>quercus</i> | (Linnaeus) | PAL | | | |
| | <i>staudingeri</i> | (Bethune-Baker) | PAL | | | |

| | | | |
|------------------------|------------------------|--------------------------|-----|
| | | (Denis & Schiffermüller) | PAL |
| | <i>trifolii</i> | | |
| <i>Lebeda</i> | <i>nobilis</i> | Walker | ORI |
| <i>Lechriolepis</i> | <i>sp.</i> | | |
| <i>Leipoxais</i> | <i>makomana</i> | Strand | ETH |
| | <i>marginepunctata</i> | Holland | ETH |
| | <i>peraffinis</i> | Holland | ETH |
| | <i>siccifolia</i> | Aurivillius | ETH |
| <i>Macrothylacia</i> | <i>rubi</i> | (Linnaeus) | PAL |
| <i>Metanastria</i> | <i>aconyta</i> | (Cramer) | ORI |
| | <i>hyrtaca</i> | (Cramer) | ORI |
| | <i>erectilinea</i> | | |
| <i>Odonestis</i> | <i>formosae</i> | (Wileman) | ORI |
| | <i>pruni</i> | (Linnaeus) | PAL |
| <i>Pachymeta</i> | <i>immunda</i> | (Holland) | ETH |
| <i>Pachmetana</i> | <i>neavei</i> | (Aurivillius) | PAL |
| <i>Pachypasa</i> | <i>honrathii</i> | Dewitz | ETH |
| | <i>otus</i> | (Drury) | PAL |
| | <i>subfascia</i> | Walker | ETH |
| <i>Paradoxopla</i> | <i>undulifera</i> | (Walker) | ORI |
| <i>Paralebeda</i> | <i>plagifera</i> | (Walker) | ORI |
| | | (Bethune- | |
| <i>Pararguda</i> | <i>ninayi</i> | Baker) | AUS |
| <i>Philotherma</i> | <i>jacchus</i> | Möschler | ETH |
| | <i>sordida</i> | Aurivillius | ETH |
| | | (Kendrick | |
| <i>Phoenicladocera</i> | <i>vulpicolor</i> | 1913) | ETH |
| <i>Phyllodesma</i> | <i>americana</i> | (Harris) | NEA |
| | <i>carpinifolia</i> | (Boisduval) | NEA |
| | <i>coturnix</i> | Lajonquière | NEA |
| | <i>ilicifolia</i> | (Linnaeus) | PAL |
| | <i>tremulifolia</i> | (Hübner) | PAL |
| <i>Pinara</i> | <i>fervens</i> | (Walker) | AUS |
| <i>Porela</i> | <i>sp.</i> | | |
| <i>Pseudophyllodes</i> | <i>nigrostrigata</i> | Bethune-Baker | ORI |
| | | (Bethune- | |
| | <i>rubiginea</i> | Baker) | ORI |
| <i>Prorifrons</i> | <i>nox</i> | (Druce) | NEO |
| | <i>peruviana</i> | (Druce) | NEO |
| <i>Pyrosis</i> | <i>idiota</i> | (Graeser) | PAL |
| <i>Quadrina</i> | <i>diazoma</i> | Grote | NEA |
| <i>Radhica</i> | <i>flavovittata</i> | Moore | ORI |
| <i>Schausinna</i> | <i>clementsii</i> | (Schaus) | ETH |
| <i>Sena</i> | <i>prompta</i> | (Walker) | ETH |
| | <i>proxima</i> | (Staudinger) | ETH |
| <i>Somadasys</i> | <i>brevivenis</i> | (Butler) | PAL |
| <i>Streblote</i> | <i>acaciae</i> | (Klug) | PAL |
| | <i>capensis</i> | (Aurivillius) | ETH |
| | <i>castanea</i> | (Swinhoe) | ORI |
| | <i>distinguenda</i> | (Aurivillius) | ETH |
| | <i>dorsalis</i> | (Walker) | ORI |

| | | | | | |
|-----------------|---------------|-----------------------|---------------------|---------------|-----|
| | | | <i>graber</i> | (Dewitz) | ETH |
| | | | <i>panda</i> | (Hübner) | PAL |
| | | | <i>siva</i> | (Lefèbvre) | ORI |
| | | <i>Suana</i> | <i>concolor</i> | (Walker) | ORI |
| | | <i>Syrastrena</i> | <i>minor</i> | (Moore) | ORI |
| | | <i>Syrastrenoides</i> | <i>horishana</i> | Matsumura | ORI |
| | | <i>Takanea</i> | <i>miyakei</i> | (Wileman) | PAL |
| | | <i>Trabala</i> | <i>lambourni</i> | Bethune-Baker | ETH |
| | | | <i>vishnou</i> | (Lefèbvre) | ORI |
| Malacosominae | | <i>Malacosoma</i> | <i>alpicola</i> | Staudinger | PAL |
| | | | <i>americana</i> | (Fabricius) | NEA |
| | | | <i>californica</i> | (Packard) | NEA |
| | | | <i>castrensis</i> | (Linnaeus) | PAL |
| | | | <i>constricta</i> | | |
| | | | <i>austrinum</i> | Stehr | NEA |
| | | | <i>constricta</i> | | |
| | | | <i>constricta</i> | (Edwards) | NEA |
| | | | <i>disstria</i> | Hübner | NEA |
| | | | <i>franconica</i> | Millière | PAL |
| | | | <i>incurva</i> | (Edwards) | NEA |
| | | | <i>neustria</i> | (Linnaeus) | PAL |
| | | | <i>tigris</i> | Dyar | NEA |
| Poecilocampinae | Macromphalini | <i>Apotolype</i> | <i>blanchardi</i> | Franclemont | NEA |
| | | | <i>brevicrista</i> | (Dyar) | NEA |
| | | <i>Artace</i> | <i>aemula</i> | Draudt | NEO |
| | | | <i>albicans</i> | (Walker) | NEO |
| | | | <i>anula</i> | Schaus | NEO |
| | | | <i>cribraria</i> | (Ljungh) | NEA |
| | | | <i>colaria</i> | Franclemont | NEA |
| | | | <i>litterata</i> | Dognin | NEO |
| | | | <i>menuve</i> | Schaus | NEO |
| | | | <i>regalis</i> | Jones | NEO |
| | | | <i>sisoes</i> | Schaus | NEO |
| | | <i>Euglyphis</i> | <i>abolla</i> | Draudt | NEO |
| | | | <i>albata</i> | (Dognin) | NEO |
| | | | <i>albidifascia</i> | (Walker) | NEO |
| | | | <i>albidula</i> | (Dognin) | NEO |
| | | | <i>albiochrea</i> | Kaye | NEO |
| | | | <i>aleria</i> | Druce | NEO |
| | | | <i>amazonica</i> | (Butler) | NEO |
| | | | <i>amida</i> | (Druce) | NEO |
| | | | <i>ampira</i> | (Druce) | NEO |
| | | | <i>argyphaea</i> | (Berg) | NEO |
| | | | <i>attenuata</i> | (Schaus) | NEO |
| | | | <i>bipuncta</i> | (Schaus) | NEO |
| | | | <i>braganza</i> | (Schaus) | NEO |
| | | | <i>brunnea</i> | (Schaus) | NEO |
| | | | <i>cacopasa</i> | (Schaus) | NEO |
| | | | <i>captiosa</i> | Draudt | NEO |
| | | | <i>castrensis</i> | Schaus | NEO |

| | | |
|----------------------|--------------------|-----|
| <i>chera</i> | (Schaus) | NEO |
| <i>claudia</i> | (Stoll) | NEO |
| <i>consolabilis</i> | Dyar | NEO |
| <i>deceana</i> | (Druce) | NEO |
| <i>definita</i> | (Schaus) | NEO |
| <i>detrita</i> | Draudt | NEO |
| <i>deusta</i> | (Herrich-Schäffer) | NEO |
| <i>dicax</i> | Draudt | NEO |
| <i>discorica</i> | (Dyar) | NEO |
| <i>distincta</i> | (Butler) | NEO |
| <i>efferata</i> | Draudt | NEO |
| <i>egra</i> | (Schaus) | NEO |
| <i>fibra</i> | (Schaus) | NEO |
| <i>fusconigra</i> | (Dognin) | NEO |
| <i>gera</i> | (Schaus) | NEO |
| <i>gibea</i> | (Druce) | NEO |
| <i>gurda</i> | (Dognin) | NEO |
| <i>guttivena</i> | (Walker) | NEO |
| <i>guttularis</i> | (Walker) | NEO |
| <i>insulta</i> | Draudt | NEO |
| <i>kotzschi</i> | Draudt | NEO |
| <i>lacrimosa</i> | Schaus | NEO |
| <i>laronia</i> | (Druce) | NEO |
| <i>larundina</i> | (Schaus) | NEO |
| <i>lascoria</i> | (Druce) | NEO |
| <i>laudia</i> | (Druce) | NEO |
| <i>laurena</i> | (Schaus) | NEO |
| <i>lyso</i> | (Druce) | NEO |
| <i>marginata</i> | (Schaus) | NEO |
| <i>maria</i> | (Schaus) | NEO |
| <i>marna</i> | Schaus | NEO |
| <i>mediana</i> | (Schaus) | NEO |
| <i>melancholica</i> | (Butler) | NEO |
| <i>modesta</i> | (Druce) | NEO |
| <i>murina</i> | (Möschler) | NEO |
| <i>napala</i> | (Schaus) | NEO |
| <i>nebula</i> | (Schaus) | NEO |
| <i>necopina</i> | (Dognin) | NEO |
| <i>nigropunctata</i> | (Schaus) | NEO |
| <i>obsessa</i> | (Dognin) | NEO |
| <i>obtusa</i> | (Herrich-Schäffer) | NEO |
| <i>ocyroe</i> | (Dognin) | NEO |
| <i>ogenes</i> | (Herrich-Schäffer) | NEO |
| <i>ozora</i> | (Druce) | NEO |
| <i>palma</i> | (Schaus) | NEO |
| <i>parepa</i> | (Schaus) | NEO |
| <i>phedonionides</i> | (Schaus) | NEO |

| | | | |
|---------------------|-----------------------------|--------------------|-----|
| | <i>plana</i> | (Walker) | NEO |
| | <i>princeps</i> | (Dognin) | NEO |
| | <i>punctulata</i> | (Dognin) | NEO |
| | <i>pygma</i> | Schaus | NEO |
| | <i>quassa</i> | Draudt | NEO |
| | <i>renesca</i> | (Schaus) | NEO |
| | <i>resarta</i> | Draudt | NEO |
| | <i>rivulosa</i> | (Drury) | NEO |
| | <i>rubrica</i> | (Draudt) | NEO |
| | <i>rundala</i> | (Schaus) | NEO |
| | <i>salandria</i> | (Schaus) | NEO |
| | <i>salebrosa</i> | Draudt | NEO |
| | <i>semifunebris</i> | Schaus | NEO |
| | <i>semita</i> | (Schaus) | NEO |
| | <i>sigurda</i> | (Schaus) | NEO |
| | <i>sobrina</i> | (Schaus) | NEO |
| | <i>sommeri</i> | Draudt | NEO |
| | <i>submarginalis</i> | (Walker) | NEO |
| | <i>subterranea</i> | (Dognin) | NEO |
| | <i>sulga</i> | (Schaus) | NEO |
| | <i>talma</i> | (Schaus) | NEO |
| | <i>tamila</i> | (Schaus) | NEO |
| | <i>temblora</i> | (Schaus) | NEO |
| | <i>temblora</i> (=maha)? | Schaus | NEO |
| | <i>tenuata</i> | (Dognin) | NEO |
| | <i>teresina</i> | (Schaus) | NEO |
| | <i>terranea</i> | (Butler) | NEO |
| | <i>thyatira</i> | (Druce) | NEO |
| | <i>tornipuncta</i> | (Schaus) | NEO |
| | <i>torrida</i> | (Schaus) | NEO |
| | <i>varma</i> | (Schaus) | NEO |
| | <i>vithersi</i> | (Schaus) | NEO |
| | <i>vittabunda</i> | (Dyar) | NEO |
| | <i>zikani</i> | (Draudt) | NEO |
| | <i>zurcheri</i> | (Druce) | NEO |
| <i>Macromphalia</i> | <i>dedecora</i> | (Feisthamel) | NEO |
| | <i>rubrogrisea</i> | (Philippi) | NEO |
| | <i>spadix</i> | Draudt | NEO |
| | <i>valdiviensis</i> | Dognin | NEO |
| <i>Mesera</i> | <i>arpi</i> | (Schaus) | NEO |
| <i>Nesara</i> | <i>caramina</i> | (Schaus) | NEO |
| | <i>lemoulti</i> | (Schaus) | NEO |
| | <i>niveipunctata</i> | Dognin | NEO |
| | <i>ocruma</i> | (Schaus) | NEO |
| | <i>pallida</i> | (Butler) | NEO |
| | <i>poecila</i> | Draudt | NEO |
| | <i>robustior</i> | Draudt | NEO |
| <i>Pompeja</i> | <i>psorica</i> | (Herrich-Schäffer) | NEO |

| | | | | |
|----------------|---------------------|----------------------|--------------|-----|
| | <i>Sphinta</i> | <i>nr cossoides</i> | Schaus | NEO |
| | <i>Titya (=</i> | | | |
| | <i>Labedera?</i>) | <i>alma</i> | (Weymer) | NEO |
| | | <i>avita</i> | Schaus | NEO |
| | | <i>cinerascens</i> | (Walker) | NEO |
| | | <i>hirta</i> | (Stoll) | NEO |
| | | | (Herrich- | |
| | | <i>mexicana</i> | Schäffer) | NEO |
| | | <i>noctilux</i> | Walker | NEO |
| | | <i>primitiva</i> | (Walker) | NEO |
| | | <i>proxima</i> | Burmeister | NEO |
| | | <i>rivulosa</i> | (Butler) | NEO |
| | <i>Tolyte</i> | <i>albiapicata</i> | (Schaus) | NEO |
| | | <i>austella</i> | Franclemont | NEA |
| | | <i>caieta</i> | Druce | NEO |
| | | <i>cupriflua</i> | Draudt | NEO |
| | | <i>dayi</i> | Blackmoore | NEA |
| | | <i>distincta</i> | French | NEA |
| | | <i>flexivia</i> | Dognin | NEO |
| | | | Barnes & | |
| | | <i>glenwoodii</i> | McDunnough | NEA |
| | | <i>guentheri</i> | Berg | NEO |
| | | <i>indecisa</i> | (Walker) | NEO |
| | | <i>innocens</i> | (Burmeister) | NEO |
| | | <i>iridescens</i> | (Walker) | NEO |
| | | <i>laricis</i> | (Fitch) | NEA |
| | | <i>lasthenioides</i> | (Dognin) | NEO |
| | | <i>lemoulti</i> | Schaus | NEO |
| | | | (Barnes & | |
| | | <i>lowriei</i> | McDunnough) | NEA |
| | | <i>medialis</i> | (Jones) | NEO |
| | | <i>minta ?</i> | Dyar | NEA |
| | | <i>nebulosa</i> | Schaus | NEO |
| | | <i>nigribarbata</i> | (Dognin) | NEO |
| | | <i>nigricaria</i> | Cassino | NEA |
| | | <i>notialis</i> | Franclemont | NEA |
| | | <i>pellita</i> | Draudt | NEO |
| | | <i>phyllius</i> | Druce | NEO |
| | | <i>poggia</i> | Schaus | NEO |
| | | <i>simulans</i> | (Walker) | NEO |
| | | <i>undulosa</i> | (Walker) | NEO |
| | | <i>velleda</i> | (Stoll) | NEA |
| | | <i>vespertilio</i> | Draudt | NEO |
| | <i>Tolytia</i> | <i>sanguilenta</i> | (Dognin) | NEO |
| Poecilocampini | <i>Hypopacha</i> | <i>grisea</i> | (Neumoegen) | NEA |
| | <i>Poecilocampa</i> | <i>populi</i> | (Linnaeus) | PAL |
| | <i>Trichiura</i> | <i>crataegi</i> | (Linnaeus) | PAL |