

# Cornell University Insect Collection

## **Bombycoidea:**

**Anthelidae, Apatelodidae, Bombycidae, Brahmaeidae,  
Endromidae, Eupterotidae, Phiditiidae, Saturniidae, &  
Sphingidae**

Ryan St. Laurent

Updated: February 2014

# Cornell University Insect Collection

## **Anthelidae**

Ryan St. Laurent

Determined species and subspecies: 5

Updated: February 2014

<b>Family</b>	<b>Subfamily</b>	<b>Genus</b>	<b>Species</b>	<b>Author</b>	<b>Zoogeography</b>
Anthelidae	Anthelinae	<i>Anthela</i>	<i>achromata</i>	Turner	AUS
			<i>acuta</i>	(Walker)	AUS
			<i>ekeikei</i>	Bethune-	AUS
			<i>ocellata</i>	Baker	AUS
				(Walker)	AUS
		<i>Chelepteryx</i>	<i>collesi</i>	Gray	AUS

Cornell University Insect Collection

**Apatelodidae**

**&**

**Bombycidae**

Ryan St. Laurent

Determined species and subspecies:

Apatelodidae: 46

Bombycidae: 32

Updated: February 2014

<b>Family</b>	<b>Subfamily</b>	<b>Genus</b>	<b>Species</b>	<b>Author</b>	<b>Zoogeography</b>			
Apatelodidae	Anticla		<i>antica</i>	Walker	NEO			
			<i>flavaria</i>	Cramer	NEO			
	Apatelodes		<i>ortygia</i>	Druce	NEO			
			<i>adrastia</i>	Schaus	NEO			
			<i>amaryllis</i>	Dyar	NEO			
			<i>cirna</i>	Druce	NEO			
			<i>diana</i>	Dognin	NEO			
			<i>ennomoides</i>	Druce	NEO			
			<i>firmiana</i>	Stoll	NEO			
			<i>jessica</i>	Druce	NEO			
			<i>kotzschii</i>	Draudt	NEO			
			<i>lapitha</i>	Druce	NEO			
			<i>martia</i>	Cramer	NEO			
			<i>mediana</i>	Schaus	NEO			
			<i>mehida</i>	Druce	NEO			
			<i>ninia</i>	Cramer	NEO			
			<i>palma</i>	Druce	NEO			
			<i>pandara</i>	Druce	NEO			
			<i>pandarioides</i>	Schaus	NEO			
			<i>pudefacta</i>	Dyar	NEA			
			<i>satellitica</i>	Walker	NEO			
			<i>schreiteri</i>	Schaus	NEO			
			<i>sericea</i>	Schaus	NEO			
			<i>signata</i>	Druce	NEO			
			<i>torrefacta</i>	(J.E. Smith)	NEA			
			<i>taperinha</i>	Dognin	NEO			
			<i>verana</i>	Druce	NEO			
			<i>velutina</i>	Schaus	NEO			
			<i>zikani</i>	Draudt	NEO			
					"near but not <i>albipunctata</i> "			NEO
				Colanata		<i>eadgara</i>	Schaus	NEO
						<i>ephora</i>	Cramer	NEO
						<i>liliana</i>	Schaus	NEO
						<i>marginalis</i>	Walker	NEO
				Drepatelodes		<i>friburgensis</i>	Schaus	NEO
		Olceclostera		<i>amoria</i>	Druce	NEO		
				<i>angelica</i>	(Grote)	NEA		
				<i>bifenestrata</i>	Schaus	NEO		
				<i>indistincta</i>	(H. Edwards)	NEA		
				<i>microps</i>	Walker	NEO		
				<i>seraphica</i>	Dyar	NEA		
				<i>truncata</i>	Walker	NEO		
		Tamphana		<i>marmorea</i>	Schaus	NEO		
		Thelosia		<i>camina</i>	Schaus	NEO		
		Zanola		" <i>pertusa</i> "	Dognin	NEO		
		Zolessia		<i>saturata</i>	Walker	NEO		

Bombycidae	Bombycinae	<i>Bombyx</i>	<i>mandarina formosana</i>	Matsumara	ORI	
			<i>mandarina mandarina</i>	Moore	ORI	
			<i>mandarina fuscata</i>	Motschulsky	PAL	
			<i>mori</i>	Linnaeus	Global	
		<i>Ectrocta</i>	<i>diaphana</i>	Hampson	ORI	
		<i>Gunda</i>	<i>javanica</i> ?	Moore	ORI	
			<i>richteri</i>	Weymer	AUS	
		<i>Penicillifera</i>	<i>apicalis</i>	Walker	ORI	
		<i>Trilocha</i>	<i>varians</i>	Walker	ORI	
		<i>Triuncina</i>	<i>brunnea</i>	Wileman	ORI	
		Epiinae	<i>Arotros</i>	<i>striata</i>	Schaus	NEO
				<i>Colla</i>	Druce	NEO
			<i>Epia</i>	<i>coelestis</i>	Schaus	NEO
				<i>guadialis</i>	Schaus	NEO
	<i>glauscescens</i>			Walker	NEO	
	<i>lilacina</i>			Dognin	NEO	
	<i>micacea</i>			Walker	NEO	
	<i>rhodope</i>			Druce	NEO	
	<i>casnonia</i>			Druce	NEO	
	<i>hiemalis</i>			Butler	NEO	
	<i>lunilinea</i>			Schaus	NEO	
	<i>muscosa</i>			Butler	NEO	
	<i>picta</i>			Schaus	NEO	
	<i>Quentalia</i>			<i>drepanoides</i>	Walker	NEO
				<i>ephonia</i>	Druce	NEO
				<i>lapana</i>	Schaus	NEO
				<i>macerina</i>	Schaus	NEO
				<i>numalia</i>	Schaus	NEO
				<i>pamina</i>	Schaus	NEO
				<i>sheila</i>	Schaus	NEO
		<i>surynorta</i>	Schaus	NEO		
		<i>veca</i>	Druce	NEO		
		<i>vittata</i>	Walker	NEO		
incertae sedis	<i>Cotana/</i>					
	<i>Elachyophthalma</i>	<i>kebeae</i>	Bethune-Baker	AUS		

Cornell University Insect Collection

**Brahmaeidae**

**&**

**Endromidae**

Ryan St. Laurent

Determined species and subspecies:

Brahmaeidae- 10

Endromidae- 7

Updated: February 2014

<b>Family</b>	<b>Genus</b>	<b>species</b>	<b>Author</b>	<b>Zoogeography</b>
Brahmaeidae	<i>Brahmaea</i>	<i>certhia</i>	(Fabricius)	PAL
		<i>hearseyi</i>	(White)	ORI
		<i>ledereri</i>	(Rogenhofer)	PAL
		<i>wallichii insulata</i>	Inoue	ORI
		<i>wallichii japonica</i>	Inoue	PAL
		<i>wallichii wallichii</i>	(Gray)	ORI
	<i>Dactyloceras</i>	<i>barnsi</i>	Joicey & Talbot	ETH
		<i>widenmanni</i>	Karsch	ETH
	<i>Lemonia</i>	<i>dumi</i>	(Linnaeus)	PAL
		<i>taraxaci</i>	(Denis & Schiffermüller, 1775)	PAL
Endromidae	<i>Andraca</i>	<i>olivacea</i> ?	Matsumara	ORI
	<i>Endromis</i>	<i>versicolora</i>	(Linnaeus)	PAL
	<i>Mirina</i>	<i>christophi</i>	(Staudinger)	PAL
	<i>Mustilia</i>	<i>sphingiformis</i>	Moore	ORI
	<i>Oberthueria</i>	<i>caeca</i>	(Oberthür)	PAL
		<i>formosibia</i>	Matsumara	ORI
<i>Prismosticta</i>	<i>fenestrata</i>	Butler	ORI	



Cornell University Insect Collection

**Eupterotidae**

**&**

**Phiditiidae**

Ryan St. Laurent

Determined species and subspecies:

Eupterotidae: ~54

Phiditiidae: 3 (only determined to genus)

Updated: February 2014

Family	Subfamily	Genus	species	Author	Zoogeography		
Eupterotidae	Eupterotinae	<i>Cotana</i>	<i>erectilinea</i>	Bethune-Baker	AUS		
			<i>lunulata</i>	Bethune-Baker	AUS		
		<i>Dreata</i>	<i>hades</i>	Walker	ORI		
		<i>Eupterote</i>	<i>amaena</i>	Walker	ORI		
			<i>axesta</i>	Swinhoe	ORI		
			<i>calandra</i>	Swinhoe	ORI		
			<i>diffusa</i>	Walker	ORI		
			<i>fabia asemos</i> (= <i>lucia</i> Butler)	Bryk	ORI		
			<i>primularis</i> (?= <i>diffusa</i> Walker)	Moore	ORI		
			<i>testacea</i>	Walker	ORI		
			<i>udiana</i>	Moore	ORI		
			<i>Palirisa</i>	<i>cervina</i>	Moore	ORI	
				<i>lineosa</i>	Walker	ORI	
			<i>Tagora</i>	<i>khasiana</i> (?= <i>patula</i> Walker)	Moore	ORI	
				<i>murina</i>	Moore	ORI	
				<i>nigriceps</i>	Hampson	ORI	
		<i>pallida</i>		Walker	ORI		
		<i>patula</i>		Walker	ORI		
		Ganisa-group	<i>Apha</i>	<i>subdives</i>	Walker	ORI	
				<i>tychoona</i>	Butler	PAL	
			<i>Ganisa</i>	<i>glaucescens</i>	Walker	ORI	
				<i>pandya</i>	Moore	ORI	
				<i>postica</i>	Walker	ORI	
			<i>Melanothrix</i>	<i>nicevillei</i>	Hampson	ORI	
			<i>Poloma</i>	<i>angulata</i>	Walker	ETH	
			<i>Pseudojana</i>	<i>incandescens</i>	Walker	ORI	
				<i>vitalisi</i>	Candèze	ORI	
				<i>flava</i>	Aurivillius	ETH	
		Janinae	<i>Epijana</i>	<i>cosima</i>	Plötz	ETH	
			<i>Hoplojana</i>	<i>indecisa</i>	Aurivillius	ETH	
		<i>rhodoptera</i>		Gerstaecker	ETH		
		Panacelinae	Striphnopteryginae	<i>Jana</i>	<i>crepax</i> (?= <i>tantalus</i> Her.Schaf.)	Wallengren	ETH
					<i>gracilis</i>	Walker	ETH
				<i>preciosa</i>	Aurivillius	ETH	
				<i>strigina</i>	Westwood	ETH	
				<i>tantalus</i>	Herrich-Schaeffer	ETH	
				<i>Parajana</i>	<i>gabunica</i>	Aurivillius	ETH
				<i>Tissanga</i>	<i>pretoriae</i>	Distant	ETH
				<i>Vianga</i>	<i>crowleyi</i>	Aurivillius	ETH
				<i>Panacela</i>	<i>lewinae</i>	Lewin	AUS
				<i>Phiala</i>	<i>bistrigata</i>	Aurivillius	ETH
<i>flavipennis</i> ?	Wallengren	ETH					

		<i>marshalli</i>	Aurivillius	ETH
		<i>pajana</i> ?	Stoll	ETH
		<i>simplex</i>	Aurivillius	ETH
		<i>uelleburgensis</i> ?	Strand	ETH
		<i>unistriga</i>	Gaede	ETH
	<i>Phyllalia</i>	<i>patens</i>	Boisduval	ETH
	<i>Striphnopteryx</i>	<i>edulis</i>	Boisduval	ETH
incertae sedis	<i>Catajana</i>	<i>bimaculata</i>	Dewitz	ETH
	<i>Phasicnecus</i>	<i>giganteus</i>	Rothschild	ETH
		<i>gregorii</i>	Butler	ETH
		<i>obtusus</i>	Walker	ETH
	<i>Sesquiluna</i>	<i>albilunata</i>	Hampson	ORI
Phiditiidae	<i>Phiditia</i>	<i>sp.</i>		NEO
	<i>Rolepa</i>	<i>delineata</i> ?	Walker	NEO

# Cornell University Insect Collection

## **Saturniidae**

Ryan St. Laurent

Determined species and subspecies: 631

Updated: February 2014

Family	Subfamily	Tribe	Genus	Species	Author	Zoogeography	
Saturniidae	Agliinae		<i>Aglia</i>	<i>japonica</i>	Leech	PAL	
				<i>tau</i>	(Linnaeus)	PAL	
	Arsenurinae		<i>Arsenura</i>	<i>albopicta</i>	Jordan	NEO	
				<i>archianassa</i>	Draudt	NEO	
				<i>armida armida</i>	(Cramer)	NEO	
				<i>batesii arcaei</i>	Druce	NEO	
				<i>batesii batesii</i>	(Felder & Rogenhofer)	NEO	
				<i>beebei</i>	(Fleming)	NEO	
				<i>biundulata</i>	Schaus	NEO	
				<i>ciocolatina</i>	Draudt	NEO	
				<i>cymonia</i>	(W. Rothschild)	NEO	
				<i>meander</i>	(Walker)	NEO	
				<i>mossi</i>	Jordan	NEO	
				<i>orbignyana</i>	(Guerin-Meneville [1844])	NEO	
				<i>rebeli</i>	Gschwandner	NEO	
				<i>xanthopus</i>	(Walker)	NEO	
				<i>Caio</i>	<i>championi</i>	(Druce)	NEO
					<i>championi</i>		NEO
					<i>championi</i>		NEO
					<i>columbiana</i>	(W. Rothschild)	NEO
					<i>harrietae</i>	(Forbes)	NEO
					<i>richardsoni</i>	(Druce)	NEO
					<i>romulus</i>	(Maassen)	NEO
				<i>Copiopteryx</i>	<i>derceto</i>	(Maassen)	NEO
					<i>jehova</i>	(Strecker)	NEO
					<i>semiramis montei</i>	Gagarin	NEO
					<i>semiramis</i>	(Deyrolle)	NEO
					<i>phoenix</i>		NEO
					<i>semiramis</i>	(Cramer)	NEO
					<i>semiramis</i>		NEO
	<i>sonthonnaxi</i>	E. Andre	NEO				
	<i>virgo</i>	Zikan	NEO				
	<i>Dysdaemonia</i>	<i>boreas</i>	(Cramer)		NEO		
		<i>brasiliensis</i>	W. Rothschild	NEO			
		<i>fosteri</i>	W. Rothschild	NEO			
		<i>undulensis</i>	Brechlin & Meister	NEO			
		<i>serpentina</i>	Maassen	NEO			
	<i>Loxolomia</i>						
	<i>Paradaemonia</i>	<i>mayi</i>	(Jordan)	NEO			
		<i>pluto</i>	(Westwood)	NEO			
		<i>ruschii</i>	May & Oiticia	NEO			
		<i>thelia</i>	(Jordan)	NEO			
		<i>hippodamia</i>	(Cramer)	NEO			
<i>Rhescyntis</i>	<i>hippodamia</i>		NEO				
	<i>hippodamia</i>		NEO				
	<i>columbiana</i>	Bouvier	NEO				
	<i>hippodamia</i>		NEO				
<i>Titaea</i>	<i>norax</i>	Druce	NEO				
	<i>guayaquila</i>	(Schaus)	NEO				
	<i>lemoulti</i>	(Schaus)	NEO				

		<i>tamerlan</i>	Lemaire	NEO
		<i>amazonensis</i>		
		<i>tamerlan nobilis</i>	(Schaus)	NEO
		<i>tamerlan</i>	(Maassen)	NEO
		<i>tamerlan</i>		
		<i>timur</i>	(Fassl)	NEO
Ceratocampinae	<i>Adeloneivaia</i>	<i>acuta</i>	(Schaus)	NEO
		<i>bahiana?</i>	Brechlin & Meister	NEO
		<i>bellardi</i>	(Schaus)	NEO
		<i>boisduvalii</i>	(Doumet)	NEO
		<i>catharina</i>	(Bouvier)	NEO
		<i>catoxantha</i>	(W. Rothschild)	NEO
		<i>fallax</i>	(Bouvier)	NEO
		<i>irrorata</i>	(Schaus)	NEO
		<i>isara</i>	(Dognin)	NEO
		<i>jason</i>	(Boisduval)	NEO
		<i>minuta</i>	(Bouvier)	NEO
		<i>pelias</i>	(W. Rothschild)	NEO
		<i>sabulosa</i>	(W. Rothschild)	NEO
		<i>subangulata</i>	(Herrich-Schaeffer)	NEO
	<i>Adelowalkeria</i>	<i>flavosignata</i>	(Walker)	NEO
		<i>plateada</i>	(Schaus)	NEO
		<i>tristygma</i>	(Boisduval)	NEO
	<i>Almeidella</i>	<i>approximans</i>	(Schaus)	NEO
		<i>corrupta</i>	(Schaus)	NEO
	<i>Anisota</i>	<i>consularis</i>	Dyar	NEA
		<i>dissimilis</i>	(Boisduval)	NEO
		<i>oslari</i>	W. Rothschild	NEA
		<i>peigleri</i>	Riotte	NEA
		<i>punctata</i>	Riotte & Peigler	NEO
		<i>senatoria</i>	(J.E. Smith)	NEA
		<i>stigma</i>	(Fabricius)	NEA
		<i>virginiensis</i>	(Drury)	NEA
	<i>Bathyphebia</i>	<i>aglia</i>	R. Felder & Rogenhofer	NEO
		<i>johnsoni</i>	Oiticia & Michener	NEO
	<i>Cicia</i>	<i>citrina</i>	(Schaus)	NEO
		<i>crocata</i>	(Boisduval)	NEO
		<i>nettia</i>	(Schaus)	NEO
		<i>pamala</i>	(Schaus)	NEO
		<i>pelota</i>	(Schaus)	NEO
	<i>Citheronia</i>	<i>andina</i>	Lemaire	NEO
		<i>aroa</i>	Schaus	NEO
		<i>azteca</i>	Schaus	NEO
		<i>bellavista</i>	Draudt	NEO
		<i>brissotii brissotii</i>	(Boisduval)	NEO
		<i>hamifera</i>	W. Rothschild	NEO
		<i>laocoon</i>	(Cramer)	NEO
		<i>lobesis jordani</i>	Draudt	NEO

	<i>lobesis lobesis</i>	W. Rothschild	NEO
	<i>mexicana</i>	Grote & Robinson	NEO
	<i>phoronea</i>	(Cramer)	NEO
	<i>pseudomexicana</i>	Lemaire	NEO
	<i>regalis</i>	(Fabricius)	NEA
	<i>sepulcralis</i>	Grote & Robinson	NEA
	<i>splendens</i>	C.C. Hoffmann	NEA
	<i>sinaloensis</i>		
	<i>splendens</i>	(Druce)	NEO
	<i>splendens</i>		
	<i>vogleri</i>	(Weyenbergh)	NEO
<i>Citheronioides</i>	<i>collaris</i>	(W. Rothschild)	NEO
<i>Citheronula</i>	<i>armata</i>	(W. Rothschild)	NEO
<i>Procitheronia</i>	<i>fenestrata</i>	(W. Rothschild)	NEO
	<i>principalis</i>	(Walker)	NEO
	<i>purpurea</i>	(Oiticicia)	NEO
<i>Citioica</i>	<i>anthonalis</i>	(Herrich-Schaeffer)	NEO
<i>Dacunju</i>	<i>jucunda</i>	(Walker)	NEO
<i>Dryocampa</i>	<i>rubicunda</i>	(Fabricius)	NEA
<i>Eacles</i>	<i>adoxa</i>	Jordan	NEO
	<i>fairchildi</i>	May & Oiticia	NEO
	<i>ducalis</i>	(Walker)	NEO
	<i>fulvaster</i>	May & Oiticia	NEO
	<i>guianensis</i>	Schaus	NEO
	<i>imperialis</i>		
	<i>cacicus</i>	(Boisduval)	NEO
	<i>imperialis</i>		
	<i>decoris</i>	W. Rothschild	NEO
	<i>imperialis</i>		
	<i>imperialis</i>	(Drury)	NEA
	<i>imperialis</i>		
	<i>magnifica</i>	Walker	NEO
	<i>imperialis nobilis</i>	Neumoegen	NEO
	<i>imperialis opaca</i>	(Burmeister)	NEO
	<i>imperialis pini</i>	Michener	NEA
	<i>imperialis</i>		
	<i>quintanensis</i>	Lemaire	NEO
	<i>imperialis</i>		
	<i>tucumana</i>	W. Rothschild	NEO
	<i>masoni masoni</i>	Schaus	NEO
	<i>masoni</i>		
	<i>centralamericana</i>	Brechlin & Meister	NEO
	<i>mayi</i>	Schaus	NEO
	<i>ormondei niepelti</i>	Draudt	NEO
	<i>ormondei</i>		
	<i>ormondei</i>	Schaus	NEO
	<i>ormondei</i>		
	<i>peruviana</i>	Bouvier	NEO
	<i>ormondei</i>		
	<i>vanschaycki</i>	Brechlin & Meister	NEO
	<i>ormondei</i>		
	<i>violecea</i>	Lemaire	NEO
	<i>oslari</i>	W. Rothschild	NEA

		<i>penelope</i>	(Cramer)	NEO
		<i>tyrannus</i>	Draudt	NEO
	<i>Giacomellia</i>	<i>bilineata</i>	(Burmeister)	NEO
	<i>Megaceresa</i>	<i>pulchra</i>	(Bouvier)	NEO
	<i>Neocarnegia</i>	<i>basirei</i>	(Schaus)	NEO
		<i>bispinosa</i>	Naumann	NEO
	<i>Oiticella</i>	<i>convergens</i>	(Herrich-Schaeffer)	NEO
		<i>luteciae</i>	(Bouvier)	NEO
	<i>Othorene</i>	<i>cadmus</i>	(Herrich-Schaeffer)	NEO
		<i>hodeva</i>	(Druce)	NEO
		<i>purpuraescens</i>	(Schaus)	NEO
		<i>verana</i>	Schaus	NEO
	<i>Psilopygida</i>	<i>basalis</i>	Michener	NEO
		<i>crispula</i>	(Dognin)	NEO
		<i>walkeri</i>	(Grote)	NEO
	<i>Psilopygoides</i>	<i>oda</i>	(Schaus)	NEO
	<i>Ptiloscota</i>	<i>cinerea</i>	(Schaus)	NEO
		<i>dargei</i>	Lemaire	NEO
		<i>photophila</i>	(W. Rothschild)	NEO
		<i>wolfei</i>	Brechlin & Meister	NEO
	<i>Schausiella</i>	<i>janeira</i>	(Schaus)	NEO
		<i>polybia</i>	(Stoll)	NEO
		<i>subochreatea</i>	(Schaus)	NEO
	<i>Scolesa</i>	<i>hypoxantha</i>	(W. Rothschild)	NEO
		<i>nebulosa</i>	Lemaire	NEO
		<i>totoma</i>	(Schaus)	NEO
		<i>viettei</i>	Travassos	NEO
	<i>Syssphinx</i>	<i>albolineata</i>	(Grote & Robinson)	NEA, NEO
		<i>amena</i>	(Travassos)	NEO
		<i>bicolor</i>	(Harris)	NEA
		<i>bisecta</i>	Lintner	NEA
		<i>blanchardi</i>	Ferguson	NEA, NEO
		<i>colla</i>	Dyar	NEO
		<i>Gadouae</i> ?	(Lemaire)	NEO
		<i>heiligbrodti</i>	(Harvey)	NEO
		<i>hubbardi</i>	Dyar	NEO
		<i>jennyphillipsae</i>	Brechlin & Meister	NEO
		<i>malinalcoensis</i>	(Lemaire)	NEO
		<i>mexicana</i>	(Boisduval)	NEO
		<i>molina</i>	(Cramer)	NEO
		<i>pescadori</i>	Lemaire	NEO
		<i>quadrilineata</i>	(Grote & Robinson)	NEO
		<i>smithi</i>	(Druce)	NEO
Cercophaninae	<i>Cercophana</i>	<i>frauenfeldi</i>	Felder	NEO
		<i>venusta</i>	(Walker)	NEO
	<i>Janiodes</i>	<i>ecuadoriensis</i>	(Dognin)	NEO
		<i>laverna</i>	(Druce)	NEO
		<i>nigropuncta</i>	(Druce)	NEO



Hemileucinae	Hemileucini				
	<i>Adetomeris</i>	<i>erythropros</i>	(Blanchard)	NEO	
	<i>Automerella</i>	<i>aurora</i>	(Maassen & Weyding)	NEO	
	<i>Automerina</i>	<i>cypria</i>	(Gmelin)	NEO	
	<i>Automeris</i>	<i>amanda</i>	Schaus	NEO	
		<i>amoana</i>	(Boisduval)	NEO	
		<i>argentifera</i>	Lemaire	NEO	
		<i>arminia</i>	(Stoll)	NEO	
		<i>banus</i>	(Boisduval)	NEO	
		<i>beckeri</i>	(Herrich-Schaeffer)	NEO	
		<i>belti</i>	Druce	NEO	
		<i>bilinea bilinea</i>	(Walker)	NEO	
		<i>bilinea tamphilus</i>	Schaus	NEO	
		<i>boops</i>	(Felder & Rogenhofer)	NEO	
		<i>boucardi</i>	Druce	NEO	
		<i>castrensis</i>	Schaus	NEO	
		<i>cecrops cecrops</i>	(Boisduval)	NEO	
		<i>cecrops pamina</i>	Neumoegen	NEA	
		<i>cinctistriga</i>	(Felder & Rogenhofer)	NEO	
		<i>colenon</i>	Dyar	NEO	
		<i>coresus</i>	(Boisduval)	NEO	
		<i>curvilinea</i>	Schaus	NEO	
		<i>daudiana</i>	Druce	NEO	
		<i>denticulata</i>	Conte	NEO	
		<i>duchartrei</i>	Bouvier	NEO	
		<i>egeus</i>	(Cramer)	NEO	
		<i>grammodes</i>	Jordan	NEO	
		<i>granulosa</i>	Conte	NEO	
		<i>hamata</i>	Schaus	NEO	
		<i>harrisorum</i>	Lemaire	NEO	
		<i>illustris</i>	(Walker)	NEO	
		<i>incarnata</i>	(Walker)	NEO	
		<i>inorata</i>	(Walker)	NEO	
		<i>io draudtiana</i>	Lemaire	NEO	
		<i>io io</i>	(Fabricius)	NEA, NEO	
		<i>io lillith</i>	(Strecker)	NEA	
		<i>io neomexicana</i>	Barnes & Benjamin	NEA	
		<i>io texana</i>	Barnes & Benjamin	NEA	
		<i>janus</i>	(Cramer)	NEO	
		<i>jivaros</i>	Dognin	NEO	
		<i>jucunda</i>	(Cramer)	NEO	
		<i>larra</i>	(Walker)	NEO	
		<i>liberia</i>	(Cramer)	NEO	
		<i>macphaili</i>	Schaus	NEO	
		<i>masti</i>	Lemaire	NEO	
		<i>melanops</i>	(Walker)	NEO	
		<i>metzli</i>	(Salle)	NEO	
		<i>moloneyi</i>	Druce	NEO	
		<i>montezuma</i> group		NEO	

	<i>naranja</i>	Schaus	NEO
	<i>oberthurii</i>	(Boisduval)	NEO
	<i>occidentorestes</i>	Brechlin & Meister	NEO
	<i>orestes</i>	(Boisduval)	NEO
	<i>pomiferoides ?</i>	Brechlin & Meister	NEO
	<i>postalbida</i>	Schaus	NEO
	<i>rectilinea</i>	Bouvier	NEO
	<i>tridens</i>	(Herrich-Schaeffer)	NEO
	<i>submacula</i>	(Walker)	NEO
	<i>tristis</i>	(Boisduval)	NEO
	<i>zaruma</i>	Schaus	NEO
	<i>zephyria</i>	(Grote)	NEO
	<i>zozine</i>	Druce	NEO
	near <i>zugana</i>	Druce	NEO
	<i>zurobara</i>	Druce	NEO
<i>Callodirphia</i>	<i>arpi</i>	(Schaus)	NEO
<i>Catacantha</i>	<i>latifasciata</i>	Bouvier	NEO
<i>Cerodirphia</i>	<i>avenata</i>	Draudt	NEO
	<i>candida</i>	Lemaire	NEO
	<i>opis</i>	Schaus	NEO
	<i>radama</i>	(Druce)	NEO
	<i>speciosa</i>	(Cramer)	NEO
	<i>vagans</i>	(Walker)	NEO
	<i>zikani</i>	(Schaus)	NEO
<i>Coloradia</i>	<i>doris</i>	Barnes	NEA
	<i>luski</i>	Barnes & Benjamin	NEA
	<i>pandora davisii</i>	Barnes & Benjamin	NEA
	<i>pandora pandora</i>	Blake	NEA
<i>Dirphia</i>	<i>araucariae</i>	Jones	NEO
	<i>avia</i>	Stoll	NEO
	<i>centralis</i>	F. Johnson & Michener	NEO
	<i>dolosa</i>	Bouvier	NEO
	<i>fraterna/ thliptophana</i>	R. Felder	NEO
	<i>muscosa</i>	Schaus	NEO
	<i>panamensis fassli</i>	Dognin	NEO
	<i>panamensis panamensis</i>	Schaus	NEO
	<i>rufescens</i>	F. Johnson & Michener	NEO
	<i>somniculosa</i>	Cramer	NEO
	<i>tarquinia</i>	(Cramer)	NEO
<i>Dirphiella</i>	<i>taylori</i>	(Donahue & Lemaire)	NEO
<i>Dirphiopsis</i>	<i>delta/ lombardi</i>	(Foetterle)/Bouvier	NEO
	<i>epiolina</i>	(R. Felder & Rogenhofer)	NEO
	<i>flora</i>	(Schaus)	NEO
	<i>multicolor</i>	(Walker)	NEO
	<i>picturata</i>	(Schaus)	NEO
	<i>pulchricornis</i>	(Walker)	NEO

	<i>schreiteri</i>	(Schaus)	NEO
	<i>trisignata</i>	(R. Felder & Rogenhofer)	NEO
	<i>undulinea</i>	(F. Johnson)	NEO
<i>Erythromeris</i>	<i>obscurior</i> ?	Lemaire	NEO
<i>Eubergia</i>	<i>argyrea</i>	(Weymer)	NEO
	<i>caisa</i>	(Berg)	NEO
<i>Eubergioides</i>	<i>bertha</i>	(Schaus)	NEO
<i>Eudyaria</i>	<i>venata</i>	(Butler)	NEO
	<i>zeta</i>	(Berg)	NEO
<i>Gamelia</i>	<i>abasia</i>	(Stoll)	NEO
	<i>musta</i>	(Schaus)	NEO
	<i>pyrrhomelas</i>	(Walker)	NEO
<i>Heliconisa</i>	<i>pagenstecheri</i>	(Geyer)	NEO
<i>Hemileuca</i>	<i>burnsi</i>	Watson	NEA
	<i>eglanterina</i>	(Boisduval)	NEA
	<i>eglanterina</i>		
	<i>eglanterina</i>	(Grote)	NEA
	<i>shastaensis</i>		
	<i>electra</i>	W. G. Wright	NEA
	<i>hera hera</i>	(Harris)	NEA
	<i>hera marcata</i>	(Neumoegen)	NEA
	<i>lucina</i>	Henry Edwards	NEA
	<i>maia</i>	(Drury)	NEA
	<i>mania</i>	(Druce)	NEO
	<i>nevadensis</i>	Stretch	NEA
	<i>nevadensis</i> complex		NEA
	<i>nuttalli</i>	(Strecker)	NEA
	<i>oliviae</i>	Cockerell	NEA
	<i>tricolor</i>	(Packard)	NEA
<i>Hidripa</i>	<i>ruscheweyhi</i>	(Berg)	NEO
	<i>taglia</i>	(Schaus)	NEO
<i>Hirpida</i>	<i>levis</i>	(Johnson & Michener)	NEO
<i>Hispaniodirpia</i>	near <i>lemaireiana</i>	Rougerie & Herpin	NEO
<i>Hylesia</i>	<i>aeneides</i>	(Druce)	NEO
	<i>athlia</i>	Dyar	NEO
	<i>canitia</i>	(Cramer)	NEO
	<i>coex</i>	Dyar	NEO
	<i>colombex</i>	Dognin	NEO
	<i>continua alinda</i>	Druce	NEO
	<i>continua</i>		
	<i>continua</i>	(Walker)	NEO
	<i>dalina</i>	Schaus	NEO
	<i>ebalus</i>	(Cramer)	NEO
	<i>hamata</i>	Schaus	NEO
	<i>humilis</i>	Dognin	NEO
	<i>indurata</i>	Dyar	NEO
	<i>inficita</i>	(Walker)	NEO
	<i>iola</i>	Dyar	NEO

	<i>lineata</i>	Druce	NEO
	<i>melanostigma</i>	(Herrich-Schaeffer)	NEO
	<i>metabus</i>	(Cramer)	NEO
	<i>metapyrrha</i>	(Walker)	NEO
	<i>murex</i>	Dyar	NEO
	<i>nanus</i>	(Walker)	NEO
	<i>nigricans</i>	(Berg)	NEO
	<i>pallidex</i>	Dognin	NEO
	<i>praeda nigra</i>	Lemaire	NEO
	<i>rex</i> group		NEO
	<i>scortina</i>	Draudt	NEO
	<i>subaurea</i>	Schaus	NEO
	<i>tapareba</i>	Dyar	NEO
	<i>thaumex</i>	Draudt	NEO
	<i>umbrata</i>	Schaus	NEO
	<i>vindex</i>	Dyar	NEO
<i>Hyperchiria</i>	<i>incisa</i>	Walker	NEO
	<i>nausica</i> group		NEO
<i>Ithomisa</i>	<i>catherina</i>	(Schaus)	NEO
	<i>kinkelini</i>	Oberthur	NEO
<i>Kentroleuca</i>	<i>brunneategulata</i>	Mielke & Furtado	NEO
	<i>griseoalbata</i>	Mielke & Furtado	NEO
	<i>albilinea</i>	(Schaus)	NEO
<i>Leucanella</i>	<i>aspera</i>	(R. Felder & Rogenhofer)	NEO
	<i>contempta</i>	(Lemaire)	NEO
	<i>contempta</i>		
	<i>contempta</i>	(Lemaire)	NEO
	<i>nyctimenoides</i>		
	<i>leucane</i>	(Geyer)	NEO
	<i>memusae</i>	(Walker)	NEO
	<i>muelleri</i>	(Draudt)	NEO
	<i>nyctimene</i>	(Latreille)	NEO
	<i>saturata</i>	(Walker)	NEO
	<i>viettei</i>	(Lemaire)	NEO
	<i>viridescens</i>	(Walker)	NEO
<i>Lonomia</i>	<i>electra</i>	(Druce)	NEO
	<i>columbiana</i> or <i>descimoni</i>		NEO
	<i>descimoni</i>	Lemaire	NEO
	<i>mexilectra</i> ?	Brechlin & Meister	NEO
	<i>obliqua</i>	Walker	NEO
<i>Meroleuca</i> ( <i>Meroleucoides</i> )	<i>nata</i>	(Maassen)	NEO
<i>Meroleuca</i> ( <i>Dihirpa</i> )	<i>litura</i>	(Walker)	NEO
<i>Molippa</i>	<i>basinoides</i>	Bouvier	NEO
	<i>convergens</i>	(Walker)	NEO
	<i>cruenta</i>	(Walker)	NEO
	near <i>kohlli</i>	Racheli	NEO
	<i>latemedia</i>	(Druce)	NEO

		<i>nibasa</i>	Maassen & Weyding	NEO
		<i>ninfa</i>	(Schaus)	NEO
		<i>sabina</i>	Walker	NEO
		<i>simillima</i>	Jones	NEO
	<i>Ormiscodes</i>	<i>amphinome</i>	(Fabricius)	NEO
		<i>cinnamomea</i>	(Feisthamel)	NEO
		<i>nigrosignata</i>	Philippi	NEO
		<i>penai</i>	Lemaire & Parra	NEO
		<i>rufosignata</i>	Blanchard	NEO
	<i>Paradirphia</i>	<i>boudinati</i>	Lemaire & Wolfe	NEO
		<i>coprea</i>	(Draudt)	NEO
		<i>fumosa</i>	(R. Felder & Rogenhofer)	NEO
		<i>hoegi</i>	(Druce)	NEO
		<i>oblita</i>	(Lemaire)	NEO
		<i>semirosea</i>	(Walker)	NEO
	<i>Periga</i>	<i>circumstans</i>	Walker	NEO
		<i>parvibulbacea</i>	(Lemaire)	NEO
		<i>squamosa</i>	(Lemaire)	NEO
	<i>Periphoba</i>	<i>arcaei</i>	(Druce)	NEO
		<i>hircia</i>	(Cramer)	NEO
	<i>Prohylesia</i>	<i>zikani</i>	Draudt	NEO
	<i>Pseudautomeris</i>	<i>brasiliensis</i>	(Walker)	NEO
		<i>grammivora</i>	(Jones)	NEO
		<i>hubneri</i>	(Boisduval)	NEO
		<i>irene arminirene</i>	(Strand)	NEO
		<i>irene irene</i>	(Cramer)	NEO
		<i>lata</i>	(Conte)	NEO
		<i>luteata</i>	(Walker)	NEO
		<i>salmonia</i>	(Cramer)	NEO
	<i>Pseudodirphia</i>	<i>agis?</i>	(Cramer)	NEO
		<i>eumedide</i>	(Stoll)	NEO
		<i>eumedidoides</i>	(Vuillot)	NEO
		<i>menander</i>	(Druce)	NEO
		<i>mexicana</i>	(Bouvier)	NEO
		<i>niceros</i>	(Dognin)	NEO
		<i>near obliqua</i>	(Bouvier)	NEO
		<i>regia</i>	(Draudt)	NEO
		<i>uniformis?</i>	(Lemaire)	NEO
	<i>Travassosula</i>	<i>subfumata</i>	(Schaus)	NEO
	Polythysanini	<i>Polythysana</i>	<i>apollina</i>	R. Felder & Rogenhofer
			<i>cinerascens</i>	(Philippi)
			<i>rubrescens</i>	(Blanchard)
		<i>Asthenidia</i>	<i>buckleyi</i>	Jordan
			<i>geometraria</i>	C. Felder
			<i>lactucina</i>	(Cramer)
			<i>stricturaria</i>	(Hübner)
			<i>transversaria</i>	Druce
				NEO

Oxyteninae

		<i>Oxytenis</i>	<i>ferruginea</i>	(Walker)	NEO	
			<i>mirabilis</i>	(Cramer)	NEO	
			<i>modestia</i>	(Cramer)	NEO	
			<i>naemia</i>	Druce	NEO	
			<i>mesosa</i>	Jordan	ORI	
Saturniinae	Attacini	<i>Archaeoattacus</i>	<i>edwardsii</i>	(White)	ORI	
		<i>Archaeosamia</i>	<i>watsoni</i>	(Oberthur)	ORI	
		<i>Attacus</i>	<i>atlas atlas</i>	(Linnaeus)	ORI	
			<i>atlas formosanus</i>	(Villiard)	ORI	
			<i>aurantiacus</i>	Rothschild	ORI	
			<i>caesar</i>	Maassen & Weymer	ORI	
			<i>erebus</i>	Fruhstorfer	ORI	
			<i>lorquini</i>	C. & R. Felder	ORI	
			<i>mcmulleni</i>	J. H. Watson	ORI	
			<i>Callosamia</i>	<i>angulifera</i>	(Walker)	NEA
				<i>promethea</i>	(Drury)	NEA
				<i>securifera</i>	(Maassen)	NEA
			<i>Coscinocera</i>	<i>hercules hercules</i>	(Miskin)	AUS
				<i>hercules butleri ?</i>	Rothschild	AUS
				<i>hercules</i>		
				<i>eurystheus ?</i>	Rothschild	AUS
			<i>Epiphora</i>	<i>albida</i>	(Druce)	ETH
				<i>antinorii</i>	(Oberthur)	ETH
				<i>bauhiniae</i>	(Guerin-Meneville)	ETH
				<i>marginimacula</i>	Joicey & Talbot	ETH
				<i>mythimnia</i>	(Westwood)	ETH
				<i>ploetzi</i>	(Weymer)	ETH
				<i>rectifascia</i>	Rothschild	ETH
				<i>vacuna?</i>	(Westwood)	ETH
			<i>Eupackardia</i>	<i>calleta</i>	(Westwood)	NEA, NEO
			<i>Hyalophora</i>	<i>cecropia</i>	(Linnaeus)	NEA
				<i>columbia</i>		
				<i>columbia</i>	(S. I. Smith)	NEA
				<i>columbia gloveri</i>	(Strecker)	NEA
				<i>columbia gloveri</i> "nokomis"	Brodie	NEA
				<i>euryalus</i>	(Boisduval)	NEA
			<i>Rothschildia</i>	<i>amoena</i>	Jordan	NEO
				<i>arethusia</i>	(Walker)	NEO
		<i>aricia</i>	(Walker)	NEO		
		<i>aurota aurota</i>	(Cramer)	NEO		
		<i>aurota</i>				
		<i>speculifera</i>	(Walker)	NEO		
		<i>chiris?</i>	Rothschild	NEO		
		<i>cincta</i>	(Tepper)	NEO		
		<i>condor</i>	(Staudinger)	NEO		
		<i>erycina erycina</i>	(Shaw)	NEO		
		<i>erycina mexicana</i>	Draudt	NEO		
		<i>hesperus</i>	(Linnaeus)	NEO		

		<i>hopfferi</i>	(C. & R. Felder)	NEO
		<i>jacobaeae</i>	(Walker)	NEO
		<i>zorulla zorulla</i>	(Westwood)	NEO
		<i>zorulla lichtenba</i>	Dyar	NEO
		<i>lebeau aroma</i>	Schaus	NEO
		<i>lebeau forbesi</i>	Benjamin	NEA
		<i>lebeau inca</i>	W. Rothschild	NEO
		<i>orizaba</i>	(Westwood)	NEO
		<i>prionia</i>	W. Rothschild	NEO
		<i>roxana</i>	Schaus	NEO
		<i>schreiteriana</i>	Breyer & Orfila	NEO
		<i>tucumani</i>	(Dognin)	NEO
		<i>zacateca</i>	(Westwood)	NEO
	<i>Samia</i>	<i>canningi</i>	(Hutton)	ORI
		<i>cynthia</i>	(Drury)	NEA, ORI, PAL
		<i>insularis</i>	(Snellen van Vollenhoven)	ORI
		<i>kohlli</i>	Naumann & Peigler	ORI
		<i>luzonica</i>	(Watson)	ORI
		<i>pryeri</i>	(Butler)	PAL
		<i>vandenberghi</i>	(Watson)	ORI
		<i>wangi</i>	Naumann & Peigler	ORI
		<i>yayukae</i>	U. Paukstadt, Peigler, & L.H. Paukstadt	ORI
Bunaeini	<i>Athletes</i>	<i>gigas</i>	(Sonthonnax)	ETH
		<i>semialba</i>	(Sonthonnax)	ETH
	<i>Aurivillius</i>	<i>sp.</i>		ETH
	<i>Bunaea</i>	<i>alcinoe</i>	(Stoll)	ETH
		<i>alcinoe cafraria</i>	Stoll	ETH
		?		
		<i>aslauga</i>	Kirby	ETH
	<i>Bunaeopsis</i>	<i>near hersilia</i>	(Westwood)	ETH
		<i>licharbus</i>	(Maassen & Weyding)	ETH
		<i>oubie</i>	Guerin-Meneville	ETH
		<i>zaddachi</i>	(Dewitz)	ETH
	<i>Cinabra</i>	<i>bracteata</i>	(Distant)	ETH
		<i>hyperbius</i>	(Westwood)	ETH
	<i>Cirina</i>	<i>forda forda</i>	(Westwood)	ETH
		<i>forda orientalis</i>	Bouvier	ETH
	<i>Gonimbrasia</i>	<i>hoehnelii</i>	(Rogenhofer)	ETH
		<i>tyrrhea</i>	(Cramer)	ETH
		<i>zambesina</i>	Walker	ETH
	<i>Gynanisa</i>	<i>maja maja</i>	(Klug)	ETH
		<i>maja jama</i> ?	Rebel	ETH
	<i>Heniocha</i>	<i>apollinia</i>	(Cramer)	ETH
		<i>dyops</i> ?	(Maassen & Weymer)	ETH
		<i>marnois</i>	(Rogenhofer)	ETH
	<i>Imbrasia</i>	<i>epimethea</i>	(Drury)	ETH

		<i>ertli?</i>	Rebel	ETH
		<i>orientalis</i>	Rougeot	ETH
	<i>Lobobunaea</i>	<i>acetes</i>	(Westwood)	ETH
		<i>falcatissima</i>	Rougeot	ETH
		<i>phaedusa</i>	(Drury)	ETH
		<i>saturnus</i>	(Fabricius)	ETH
	<i>Melanocera</i>	<i>menippe</i>	(Westwood)	ETH
	<i>Nudaurelia</i>	near <i>jamesoni</i>	Druce	ETH
		<i>dione</i> complex	(Fabricius)	ETH
		<i>macrops</i>	Rebel	ETH
		<i>macrothryis</i>	(Rothschild)	ETH
		<i>rectilineata</i>	Sonthonnax	ETH
		<i>wahlbergi</i>	(Boisduval)	ETH
	<i>Pseudobunaea</i>	<i>alinda?</i>	(Drury)	ETH
		<i>irius inornata?</i>	Sonthonnax	ETH
		<i>irius pallens?</i>	(Sonthonnax)	ETH
		<i>irius redlichi?</i>	Weymer	ETH
		<i>tyrrhena</i>	(Westwood)	ETH
	<i>Pseudimbrasia</i>	<i>deyrollei</i>	(Thomson)	ETH
	<i>Ubaena</i>	<i>fuelleborniana</i>	Karsch	ETH
Micragonini	<i>Decachorda</i>	<i>fulvia</i>	(Druce)	ETH
		<i>inspersa</i>	Hampson	ETH
		<i>pomona</i>	(Weymer)	ETH
		<i>rosea</i>	Aurivillius	ETH
	<i>Goodia (Goodia)</i>	<i>nubilata</i>	Holland	ETH
		<i>oxytela</i>	Jordan	ETH
		<i>unguiculata</i>	Bouvier	ETH
	<i>Goodia (Yatanga)</i>	<i>smithi</i>	(Holland)	ETH
	<i>Holocerina</i>	<i>smilax</i>	(Westwood)	ETH
	<i>Ludia</i>	<i>delegorguei</i>	(Boisduval)	ETH
		<i>dentata</i>	(Hampson)	ETH
		<i>orinoptena</i>	Karsch	ETH
		<i>tessmani?</i>	Strand	ETH
	<i>Micragone</i>	<i>cana</i>	(Aurivillius)	ETH
		<i>herilla</i>	(Westwood)	ETH
		near <i>nenioides</i>	Rougeot	ETH
		<i>nubifera</i>	Bouvier	ETH
	<i>Orthogonioptilum</i>	<i>ochraceum</i>	Rougeot	ETH
Saturniini	<i>Actias</i>	<i>artemis aliena</i>	(Butler)	PAL
		<i>artemis artemis</i>	(Bremer et Grey)	PAL
		<i>isis</i>	(Sonthonnax)	ORI
		<i>luna</i>	(Linnaeus)	NEA
		<i>maenas</i>	Doubleday	ORI
		<i>neidhoeferi</i>	Ong & Yu	ORI
		<i>ningpoana</i>	C. & R. Felder	PAL
		<i>selene selene</i>	(Hübner)	PAL, ORI
		<i>sinensis</i>		
		<i>subaurea</i>	Kishida	ORI



	<i>truncatipennis</i>	(Sonthonnax)	NEO
<i>Graellsia</i>	<i>isabelae</i>	(Graells)	PAL
<i>Argema</i>	<i>mimosae</i>	(Boisduval)	ETH
	<i>mittrei</i>	(Guerin-Meneville)	ETH
<i>Agapema</i>	<i>anona</i>	(Ottolengui)	NEA
	<i>dyari</i>	Cockerell	NEA
	<i>galbina</i>	(Clemens)	NEA
	<i>pelora</i> ?	(Ringe)	NEO
<i>Antheraea</i>	<i>compta</i>	Rothschild	ORI
	<i>formosana</i>	Sonan	ORI
	<i>frithi</i>	(Moore)	PAL
	<i>godmani</i>	(Druce)	NEO
	<i>larissa ridlyi</i>	Moore	ORI
	<i>mexicana</i>	(Hoffman)	NEO
	<i>montezuma</i>	(Salle)	NEO
	<i>mylitta</i>	(Drury)	ORI
	<i>oculea</i>	(Neumoegen)	NEA
	<i>paniki</i>	(Nässing & Treadaway)	ORI
	<i>paphia</i>	(Linnaeus)	ORI
	<i>paukstadorum</i>	Holloway, Naumann, & Nässing	ORI
	<i>pernyi</i>	(Guerin-Meneville)	PAL
	<i>polyphemus</i>	(Cramer)	NEA
	<i>roylii</i>	(Moore)	ORI
	<i>semperi</i>	(C. & R. Felder)	ORI
	<i>yamamai</i>	(Guerin-Meneville)	PAL
<i>Antherina</i>	<i>suraka</i>	(Boisduval)	ETH
<i>Ceranchia</i>	<i>apollina</i>	Butler	ETH
<i>Copaxa</i>	<i>canella</i>	Walker	NEO
	<i>cydippe</i>	(Druce)	NEO
	<i>denda</i>	Druce	NEO
	<i>decrescens</i> ?	Walker	NEO
	<i>escalantei</i>	Lemaire	NEO
	<i>flavina flavina</i>	Draudt	NEO
	<i>flavina miranda</i> ?	Lemaire	NEO
	<i>flavobrunnea</i>	Bouvier	NEO
	<i>garciorum</i> ?	Brechlin & Meister	NEO
	<i>intermediata</i>	Wolfe	NEO
	<i>joinvillea</i>	Schaus	NEO
	<i>lavendera</i>	(Westwood)	NEO
	<i>mannana</i>	Dyar	NEO
	<i>mazaorum</i>	Lemaire	NEO
	<i>medea</i>	(Maassen)	NEO
	<i>multifenestrata</i> group	(Herrich-Schaeffer)	NEO
	<i>rufinans</i> group	Schaus	NEO
	<i>sapatoza</i>	(Westwood)	NEO
	<i>satellita</i> ?	Walker	NEO

		<i>simson</i>	(Maasen	NEO
		<i>sophonria</i>	Schaus	NEO
		<i>syntheratoides</i>	Rothschild	NEO
	<i>Cricula</i>	<i>andrei</i>	Jordan	ORI
		<i>trifenestrata</i>	(Helfer)	ORI
	<i>Loepa</i>	<i>cynopsis</i> ?	Nässing & Suhardjono	ORI
		<i>katinka</i>	(Westwood)	ORI
	<i>Neodiphthera</i>	<i>papuana</i>	(W. Rothschild)	AUS
	<i>Opodiphthera</i>	<i>astrophela</i>	(Walker)	AUS
		<i>eucalypti</i>	(Scott)	AUS
		<i>helena</i>	(White)	AUS
	<i>Perisomena</i>	<i>caecigena</i>	(Kupido)	PAL
	<i>Rhodinia</i>	<i>fugax</i>	(Butler)	PAL
		<i>jankowskii</i>	(Oberthur)	ORI
		<i>newara</i>	(Moore)	ORI
	<i>Saturnia</i> ( <i>Calosaturnia</i> )	<i>mendocino</i>	Behrens	NEA
	<i>Saturnia</i> ( <i>Rinaca</i> )	<i>anna</i>	(Moore)	ORI
		<i>boisdivalii</i>	Eversmann	PAL
		<i>cachara</i>	(Moore)	ORI
		<i>japonica</i>	(Moore)	PAL
		<i>jonasi fukudai</i>	(Sonan)	ORI
		<i>jonasi jonasi</i>	(Butler)	ORI
		<i>simla</i>	(Westwood)	ORI
		<i>thibeta okurai</i>	Okano	ORI
		<i>zuleika</i>	Hope	ORI
	<i>Saturnia</i> ( <i>Saturnia</i> )	<i>atlantica</i>	H. Lucas	PAL
		<i>pavonia</i>	(Linnaeus)	PAL
		<i>pavoniella</i>	(Scopoli)	PAL
		<i>pyretorum</i>	Westwood	PAL
		<i>pyri</i>	([Denis & Schiffermuller])	PAL
		<i>spini</i>	([Denis & Schiffermuller])	PAL
	<i>Syntherata</i>	<i>janetta</i>	(White)	AUS
		<i>pristina</i>	(Walker)	AUS
Urotini	<i>Eudaemonia</i>	<i>argiphontes</i>	Maassen	ETH
		<i>argus</i>	(Fabricius)	ETH
	<i>Pselaphelia</i>	<i>laclosi</i>	Darge	ETH
	<i>Pseudantheraea</i>	<i>discrepans</i>	(Butler)	ETH
	<i>Pseudaphelia</i>	<i>apollinaris</i>	(Boisduval)	ETH
	<i>Tagoropsis</i>	<i>flavinata</i>	(Walker)	ETH
	<i>Urota</i>	<i>sinope</i>	(Westwood)	ETH
	<i>Usta</i>	<i>angulata</i>	Rothschild	ETH
		<i>terpischore</i>	(Maassen & Weyding)	ETH

Cornell University Insect Collection

# **Sphingidae**

Ryan St. Laurent

Determined species and subspecies: 432

## Updated: December, 2013

Subfamily	Tribe	Genus	Species	Author	Zoogeography
Macroglossinae	Dilophonotini	<i>Aellopos</i>	<i>ceculus</i>	(Cramer)	NEO
			<i>clavipes</i>	(Rothschild & Jordan)	NEO
			<i>fadus</i>	(Linnaeus)	NEO
			<i>tantalus tantalus</i>	(Linnaeus)	NEO
			<i>tantalus zonata</i>	(Drury)	NEO, NEA
			<i>titan</i>	(Cramer)	NEO, NEA
		<i>Aleuron</i>	<i>carinata</i>	(Walker)	NEO
			<i>chloroptera</i>	(Perty)	NEO
			<i>iphis</i>	(Walker)	NEO
			<i>neglectum</i>	Rothschild & Jordan	NEO
		<i>Callionima</i>	<i>calliomenae</i>	(Schaufuss)	NEO
			<i>inuus</i>	(Rothschild & Jordan)	NEO
			<i>falcifera</i>	(Gehlen)	NEO
			<i>nomius</i>	(Walker)	NEO
			<i>pan</i>	(Cramer)	NEO
			<i>parce</i>	(Rothschild & Jordan)	NEO
		<i>Cephonodes</i>	<i>hylas hylas</i>	(Linnaeus)	PAL, ORI
			<i>hylas virescens</i>	Wallengren	ETH
		<i>Enyo</i>	<i>cavifer</i>	(Rothschild & Jordan)	NEO
			<i>gorgon</i>	(Cramer)	NEO
			<i>lugubris</i>	(Linnaeus)	NEO
			<i>ocypete</i>	(Linnaeus)	NEO
		<i>Erinnyis</i>	<i>alope</i>	(Drury)	NEA, NEO
			<i>crameri</i>	(Schaus)	NEO
			<i>domingonis</i>	(Butler)	NEO
			<i>ello</i>	(Linnaeus)	NEA, NEO
			<i>guttularis</i>	(Walker)	NEO
			<i>lassauxii</i>	(Boisduval)	NEA, NEO
			<i>obscura</i>	(Fabricius)	NEO
			<i>oenotrus</i>	(Cramer)	NEO
			<i>yucatanana ?</i>	(Druce)	NEO
			<i>Eupyrrhoglossum</i>	<i>corvus</i>	(Boisduval)
		<i>sagra</i>		(Poey)	NEO
		<i>Hemaris</i>	<i>affinis</i>	(Bremer)	PAL
			<i>diffinis</i>	(Boisduval)	NEA
			<i>gracilis</i>	(Grote & Robinson)	NEA
			<i>fuciformis</i>	(Linnaeus)	PAL
			<i>radians</i>	(Walker)	PAL
			<i>saundersi</i>	(Walker)	ORI
			<i>thetis</i>	(Boisduval)	NEA
			<i>thysbe</i>	(Fabricius)	NEA
		<i>Hemeroplanes</i>	<i>tityus</i>	(Linnaeus)	PAL
<i>ornatus</i>	Rothschild		NEO		
<i>triptolemus</i>	(Cramer)		NEO		

<i>Isognathus</i>	<i>allamandae</i>	Clark	NEO
	<i>caricae</i>	(Linnaeus)	NEO
	<i>excelsior</i>	(Boisduval)	NEO
	<i>leachi</i>	(Swainson)	NEO
	<i>rimosus inclitus</i>	(H. Edwards)	NEO
	<i>rimosus papayae</i>	(Boisduval)	NEO
	<i>rimosus rimosus</i>	(Grote)	NEO
	<i>swainsonii</i>	Felder & Felder	NEO
<i>Madoryx</i>	<i>bubastus</i>	(Cramer)	NEO
	<i>oiclus</i>	(Cramer)	NEO
	<i>plutonium</i>	(Hübner )	NEO
	<i>pseudothyreus</i>	(Grote)	NEA
<i>Nyceryx</i>	<i>alophus ixion</i>	Burmeister	NEO
	<i>eximia</i>	Rothschild & Jordan	NEO
	<i>hyposticta</i>	(Felder)	NEO
	<i>nictitans saturata</i>	Rothschild & Jordan	NEO
	<i>riscus</i>	Schaus	NEO
<i>Oryba</i>	<i>achemenides</i>	(Cramer)	NEO
	<i>kadeni</i>	(Schaufuss)	NEO
<i>Pachygonidia</i>	<i>hopfferi</i>	(Staudinger)	NEO
<i>Pachylia</i>	<i>darceta</i>	Druce	NEO
	<i>ficus</i>	(Linnaeus)	NEO, NEA
	<i>syces insularis</i>	Rothschild & Jordan	NEO
	<i>syces syces</i>	(Hübner )	NEO
<i>Pachlyioides</i>	<i>resumens</i>	(Walker)	NEO
<i>Perigonia</i>	<i>lusca</i>	(Fabricius)	NEO
	<i>stulta</i>	Herrich-Schaffer	NEO
<i>Phryxus</i>	<i>caicus</i>	(Hübner )	NEO
<i>Pseudosphinx</i>	<i>tetrio</i>	(Linnaeus)	NEO, NEA
<i>Stolidoptera</i>	<i>tachasara</i>	(Druce)	NEO
<i>Unzela</i>	<i>japix</i>	(Cramer)	NEO
	<i>pronoe</i>	Druce	NEO
<i>Eumorpha</i>	<i>achemon</i>	(Drury)	NEA
	<i>achemolus</i>	(Cramer)	NEO
	<i>analis</i>	(Rothschild & Jordan)	NEO
	<i>capronnieri</i>	(Boisduval)	NEO
	<i>cissi</i>	(Schaufuss)	NEO
	<i>eacus</i>	(Cramer)	NEO
	<i>fasciatus</i>	(Sulzer 1776)	NEA, NEO
	<i>intermedia</i>	(B.P. Clark)	NEA
	<i>labruscae</i>	(Linnaeus)	NEA, NEO
	<i>obliquuus</i>	(Rothschild & Jordan)	NEO
	<i>pandorus</i>	(Hübner )	NEA
	<i>phorbus</i>	(Cramer)	NEO
	<i>satellitica licaon</i>	(Cramer)	NEO
	<i>satellitica posticatus</i>	(Grote)	NEO
	<i>satellitica satellitia</i>	(Linnaeus)	NEO
<i>typhon</i>	(Klug)	NEO	

		<i>vitis</i>	(Linnaeus)	NEA, NEO
Macroglossini	<i>Acosmeryx</i>	<i>anceus</i>	(Stoll)	ORI
		<i>castanea</i>	Rothschild & Jordan	PAL
		<i>naga</i>	(Moore)	ORI
		<i>sericeus</i>	(Walker)	ORI
		<i>socrates</i>	Boisduval	ORI
	<i>Ampelophaga</i>	<i>rubiginosa</i>	Bremer & Grey	PAL
	<i>Amphion</i>	<i>floridensis</i>	B.P. Clark	NEA
	<i>Antinephele</i>	<i>anomala</i>	Butler	ETH
	<i>Atemnora</i>	<i>westermanni</i>	(Boisduval)	ETH
	<i>Basiothia</i>	<i>charis</i>	(Boisduval)	ETH
		<i>medea</i>	(Fabricius)	ETH
	<i>Cechenena</i>	<i>helops</i>	(Walker)	ORI
		<i>lineosa</i>	(Walker)	ORI
		<i>pollux</i>	(Boisduval)	ORI
	<i>Cautethia</i>	<i>exuma</i>	McCabe	NEO
		<i>grotei</i>	H. Edwards	NEA, NEO
		<i>noctuiiformis</i>	(Walker)	NEO
		<i>spuria</i>	(Boisduval)	NEO
	<i>Daphnis</i>	<i>hypothous</i>	(Cramer)	ORI
		<i>nerii</i>	(Linnaeus)	ETH, PAL, ORI
		<i>placida</i>	(Walker)	AUS
	<i>Darapsa</i>	<i>choerilus</i>	(Cramer)	NEA
		<i>myron mexicana</i>	(Gehlen)	NEO
		<i>myron myron</i>	(Cramer)	NEA
		<i>versicolor</i>	(Harris)	NEA
	<i>Deidamia</i>	<i>inscriptum</i>	(Harris)	NEA
	<i>Deilephila</i>	<i>elpenor elpenor</i>	(Linnaeus)	PAL
		<i>porcellus</i>	(Linnaeus)	PAL
	<i>Euchloron</i>	<i>megaera lacordairei</i>	(Boisduval)	ETH
		<i>megaera megaera</i>	(Linnaeus)	ETH
	<i>Euproserpinus</i>	<i>phaeton</i>	Grote & Robinson	NEA
	<i>Eurypteryx</i>	<i>bhaga</i>	(Moore)	ORI
	<i>Gnathothlibus</i>	<i>erotas eras</i>	(Boisduval)	AUS
		<i>erotas erotas</i>	(Cramer)	ORI
	<i>Hayesiana</i>	<i>triopus</i>	(Westwood)	ORI
	<i>Hippotion</i>	<i>balsaminae</i>	(Walker)	ETH
		<i>batschi</i>	(Keferstein)	ETH
		<i>boerhaviae</i>	(Fabricius)	ORI, AUS
		<i>brennus</i>	(Stoll)	AUS
		<i>celerio</i>	(Linnaeus)	ORI, AUS, ETH
		<i>echeclus</i>	(Boisduval)	ORI
		<i>eson</i>	(Cramer)	ETH
		<i>geryon</i>	(Boisduval)	ETH
		<i>irregularis</i>	(Walker)	ETH
		<i>osiris</i>	(Dalman)	ETH
		<i>rosae</i>	(Butler)	ETH
		<i>saclavorum</i>	(Boisduval)	ETH

	<i>scrofa</i>	(Boisduval)	AUS
	<i>velox</i>	(Fabricius)	AUS
<i>Hyles</i>	<i>annei</i>	(Guerin-Meneville)	NEO
	<i>biguttata</i>	Walker	ETH
	<i>calida</i>	(Butler)	AUS
	<i>euphorbiae</i>	(Linnaeus)	PAL
	<i>euphorbiarum</i>	(Guerin & Percheron)	NEO
	<i>gallii</i>	(Rottemburg)	PAL, NEA
	<i>lineata</i>	(Fabricius)	NEA, NEO
	<i>livornica</i>	(Esper)	ETH
	<i>nicaea</i>	(de Prunner)	PAL
	<i>vespertilia</i>	(Esper)	PAL
<i>Leucostrophus</i>	<i>hirundo</i>	(Gerstaecker)	ETH
<i>Macroglossum</i>	<i>belis</i>	(Linnaeus)	ORI
	<i>bombylus</i>	Boisduval	ORI
	<i>eichorni</i>	Rothschild & Jordan	AUS
	<i>heliophila</i>	Boisduval	AUS
	<i>proxima</i>	Hampson	ORI
	<i>pyrrhosticta</i>	Butler	ORI
	<i>saga</i>	Butler	PAL
	<i>sitiene</i>	Walker	ORI
	<i>stellatarum</i>	(Linnaeus)	PAL
	<i>trochilus trochilus</i>	(Hübner)	ETH
	<i>trochilus trochiloides</i>	(Butler)	ETH
	<i>trogodytus</i>	Boisduval	ORI
	<i>vacillans</i>	Walker	AUS
<i>Nephele</i>	<i>accentifera</i>	(Beauvois)	ETH
	<i>aequivalens</i>	(Walker)	ETH
	<i>argentifera</i>	(Walker)	ETH
	<i>comma</i>	Hopffer	ETH
	<i>densoi</i>	(Keferstein)	ETH
	<i>didyma</i>	(Fabricius)	ORI
	<i>funnebris</i>	(Fabricius)	ETH
	<i>maculosa</i>	(Rothschild & Jordan)	ETH
	<i>oenopion</i>	(Hübner)	ETH
	<i>peneus</i>	(Cramer)	ETH
	<i>rosae illustris</i>	Jordan	ETH
	<i>rosae rosae</i>	Butler	ETH
	<i>vau</i>	(Walker)	ETH
<i>Panacra</i>	<i>mydon</i>	Walker	ORI
	<i>splendens</i>	Rothschild	ORI
	<i>tiridates</i>	Boisduval	ORI
<i>Pergesa</i>	<i>acteus</i>	(Cramer)	AUS
<i>Proserpinus</i>	<i>clarkiae</i>	(Boisduval)	NEA
	<i>flavofasciata</i>	(Walker)	NEA
	<i>juanita</i>	(Strecker)	NEA
	<i>lucidus</i>	(Boisduval)	NEA
	<i>proserpina</i>	(Pallas)	PAL

	<i>vega</i>	(Dyar)	NEA
<i>Rhagastis</i>	<i>acuta</i>	(Walker)	ORI
	<i>aurifera</i>	(Butler)	ORI
	<i>castor</i>	(Walker)	ORI
	<i>olivacea</i>	(Moore)	ORI
<i>Sphecodina</i>	<i>abbottii</i>	(Swainson)	NEA
<i>Sphingonaepiopsis</i>	<i>obscura</i>	(Mabille)	ETH
<i>Temnora</i>	<i>fumosa</i>	(Walker)	ETH
	<i>iapygoides</i>	(Holland)	ETH
	<i>plagiata fuscata</i>	Rothschild & Jordan	ETH
	<i>pseudopylas</i>	(Rothschild)	ETH
	<i>radiata</i>	(Karsch)	ETH
	<i>sardanus</i>	(Walker)	ETH
<i>Theretra</i>	<i>alecto</i>	(Linnaeus)	AUS, PAL
	<i>capensis</i>	(Linnaeus)	ETH
	<i>clotho celata</i>	(Butler)	AUS
	<i>clotho clotho</i>	(Drury)	ORI
	<i>gnoma</i>	(Fabricius)	ORI
	<i>japonica</i>	(Boisduval)	PAL
	<i>jugurtha</i>	(Boisduval)	ETH
	<i>latreillei</i>	Macleay	ORI
	<i>monteironis</i>	(Butler)	ETH
	<i>nessus</i>	(Drury)	ORI
	<i>oldenlandiae</i>	(Fabricius)	PAL
	<i>orpheus</i>	(Herrich-Schaffer)	ETH
	<i>rhesus ?</i>	(Boisduval)	ORI
	<i>silhetensis intersecta</i>	(Butler)	AUS
	<i>silhetensis silhetensis</i>	(Walker)	ORI
	<i>suffusa</i>	Walker	ORI
<i>Xylophanes</i>	<i>acrus</i>	Rothschild & Jordan	NEO
	<i>amadis</i>	(Stoll)	NEO
	<i>anubus</i>	(Cramer)	NEO
	<i>belti</i>	(Druce)	NEO
	<i>ceratomioides</i>	(Grote & Robinson)	NEO
	<i>chiron chiron</i>	(Drury)	NEO
	<i>chiron nechus</i>	(Cramer)	NEO
	<i>crotonis</i>	(Walker)	NEO
	<i>cthulhu</i>	Haxaire & Vaglia	NEO
	<i>cyrene</i>	(Druce)	NEO
	<i>damocrita ?</i>	(Druce)	NEO
	<i>eumedon</i>	(Boisduval)	NEO
	<i>falco</i>	(Walker)	NEO
	<i>fusimacula</i>	(R. Felder)	NEO
	<i>german</i>	(Schaus)	NEO
	<i>guianensis</i>	(Rothschild)	NEO
	<i>gundlachi</i>	(Herrich-Schaffer)	NEO
	<i>hannemanni</i>	Closs	NEO
	<i>isaon</i>	(Boisduval)	NEO



			<i>jordani</i>	B.P. Clark	NEO
			<i>katharinae</i> ?	B.P. Clark	NEO
			<i>kiefferi</i>	Cadiou	NEO
			<i>libya</i>	(Druce)	NEO
			<i>loelia</i>	(Druce)	NEO
			<i>macasensis</i>	B.P. Clark	NEO
			<i>neoptolemus</i>	(Cramer)	NEO
			<i>pistacina</i>	(Boisduval)	NEO
			<i>pluto</i>	(Fabricius)	NEO
			<i>porcus</i>	(Hübner )	NEO
			<i>pyrrhus</i>	Rothschild & Jordan	NEO
			<i>resta</i>	Rothschild & Jordan	NEO
			<i>robinsoni</i>	(Grote)	NEO
			<i>schausi</i>	(Rothschild)	NEO
			<i>suana</i>	Druce	NEO
			<i>tersa</i>	(Linnaeus)	NEO
			<i>titana</i>	(Druce)	NEO
			<i>turbata</i>	(Edwards)	NEO
			<i>thyelia</i>	(Linnaeus)	NEO
			<i>tyndarus</i>	(Boisduval)	NEO
			<i>undata</i>	Rothschild & Jordan	NEO
			<i>zurcheri</i>	(Druce)	NEO
Smerinthinae	Ambulycini	<i>Adhemarius</i>	<i>dentoni</i>	(B.P. Clark)	NEO
			<i>donyisa</i>	(Druce)	NEO
			<i>eurysthene</i> s	(R. Felder)	NEO
			<i>gannascus cubanus</i>	(Rothschild & Jordan)	NEO
			<i>gannascus gannascus</i>	(Stoll)	NEO
			<i>palmeri</i>	(Boisduval)	NEO
			<i>sexoculata</i>	(Grote)	NEO
			<i>tigrina</i>	(R. Felder)	NEO
			<i>ypsilon</i>	(Rothschild & Jordan)	NEO
		<i>Ambulyx</i>	<i>moorei</i>	(Moore)	ORI
			<i>ochracea</i>	(Butler)	PAL
			<i>substrigilis</i>	(Westwood)	ORI
		<i>Amplipterus</i>	<i>panopus</i>	(Cramer)	ORI
		<i>Batocnema</i>	<i>africana</i>	(Distant)	ETH
			<i>cocquereli</i>	(Boisduval)	ETH
		<i>Orecta</i>	<i>lycidas</i>	(Boisduval)	NEO
		<i>Protambulyx</i>	<i>euryalus</i>	Rothschild & Jordan	NEO
			<i>eurycles</i>	(Herrich-Schaffer)	NEO
			<i>goeldii</i>	Rothschild & Jordan	NEO
			<i>strigilis</i>	(Linnaeus)	NEO
	Smerinthini	<i>Acanthosphinx</i>	<i>guessfeldtii</i>	(Dewitz)	ETH
		<i>Agnosia</i>	<i>orneus</i>	(Westwood)	ORI
		<i>Amorpha</i>	<i>juglandis</i>	(J.E. Smith)	NEA
		<i>Andriasa</i>	<i>contraria contraria</i>	(Walker)	ETH
			<i>contraria submarginalis</i>	(Walker)	ETH
		<i>Callambulyx</i>	<i>tatarinovii</i>	(Bremer & Grey)	PAL

<i>Clanis</i>	<i>bilineata</i>	Walker	PAL
	<i>undulosa</i>	Moore	PAL
<i>Coequosa</i>	<i>triangularis</i>	(Donovan)	AUS
<i>Daphnusa</i>	<i>ocellaris</i>	Walker	ORI
<i>Falcatula</i>	<i>falcata</i>	(Rothschild & Jordan)	ETH
<i>Gynoeryx</i>	<i>meander</i>	Guenee	ETH
<i>Laothoe</i>	<i>populi</i>	(Bienert)	PAL
	<i>amurensis</i>	(Staudinger)	PAL
<i>Leucophlebia</i>	<i>afra xanthopis</i>	Hampson	ETH
	<i>lineata</i>	Westwood	PAL
<i>Lophostethus</i>	<i>dumolinii</i>	(Angas)	ETH
<i>Marumba</i>	<i>dryas</i>	(Walker)	ORI
	<i>gaschkewitschii carstanjeni</i>	(Staudinger)	PAL
	<i>gaschkewitschii echephron</i>	(Boisduval)	PAL
	<i>gaschkewitschii gaschkewitschii</i>	(Bremer & Grey)	PAL
	<i>quercus</i>	(Denis & Schiffermüller)	PAL
	<i>sperchius gigas</i>	(Butler)	ORI
	<i>sperchius sperchius</i>	(Ménétriés)	PAL
<i>Mimas</i>	<i>tiliae</i>	(Linnaeus)	PAL
<i>Pachysphinx</i>	<i>modesta</i>	(Harris)	NEA
	<i>occidentalis</i>	(H. Edwards)	NEA
<i>Paonias</i>	<i>astylus</i>	(Drury)	NEA
	<i>excaecata</i>	(J.E. Smith)	NEA
	<i>myops</i>	(J.E. Smith)	NEA
<i>Parum</i>	<i>colligata</i>	(Walker)	PAL
<i>Phyllosphingia</i>	<i>dissimilis</i>	(Bremer)	PAL
<i>Phylloxiphia</i>	<i>bicolor</i>	(Rothschild)	ETH
	<i>illustris</i>	(Rothschild & Jordan)	ETH
<i>Polyptychoides</i>	<i>erosus</i>	(Jordan)	ETH
	<i>grayi</i>	(Walker)	ETH
<i>Polyptychus</i>	<i>coryndoni</i>	Rothschild & Jordan	ETH
	<i>murinus</i>	Rothschild	ETH
	<i>nigriplagus</i>	Rothschild & Jordan	ETH
	<i>orthographus</i>	Rothschild & Jordan	ETH
	<i>pauperculus</i>	(Holland)	ETH
	<i>trilineatus</i>	Moore	ORI
<i>Pseudandriasa</i>	<i>mutata</i>	(Walker)	ETH
<i>Pseudoclanis</i>	<i>postica</i>	(Walker)	ETH
	<i>rhadamistus</i>	(Fabricius)	ETH
<i>Rufoclanis</i>	<i>fulgurans</i>	(Rothschild & Jordan)	ETH
	<i>numosae numosae</i>	(Walker)	ETH
	<i>numosae subjecta</i>	(Wallengren)	ETH
	<i>rosea</i>	(Druce)	ETH
<i>Sataspes</i>	<i>infernalis</i>	(Westwood)	ORI
<i>Smerinthus</i>	<i>caecus</i>	Ménétriés	PAL
	<i>cerisyi</i>	Kirby	NEA
	<i>jamaicensis</i>	(Drury)	NEA

			<i>kindermannii</i>	Lederer	PAL
			<i>occellatus</i>	(Linnaeus)	PAL
			<i>ophthalmica</i>	Boisduval	NEA
			<i>planus</i>	Walker	PAL
			<i>saliceti</i>	Boisduval	NEA
	Sphingulini	<i>Dolbina</i>	<i>exacta</i>	Staudinger	PAL
		<i>Kentrochrysalis</i>	<i>streckeri</i>	(Staudinger)	PAL
		<i>Sphingulus</i>	<i>mus</i>	Staudinger	PAL
Sphinginae	Acherontiini	<i>Acherontia</i>	<i>atropos</i>	(Linnaeus)	PAL, ETH
			<i>lachesis</i>	(Fabricius)	ORI
			<i>styx medusa</i>	Moore	ORI
		<i>Agrius</i>	<i>cingulata</i>	(Fabricius)	NEA, NEO ORI, ETH, AUS,
			<i>convolvuli</i>	(Linnaeus)	PAL
		<i>Coelonia</i>	<i>mauritii</i>	(Butler)	ETH
		<i>Megacorma</i>	<i>obliqua</i>	(Walker)	AUS
	Sphingini	<i>Amphimoea</i>	<i>walkeri</i>	(Boisduval)	NEO
		<i>Amphonyx</i>	<i>duponchel</i>	(Poey)	NEO
			<i>lucifer</i>	Rothschild & Jordan	NEO
		<i>Ceratonia</i>	<i>amyntor</i>	(Geyer)	NEA
			<i>catalpae</i>	(Boisduval)	NEA
			<i>hageni</i>	Grote	NEA
			<i>undulosa</i>	(Walker)	NEA
		<i>Cocytius</i>	<i>anteus</i>	(Drury)	NEO
		<i>Dolba</i>	<i>hyloeus</i>	(Drury)	NEA
		<i>Dovania</i>	<i>poecila</i>	Rothschild & Jordan	ETH
		<i>Euryglottis</i>	<i>asper</i>	(Walker)	NEO
			<i>dognini</i>	Rothschild	NEO
			<i>guttiventris</i>	Rothschild & Jordan	NEO
		<i>Isoparce</i>	<i>cupressi</i>	(Boisduval)	NEA
		<i>Lapara</i>	<i>bombycoides</i>	Walker	NEA
			<i>coniferarum</i>	(J.E. Smith)	NEA
			<i>halicarnie ?</i>	(Strecker)	NEA
		<i>Lintneria</i>	<i>aurigutta</i>	(Rothschild & Jordan)	NEO
			<i>eremitoides</i>	(Strecker)	NEA
			<i>eremitus</i>	(Hübner)	NEA
			<i>geminus ?</i>	(Rothschild & Jordan)	NEO
			<i>istar</i>	(Rothschild & Jordan)	NEO
			<i>justiciae</i>	(Walker)	NEO
			<i>merops</i>	(Boisduval)	NEO
			<i>pseudostigmatica</i>	(Gehlen)	NEO
			<i>separatus</i>	(Neumoegen)	NEA
			<i>smithi ?</i>	(Cadiou)	NEA
		<i>Manduca</i>	<i>afflicta</i>	(Grote)	NEO
			<i>albiplaga</i>	(Walker)	NEO
			<i>barnsei</i>	(B.P. Clark)	NEO
			<i>bergi</i>	(Rothschild & Jordan)	NEO
			<i>brontes brontes</i>	(Drury)	NEA

	<i>brontes cubensis</i>	(Grote)	NEO
	<i>brontes pamphilius</i>	(Clark)	NEO
	<i>diffisa tropicalis</i>	(Rothschild & Jordan)	NEO
	<i>diffisa petuniae</i>	(Boisduval)	NEO
	<i>florestan</i>	(Cramer)	NEO, NEA
	<i>franciscae</i>	(Clark)	NEO
	<i>hannibal</i>	(Cramer)	NEO
	<i>incisa</i>	(Walker)	NEO
	<i>jasminearum</i>	(Guérin)	NEA
	<i>lefeburii</i>	(Guérin)	NEO
	<i>lichenea</i>	(Burmeister)	NEO
	<i>lucetius</i>	(Cramer)	NEO
	<i>muscosa</i>	(Rothschild & Jordan)	NEA, NEO
	<i>occulta</i>	(Rothschild & Jordan)	NEO
	<i>ochus</i>	(Klug)	NEO
	<i>pellenia</i>	(Herrich-Schaffer)	NEO
	<i>quinquemaculatus</i>	(Haworth)	NEA
	<i>rustica</i>	(Fabricius)	NEA, NEO
	<i>schausi</i>	(Clark)	NEO
	<i>scutata</i>	(Rothschild & Jordan)	NEO
	<i>sexta caestri</i>	(Blanchard)	NEO
	<i>sexta jamaicensis</i>	(Butler)	NEO
	<i>sexta paphus</i>	(Cramer)	NEO
	<i>sexta sexta</i>	(Linnaeus)	NEA, NEO
	<i>undata</i>	(Rothschild & Jordan)	NEO
	<i>wellingi ?</i>	Brou	NEO
<i>Morcocytius</i>	<i>mortuorum</i>	(Rothschild & Jordan)	NEO
<i>Neococytius</i>	<i>cluentius</i>	(Cramer)	NEO
<i>Neogene</i>	<i>reevei</i>	(Druce)	NEO
<i>Oligographa</i>	<i>juniperi</i>	(Boisduval)	ETH
<i>Panogena</i>	<i>jasmini</i>	(Boisduval)	ETH
	<i>lingens</i>	(Butler)	ETH
<i>Paratrea</i>	<i>plebeja</i>	(Fabricius)	NEA
<i>Poliana</i>	<i>buchholzi</i>	(Plotz)	ETH
<i>Pseudococytius</i>	<i>beelzebuth</i>	(Boisduval)	NEO
<i>Psilogramma</i>	<i>incretata</i>	(Walker)	PAL
	<i>menephron</i>	(Cramer)	AUS
<i>Sphinx</i>	<i>asellus</i>	(Rothschild & Jordan)	NEA
	<i>canadensis</i>	Boisduval	NEA
	<i>chersis</i>	(Hübner )	NEA
	<i>dollii</i>	Neumoegen	NEA
	<i>drupiferarum</i>	J.E. Smith	NEA
	<i>franckii</i>	Neumoegen	NEA
	<i>gordius</i>	Cramer	NEA
	<i>kalmiae</i>	J.E. Smith	NEA
	<i>libocedrus</i>	H. Edwards	NEA
	<i>ligustri</i>	Linnaeus	PAL
	<i>luscitiosa</i>	Clemens	NEA

	<i>perelegans</i>	H. Edwards	NEA
	<i>pinastri</i>	Linnaeus	PAL
	<i>poecila</i>	Stephens	NEA
	<i>sequoiae</i>	Boisduval	NEA
	<i>vashti</i>	Strecker	NEA
<i>Xanthopan</i>	<i>morgani</i>	(Walker)	ETH