

# Trichoptera Holdings of the CUIC

Kyle DeMarr & Kevin Moran

August 2016

822 determined species

A = alcohol  
 AUS = Australasian  
 ETH = Ethiopian  
 NEA = Nearctic  
 NEO = Neotropical  
 ORI = Oriental  
 P = pinned  
 PAL = Palearctic

## Glossosomatoidea

### Glossosomatidae

#### Agapetinae

<i>Agapetus</i>	<i>artesus</i>	Ross 1938	NEA	A
	<i>fuscipes</i>	Curtis 1834	PAL	P A
	<i>hessi</i>	Leonard & Leonard 1949	NEA	A
	<i>illini</i>	Ross 1938	NEA	A
	<i>iridis</i>	Ross 1944	NEA	P A
	<i>jocassee</i>	Morse 1989	NEA	A
	<i>marlo</i>	Milne 1936	NEA	A
	<i>minutus</i>	Sibley 1926	NEA	A
	<i>nimbus</i>	McLachlan 1879	PAL	P
	<i>ochripes</i>	Curtis 1834	PAL	P
	<i>pinatus</i>	Ross 1938	NEA	P A
	<i>walkeri</i>	Betten and Mosely 1940	NEA	A
	spp.		NEA	A
<i>Synagapetus</i>	<i>dubitans</i>	(McLachlan 1879)	PAL	P
	<i>iridipennis</i>	(McLachlan 1879)	PAL	P

#### Glossosomatinae

##### Glossosomatini

<i>Glossosoma</i>	<i>alascense</i>	Banks 1900	NEA	A
	<i>boltoni</i>	Curtis 1834	PAL	P A
	<i>intermedium</i>	(Klapalek 1892)	NEA	A
	<i>lividum</i>	(Hagen 1861)	NEA	A
	<i>nigrrior</i>	Banks 1911	NEA	A
	<i>verdonum</i>	Ross 1938	NEA	A
	spp.		NEA/ORI	A
<i>Synafophora</i>	<i>intermedium</i>	(Klapalek 1892)	NEA	P
	<i>lividum</i>	(Hagen 1861)	NEA	P
	<i>nigrrior</i>	Banks 1911	NEA	P
	spp.		NEA	P

## Protoptilinae

<i>Mortoniella</i>	<i>bilineata</i>	Ulmer 1906	NEO	P
	<i>aequalis</i>	(Flint)	NEO	A
	<i>atenuata</i>	(Flint)	NEO	A
	<i>teutona</i>	(Mosely)	NEO	A
	<i>simla</i>	(Flint 1974)	NEO	P
<i>Protoptila</i>	<i>dubitans</i>	Mosely 1939	NEO	A
	<i>erotica</i>	Ross 1938	NEA	P A
	<i>maculata</i>	(Hagen 1861)	NEA	P A
	<i>tojana</i>	Mosely 1954	NEO	P
	spp.		NEO	P A

## Hydroptiloidea

### Hydroptilidae

#### Hydroptilinae

##### Hydroptilini

<i>Agraylea</i>	<i>costello</i>	Ross 1941	NEA	A
	<i>multipunctata</i>	Curtis 1834	NEA	P A
<i>Hydroptila</i>	<i>ajax</i>	Ross 1938	NEA	A
	<i>albicornis</i>	Hagen 1861	NEA	A
	<i>amoena</i>	Ross 1938	NEA	A
	<i>ampoda</i>	Ross 1941	NEA	A
	<i>angusta</i>	Ross 1938	NEA	A
	<i>argosa</i>	Ross 1938	NEA	A
	<i>broweri</i>	Blickle 1963	NEA	A
	<i>consimilis</i>	Morton 1905	NEA	P A
	<i>corsicana</i>	Mosely 1930	PAL	P
	<i>delineata</i>	Morton 1905	NEA	P A
	<i>fiskei</i>	Blickle 1963	NEA	A
	<i>forcipata</i>	(Eaton 1873)	PAL	P
	<i>grenadensis</i>	Flint 1968	NEO	P
	<i>gunda</i>	Milne 1936	NEA	A
	<i>hamata</i>	Morton 1905	NEA	P A
	<i>jackmanni</i>	Blickle 1963	NEA	A
	nr. <i>lacandona</i>	Bueno-Soria 1984	NEO	P
	<i>lloganae</i>	Blickle 1961	NEA	A
	<i>maculata</i>	Banks 1904	NEA	A
	<i>melia</i>	Ross 1938	NEA	A
	<i>novicola</i>	Blickle & Morse 1954	NEA	A
	<i>occulta</i>	(Eaton 1873)	PAL	P
	<i>quinola</i>	Ross 1947	NEA	A

	<i>remita</i>	Blickle & Morse 1954	NEA	A
	<i>salmo</i>	Ross 1941	NEA	A
	<i>strepha</i>	Ross 1941	NEA	A
	<i>tineoides</i>	Dalman 1819	PAL	P
	<i>tortosa</i>	Ross 1938	NEA	A
	<i>valhalla</i>	Denning 1947	NEA	A
	<i>virgata</i>	Ross 1938	NEA	A
	<i>wakulla</i>	Denning 1947	NEA	A
	<i>waubesiana</i>	Betten 1934	NEA	P A
	<i>wyomia</i>	Denning 1948	NEA	A
	<i>xera</i>	Ross 1938	NEA	A
	<i>xoncla</i>	Ross 1941	NEA	A
	spp.		NEA	P A
<i>Oxyethira</i>	<i>abacatia</i>	Denning 1947	NEA	A
	<i>allagashensis</i>	Blickle 1963	NEA	A
	<i>araya</i>	Ross 1941	NEA	A
	<i>dualis</i>	Morton 1905	NEA	A
	<i>forcipata</i>	Mosely 1934	NEA	A
	<i>glasa</i>	(Ross 1941)	NEA	A
	<i>janella</i>	Denning 1948	NEA	A
	<i>lumosa</i>	Ross 1948	NEA	A
	<i>maya</i>	Denning 1947	NEA	A
	<i>michiganensis</i>	Mosely 1934	NEA	A
	<i>obtatus</i>	Denning 1947	NEA	A
	<i>pallida</i>	(Banks 1904)	NEA	A
	<i>rossi</i>	Blickle & Morse 1957	NEA	A
	<i>serrata</i>	Ross 1938	NEA	A
	<i>sida</i>	Blickle & Morse 1954	NEA	A
	<i>verna</i>	Ross 1938	NEO	A
	<i>zeronia</i>	Ross 1941	NEA	A
	spp.		NEO	A
<b>Leucotrichiini</b>				
<i>Abtrichia</i>	<i>antennata</i>	Mosely 1939	NEO	A
<i>Leucotrichia</i>	<i>pictipes</i>	(Banks 1911)	NEA	A
	spp.		NEO	A
<b>Neotrichiini</b>				
<i>Mayatrichia</i>	<i>ayama</i>	Mosely 1937	NEA	A
<i>Neotrichia</i>	<i>collata</i>	Morton 1905	NEA	A
	<i>elongata</i>	Flint 1983	NEO	P
	<i>halia</i>	Denning 1948	NEA	A
	<i>okopa</i>	Ross 1939	NEA	A
	<i>vibrans</i>	Ross 1938	NEA	A
	spp.		NEA/NEO	

### Ochrotrichiini

<i>Ochrotrichia</i>	<i>argentea</i>	Flint & Blickle 1972	NEO	P
	<i>denningi</i>	Blickle & Morse 1957	NEA	A
	<i>tarsalis</i>	(Hagen 1861)	NEA	A
	<i>tenanga</i>	(Mosely 1937)	NEO	P
	<i>wojcickyi</i>	Blickle 1963	NEA	A

### Orthotrichiini

<i>Ithytrichia</i>	<i>clavata</i>	Morton 1905	NEA	A
	spp.		NEA	A
<i>Orthotrichia</i>	<i>aegerfasciella</i>	(Chambers 1873)	NEA	A
	<i>costalis</i>	(Curtis 1834)	PAL	P
	<i>curta</i>	Kingsolver & Ross 1961	NEA	A
	<i>dentata</i>	Kingsolver & Ross 1961	NEA	A
	spp.		NEA	A

### Stactobiini

<i>Stactobiella</i>	<i>delira</i>	(Ross 1938)	NEA	A
	<i>palmata</i>	(Ross 1938)	NEA	A

### *incertae sedis*

<i>Dibusa</i>	<i>angata</i>	Ross 1939	NEA	A
---------------	---------------	-----------	-----	---

## Ptilocolepidae

<i>Palaeagapetus</i>	<i>celsus</i>	(Ross 1938)	NEA	A
<i>Ptilocolepus</i>	<i>granulatus</i>	(Pictet 1834)	PAL	P A

## Leptoceroidea

### Calamoceratidae

#### Anisocentropodinae

<i>Anisocentropus</i>	<i>pyraloides</i>	(Walker 1852)	NEA	A
	spp.		AUS/PAL	P
<i>Anisokantropus</i>	<i>salsus</i>	(Betten 1909)	AUS	P
<i>Anisomontropus</i>	<i>maculatus</i>	Ulmer 1926	PAL	P

#### Calamoceratinae

<i>Banyallarga</i>	<i>argentinica</i>	Flint 1983	NEO	P
	<i>vicaria</i>	(Walker 1852)	NEO	P
<i>Ganonema</i>	<i>fuscipenne</i>	(Albarda 1881)	PAL	P
<i>Heteroplectron</i>	<i>americanum</i>	(Walker 1852)	NEA	P A
	<i>californicum</i>	McLachlan 1871	NEA	P A
	spp.		NEA	P
<i>Phylloicus</i>	<i>aeneus</i>	(Hagen 1861)	NEA	P
	<i>angustior</i>	Ulmer 1905	NEO	P
	<i>brevior</i>	Banks 1915	NEO	P

	<i>mexicanus</i>	(Banks 1900)	NEA	P	A
	<i>pulchrus</i>	Flint 1964	NEO	P	
	<i>tricalcaratus</i>	(Ulmer 1905)	NEO	P	
	spp.		NEO		A

## Goeridae

### Goerinae

<i>Goera</i>	<i>calcarata</i>	Banks 1899	NEA	P	A
	<i>fuscula</i>	Banks 1905	NEA	P	A
	<i>pilosa</i>	(Fabricius 1775)	PAL	P	
	<i>stylata</i>	Ross 1938	NEA	P	A
	nr. <i>stylata</i>	Ross 1938	NEA		A
	spp.		PAL	P	
<i>Goerita</i>	<i>semata</i>	Ross	NEA		A
	spp.		NEA		A
<i>Lithax</i>	<i>niger</i>	Hagen 1859	PAL	P	
<i>Silo</i>	<i>nigricornis</i>	(Pictet 1834)	PAL	P	
	<i>pallipes</i>	(Fabricius 1781)	PAL	P	
	<i>piceus</i>	(Brauer 1857)	PAL	P	

## Leptoceridae

### Grumichellinae

<i>Grumichella</i>	<i>flaveola</i>	(Ulmer 1911)	NEO	P	
--------------------	-----------------	--------------	-----	---	--

### Leptocerinae

#### Athripsodini

<i>Athripsodes</i>	<i>aterrimus</i>	(Stephens 1836)	PAL	P	
	<i>cinereus</i>	(Curtis 1834)	PAL	P	
	<i>commutatus</i>	(Rostock 1874)	PAL	P	
<i>Ceraclea</i>	<i>alagma</i>	(Ross 1938)	NEA		A
	<i>albimacula</i>	(Rambur 1842)	PAL	P	
	<i>alboostictus</i>	Hagen 1861	NEA	P	A
	<i>ancylus</i>	Vorhies 1909	NEA	P	A
	<i>annulicornis</i>	(Stephens 1836)	NEA/PAL	P	A
	<i>cancellatus</i>	Betten 1934	NEA	P	A
	<i>dilutus</i>	Hagen 1861	NEA	P	A
	<i>dissimilis</i>	(Stephens 1836)	PAL	P	
	<i>erraticus</i>	Milne 1936	NEA	P	A
	<i>erulla</i>	(Ross 1938)	NEA		A
	<i>flavus</i>	Banks 1904	NEA	P	A
	<i>maculata</i>	(Banks 1899)	NEA		A
	<i>mentiea</i>	(Walker 1852)	NEA	P	A

	<i>nigronevosa</i>	(Retzius 1783)	PAL	P	A
	<i>ophioderus</i>	(Ross 1938)	NEA		A
	<i>punctata</i>	Banks 1894	NEA	P	A
	<i>resurgens</i>	(Walker 1852)	NEA	P	A
	<i>ruthae</i>	(Flint 1965)	NEA		A
	<i>senilis</i>	(Burmeister 1839)	PAL	P	
	<i>submacula</i>	Walker 1852	NEA	P	A
	<i>tarsipunctatus</i>	Vorhies 1909	NEA	P	A
	<i>transversus</i>	Hagen 1861	NEA	P	A
	<i>wetzeli</i>	(Ross 1941)	NEA		A
	spp.		NEA/NEO	P	A
<i>Homilia</i>	<i>leucophaea</i>	(Rambur 1842)	PAL	P	
<b>Leptocerini</b>					
<i>Leptocerus</i>	<i>americanus</i>	(Banks 1899)	NEA	P	
	<i>tineiformis</i>	Curtis 1834	PAL	P	
<b>Mystacidini</b>					
<i>Mystacides</i>	<i>alafimbriata</i>	Hill-Griffin 1912	NEA	P	A
	<i>azurea</i>	(Linnaeus 1761)	PAL	P	A
	<i>interjecta</i>	(Banks 1914)	NEA		A
	<i>longicornis</i>	(Linnaeus 1758)	NEA/PAL	P	
	<i>monochroa</i>	McLachlan 1880	PAL	P	
	<i>nigra</i>	(Linnaeus 1758)	PAL	P	
	<i>sepulchralis</i>	(Walker 1852)	NEA	P	A
	spp.		NEA		A
<b>Nectopsychni</b>					
<i>Nectopsyche</i>	<i>albida</i>	(Walker 1852)	NEA	P	A
	<i>candida</i>	(Hagen 1861)	NEA	P	
	<i>diarina</i>	(Ross 1944)	NEA	P	A
	<i>exquisita</i>	(Walker 1852)	NEA	P	A
	<i>gemmoides</i>	Flint 1981	NEO	P	
	<i>gracilis</i>	(Banks 1901)	NEA	P	A
	<i>muhni</i>	(Navas 1916)	NEO	P	
	<i>nigricapilla</i>	(Navas 1920)	NEO	P	
	<i>pavida</i>	(Hagen 1861)	NEA	P	A
	<i>punctata</i>	(Ulmer 1905)	NEO	P	
	<i>separata</i>	(Banks 1920)	NEO	P	
	<i>splendida</i>	(Navas 1917)	NEO	P	
	<i>tavara</i>	(Ross 1944)	NEA		A
	spp.		NEA/NEO	P	
<b>Oecetini</b>					
<i>Oecetis</i>	<i>angirasa</i>	Schmid 1995	PAL	P	
	<i>arizonica</i>	Denning 1951	NEA	P	
	<i>avara</i>	(Banks 1895)	NEA	P	A

	<i>cinerascens</i>	Hagen 1861	NEA	P	A
	<i>daytona</i>	Ross 1947	NEA		A
	<i>disjuncta</i>	(Banks 1920)	NEA		A
	<i>eddelestoni</i>	Ross 1938	NEA	P	
	<i>georgia</i>	Ross 1941	NEA		A
	<i>immobilis</i>	Hagen 1861	NEA	P	A
	<i>inconspicua</i>	(Walker 1852)	NEA/NEO	P	A
	<i>lacustris</i>	(Pictet 1834)	PAL	P	
	<i>ochracea</i>	(Curtis 1825)	PAL	P	A
	<i>osteni</i>	Milne 1934	NEA	P	A
	<i>paranensis</i>	Flint 1982	NEO	P	
	<i>persimilis</i>	Banks 1907	NEA	P	A
	<i>scala</i>	Milne 1934	NEA		A
	<i>testacea</i>	(Curtis 1834)	PAL	P	
	<i>tripunctata</i>	(Fabricius 1793)	PAL	P	
	spp.		NEA/NEO/PAL	P	A
<b>Setodini</b>					
<i>Setodes</i>	<i>argentatus</i>	Matsumura 1907	PAL	P	
	<i>argentipunctellus</i>	McLachlan 1877	PAL	P	
	<i>incertus</i>	(Walker 1852)	NEA		A
	<i>oligiis</i>	(Ross 1938)	NEA	P	A
	<i>stehri</i>	(Ross 1941)	NEA		A
	spp.		NEA/NEO	P	A
<b>Triaenodini</b>					
<i>Adicella</i>	<i>reducta</i>	(McLachlan 1865)	PAL	P	
<i>Erotesis</i>	<i>baltica</i>	McLachlan 1877	PAL	P	
<i>Triaenodes</i>	<i>baris</i>	Ross 1938	NEA		A
	<i>nr. baris</i>	Ross 1938	NEA		A
	<i>bicolor</i>	(Curtis 1834)	PAL	P	
	<i>conspersus</i>	(Rambur 1842)	PAL	P	
	<i>dipsius</i>	Ross 1938	NEA		A
	<i>flavescens</i>	(Banks 1900)	NEA		A
	<i>marginatus</i>	Sibley 1926	NEA		A
	<i>tardus</i>	Milne 1934	NEA		A
	spp.		NEA		A
<b>Triplectidinae</b>					
<b>Hudsonemini</b>					
<i>Hudsonema</i>	<i>flaminii</i>	(Navas 1926)	NEO	P	
<b>Triplectidini</b>					
<i>Triplectides</i>	<i>magnus</i>	(Walker 1852)	PAL	P	
	<i>gracilis</i>	(Burmeister 1839)	NEO	P	
	<i>obsoletus</i>	(McLachlan 1862)	AUS	P	

	spp.		PAL	P
<i>Symphitoneuria</i>	<i>opposita</i>	(Walker 1852)	PAL	P

## Molannidae

<i>Molanna</i>	<i>albicans</i>	(Zetterstedt 1840)	NEA/PAL	P A
	<i>angustata</i>	Curtis 1834	PAL	P A
	<i>flavicornis</i>	Banks 1914	NEA	A
	<i>nigra</i>	(Zetterstedt 1840)	PAL	P
	<i>tryphena</i>	Betten 1934	NEA	P A
	<i>ulmerina</i>	Navas 1934	NEA	P A
	<i>uniophila</i>	Vorhies 1909	NEA	P A
	spp.		NEA/NEO/PAL	P A
<i>Molanneria</i>	<i>blenda</i>	Sibley 1926	NEA/PAL	P A
	<i>moesta</i>	Banks 1906	PAL	P
<i>Molannodes</i>	<i>tinctus</i>	(Zetterstedt 1840)	PAL	P
	spp.		NEO/ORI	P

## Odontoceridae

### Odontocerinae

<i>Marilia</i>	<i>alata</i>	Flint 1974	NEO	P
	<i>cinerea</i>	Navas 1931	NEO	P
	<i>elongata</i>	Martynov 1912	NEO	A
	<i>flexuosa</i>	Ulmer 1905	NEA/NEO	P A
	<i>lateralis</i>	Flint 1983	NEO	P
	<i>minor</i>	Mueller 1880	NEO	P
	<i>nobsca</i>	Milne 1936	NEA	P
	spp.		NEO	P A
<i>Namamyia</i>	<i>plutonis</i>	Banks 1905	NEA	P A
<i>Nerophilus</i>	<i>californicus</i>	(Hagen 1861)	NEA	P A
<i>Odontocerum</i>	<i>albicorne</i>	(Scopoli 1763)	PAL	P
<i>Perissoneura</i>	<i>paradoxa</i>	McLachlan 1871	PAL	P
<i>Psilotreta</i>	<i>frontalis</i>	Banks 1899	NEA	P A
	<i>indecisa</i>	(Walker 1852)	NEA	A
	<i>labida</i>	Ross 1944	NEA	P A

## Limnephiloidea

### Apataniidae

#### Apataniinae

##### Apataniini

<i>Apatania</i>	<i>cimbrica</i>	(Nielsen 1950)	PAL	P
-----------------	-----------------	----------------	-----	---

	<i>crymophila</i>	McLachlan 1880	NEA	P
	<i>fimbriata</i>	(Pictet 1834)	PAL	P
	<i>incerta</i>	(Banks 1897)	NEA	P
	<i>stigmatella</i>	(Zetterstedt 1840)	PAL	P
	<i>wallengreni</i>	McLachlan 1871	PAL	P
	spp.		NEA	A

### Baicalinini

<i>Baicalina</i>	<i>bellicosa</i>	Marytnov 1914	PAL	P
	<i>thamastoides</i>	Martynov 1914	PAL	P

### Thamastini

<i>Radema</i>	spp.		NEA	P
---------------	------	--	-----	---

### *incertae sedis*

<i>Allomyia</i>	<i>acanthis</i>	(Ross 1950)	NEA	P
	<i>tripunctata</i>	(Banks 1900)	NEA	A
	spp.		NEA	A

## Limnephilidae

### Dicosmoecinae

#### Dicosmoecini

<i>Dicosmoecus</i>	<i>atripes</i>	(Hagen 1875)	NEA	P A
	<i>pallicornis</i>	Banks 1943	NEA	P A
	spp.		NEA	P A
<i>Ironoquia</i>	<i>lyrata</i>	(Ross 1938)	NEA	A
	<i>parvula</i>	(Banks 1900)	NEA	P A
	<i>punctatissima</i>	(Walker 1852)	NEA	P A
<i>Onocosmoecus</i>	<i>unicolor</i>	(Banks 1897)	NEA	P A

#### Nothopsychini

<i>Anomalocosmoecus</i>	spp.		NEO	A
<i>Nothopsyche</i>	<i>nigripes</i>	Martynov 1914	PAL	P
	<i>pallipes</i>	Banks 1906	PAL	P
	spp.		NEA	P

#### Ecclisomyiinae

<i>Ecclisomyia</i>	<i>conspersa</i>	Banks 1907	NEA	A
	<i>maculosa</i>	Banks 1907	NEA	P A
	spp.		NEA	A

## Limnephilinae

#### Chilostigmini

<i>Frenesia</i>	<i>difficilis</i>	(Walker 1852)	NEA	P
	<i>missa</i>	(Milne 1935)	NEA	P
<i>Glyphopsyche</i>	<i>missouri</i>	Ross 1944	NEA	P
<i>Grensia</i>	<i>praeterita</i>	(Walker 1852)	NEA	P

<i>Homophylax</i>	<i>flavipennis</i>	Banks 1900	NEA	P	A
<i>Psychoglypha</i>	<i>alascensis</i>	(Banks 1900)	NEA	P	
	<i>bella</i>	(Banks 1903)	NEA	P	A
	<i>ormiae</i>	(Ross 1938)	NEA	P	
	<i>subborealis</i>	(Banks 1924)	NEA	P	A
<b>Drusini</b>					
<i>Cryptothrix</i>	<i>nebulicola</i>	McLachlan 1867	PAL	P	
<i>Drusus</i>	<i>alpinus</i>	(Meyer-Duer 1875)	PAL	P	
	<i>annulatus</i>	(Stephens 1837)	PAL	P	
	<i>chrysotus</i>	(Rambur 1842)	PAL	P	
	<i>melanchaetes</i>	McLachlan 1876	PAL	P	
	<i>discolor</i>	(Rambur 1842)	PAL	P	
	<i>mixtus</i>	(Pictet 1834)	PAL	P	
	<i>muelleri</i>	McLachlan 1868	PAL	P	
	<i>Ecclisopteryx</i>	<i>guttulata</i>	(Pictet 1834)	PAL	P
<i>Metanoea</i>	<i>flavipennis</i>	(Pictet 1834)	PAL	P	
<b>Hesperophylacini</b>					
<i>Hesperophylax</i>	<i>alaskensis</i>	(Banks 1908)	NEA	P	A
	<i>consimilis</i>	(Banks 1900)	NEA		A
	<i>designatus</i>	Walker 1852	NEA	P	A
	<i>magnus</i>	Banks 1918	NEA	P	A
	<i>minutus</i>	Ling 1938	NEA	P	
	<i>occidentalis</i>	Banks 1908	NEA	P	A
	spp.		NEA	P	
<b>Limnephilini</b>					
<i>Acrophylax</i>	<i>zerberus</i>	Brauer 1867	PAL	P	
<i>Allogamus</i>	<i>auricollis</i>	(Pictet 1834)	PAL	P	
	<i>hilaris</i>	(McLachlan 1876)	PAL	P	
<i>Anabolia</i>	<i>consocia</i>	(Walker 1852)	NEA	P	A
	<i>laevis</i>	(Zetterstedt 1840)	PAL	P	
	<i>nervosa</i>	(Curtis 1834)	PAL	P	
	<i>ozburni</i>	Milne 1935	NEA	P	A
	spp.		NEA	P	
<i>Anisogamus</i>	<i>difformis</i>	(McLachlan 1867)	PAL	P	
<i>Annitella</i>	<i>obscurata</i>	(McLachlan 1876)	PAL	P	
<i>Asynarchus</i>	<i>amurensis</i>	(Ulmer 1905)	PAL	P	
	<i>batchawanus</i>	(Denning 1949)	NEA		A
	<i>impar</i>	(McLachlan 1880)	PAL	P	
	<i>lapponica</i>	(Zetterstedt 1840)	NEA		A
	<i>nepus</i>	(Ross 1938)	NEA		A
	<i>nigriculus</i>	(Banks 1908)	NEA	P	
	<i>rossi</i>	(Leonard & Leonard 1949)	NEA	P	
	<i>Chaetopteryx</i>	<i>fusca</i>	Brauer 1857	PAL	P

	<i>major</i>	McLachlan 1876	PAL	P
	<i>villosa</i>	(Fabricius 1798)	PAL	P
<i>Chyranda</i>	<i>centralis</i>	(Banks 1900)	NEA	P A
<i>Clistoronia</i>	<i>maculata</i>	(Banks 1904)	NEA	P
	<i>magnifica</i>	(Banks 1899)	NEA	P A
<i>Clostoeca</i>	<i>disjuncta</i>	(Banks 1914)	PAL	P A
<i>Colpotaulius</i>	<i>incisus</i>	(Curtis 1834)	PAL	P
<i>Enoicyla</i>	<i>pusilla</i>	Burmeister 1839	PAL	P
<i>Glyphotaelius</i>	<i>pellucidus</i>	(Retzius 1783)	NEA/PAL	P A
<i>Grammotaulius</i>	<i>bettenii</i>	Hill-Griffin 1912	NEA	P A
	<i>nigropunctatus</i>	(Retzius 1783)	PAL	P A
	<i>sibiricus</i>	McLachlan 1874	PAL	P
<i>Halesochila</i>	<i>taylori</i>	(Banks 1904)	NEA	P A
<i>Halesus</i>	<i>digitatus</i>	(von Paula Schrank 1781)	PAL	P
	<i>mendax</i>	(McLachlan 1876)	PAL	P
	<i>radiatus</i>	(Curtis 1834)	PAL	P
<i>Hydatophylax</i>	<i>argus</i>	(Harris 1869)	NEA	P A
	<i>grammicus</i>	(McLachlan 1880)	PAL	P
	<i>hesperus</i>	(Banks 1914)	NEA	A
	<i>nigrovittatus</i>	(McLachlan 1872)	PAL	P
	<i>victor</i>	Banks 1950	NEA	P A
	spp.		NEA	A
<i>Lenarchus</i>	<i>crassus</i>	(Banks 1920)	NEA	P A
	<i>gravidus</i>	Hagen 1861	NEA	P A
	<i>rho</i>	(Milne 1935)	NEA	A
	<i>vastus</i>	(Hagen 1861)	NEA	A
<i>Leptophylax</i>	<i>gracilis</i>	Banks 1900	NEA	P A
<i>Limnephilus</i>	<i>abbreviatus</i>	Banks 1908	NEA	P A
	<i>abstrusus</i>	McLachlan 1872	PAL	P
	<i>affinis</i>	Curtis 1834	PAL	P
	<i>apache</i>	Flint 1965	NEA	P
	<i>assimilis</i>	(Banks 1908)	NEA	A
	<i>auricula</i>	Curtis 1834	PAL	P
	<i>canadensis</i>	Banks 1908	NEA	P
	<i>centralis</i>	Curtis 1834	PAL	P
	<i>coenosus</i>	Curtis 1834	PAL	P
	<i>coloradensis</i>	(Banks 1899)	NEA	P A
	<i>concolor</i>	Banks 1899	NEA	A
	<i>correptus</i>	McLachlan 1880	PAL	P
	<i>decipiens</i>	(Kolenati 1848)	PAL	P
	<i>dispar</i>	McLachlan 1875	NEA	P A
	<i>diversus</i>	(Banks 1903)	PAL	P A
	<i>externus</i>	Hagen 1861	NEA	P A

<i>extricatus</i>	McLachlan 1865	PAL	P
<i>fenestratus</i>	(Zetterstedt 1840)	NEA	A
<i>flavicornis</i>	(Fabricius 1787)	PAL	P
<i>frijole</i>	Ross 1944	NEA	P
<i>fumosus</i>	(Banks 1900)	NEA	A
<i>fuscicornis</i>	(Rambur 1842)	PAL	P
<i>fuscinervis</i>			
<i>nigrosignatus</i>	Martynov 1910	PAL	P
<i>fuscovittatus</i>	Matsumura 1904	PAL	P A
<i>griseus</i>	(Linnaeus 1758)	PAL	P
<i>hageni</i>	Banks 1930	NEA	A
<i>harrimani</i>	Banks 1900	NEA	P A
<i>hirsutus</i>	(Pictet 1834)	PAL	P
<i>hyalinus</i>	Hagen 1861	NEA	P A
<i>ignavus</i>	McLachlan 1865	PAL	P
<i>indivisus</i>	Walker 1852	NEA	P A
<i>infernalis</i>	(Banks 1914)	NEA	P A
<i>labus</i>	Ross 1941	NEA	A
<i>lithus</i>	(Milne 1935)	NEA	P
<i>lunatus</i>	Curtis 1834	PAL	P
<i>luridus</i>	Curtis 1834	PAL	P
<i>marmoratus</i>	Curtis 1834	PAL	P
<i>moestus</i>	Banks 1908	NEA	P A
<i>nigriceps</i>	(Zetterstedt 1840)	PAL	P
<i>nogus</i>	Ross 1944	NEA	P A
<i>occidentalis</i>	Banks 1908	NEA	P A
<i>ornatus</i>	Banks 1897	NEA	P
<i>partitus</i>	Walker 1852	PAL	P
<i>parvulus</i>	(Banks 1905)	NEA	P
<i>picturatus</i>	McLachlan 1875	NEA	P A
<i>politus</i>	McLachlan 1865	PAL	P
<i>productus</i>	Banks 1914	NEA	P
<i>rhombicus</i>	(Linnaeus 1758)	NEA	P A
<i>rothi</i>	Denning 1966	NEA	P
<i>sansoni</i>	Banks 1918	NEA	P A
<i>secludens</i>	Banks 1914	NEA	P A
<i>sericeus</i>	(Say 1824)	NEA	P A
<i>sparsus</i>	Curtis 1834	PAL	P
<i>spinatus</i>	Banks 1914	NEA	P A
<i>stigma</i>	Curtis 1834	NEA/PAL	P
<i>subcentralis</i>	Brauer 1857	PAL	P
<i>sublunatus</i>	Provancher 1877	NEA	P A
<i>submonilifer</i>	Walker 1852	NEA	P A

	<i>vittatus</i>	(Fabricius 1798)	PAL	P
	<i>xanthodes</i>	McLachlan 1873	PAL	P
	spp.		NEA/NEO/PAL	P A
<i>Melampophylax</i>	<i>mucoreus</i>	(Hagen 1861)	PAL	P
	<i>mucoreus alpinus</i>	(Schmid 1951)	PAL	P
<i>Macrotaulius</i>	<i>admorsus</i>	(McLachlan 1866)	PAL	P
	<i>hostilis</i>	(Hagen 1873)	NEA	P A
	<i>punctatolineatus</i>	(Retzius 1783)	PAL	P
<i>Nemotaulius</i>	<i>brevilinea</i>	(McLachlan 1871)	PAL	P
<i>Parachiona</i>	<i>picicornis</i>	(Pictet 1834)	PAL	P
<i>Philarctus</i>	<i>bergrothi</i>	McLachlan 1880	NEA	A
<i>Platycentropus</i>	<i>amicus</i>	(Hagen 1861)	NEA	A
	<i>indistinctus</i>	Walker 1852	NEA	P A
	<i>radiata</i>	(Say 1824)	NEA	P A
	spp.		NEA	A
<i>Potamophylax</i>	<i>cingulatus</i>	(Stephens 1837)	PAL	P
	<i>latipennis</i>	(Curtis 1834)	PAL	P
	<i>luctuosus</i>	(Piller & Mitterpachfer 1783)	PAL	P
	<i>nigricornis</i>	(Pictet 1834)	PAL	P
	<i>rotundipennis</i>	(Brauer 1857)	PAL	P
<i>Pseudopsilopteryx</i>	<i>zimmeri</i>	(McLachlan 1876)	PAL	P
<i>Pycnopsyche</i>	<i>aglonus</i>	Ross 1941	NEA	P
	<i>antica</i>	(Walker 1852)	NEA	A
	<i>circularis</i>	(Provancher 1877)	NEA	P A
	<i>divergens</i>	Walker 1852	NEA	P A
	<i>flavata</i>	(Banks 1914)	NEA	P A
	<i>gentilis</i>	McLachlan 1871	NEA	P A
	<i>guttifer</i>	Walker 1852	NEA	P A
	<i>indiana</i>	(Ross 1938)	NEA	A
	<i>lepida</i>	Hagen 1861	NEA	P A
	<i>limbatus</i>	McLachlan 1872	NEA	P A
	<i>luculentus</i>	Betten 1934	NEA	P A
	<i>rossi</i>	Betten 1950	NEA	P
	<i>scabripennis</i>	Rambur 1842	NEA	P A
	<i>sonso</i>	Milne 1935	NEA	P A
	<i>subfasciata</i>	Say 1828	NEA	P A
	spp.		NEA	P A
<i>Rhadicoleptus</i>	<i>alpestris</i>	(Kolenati 1848)	PAL	P
<i>Stenophylax</i>	<i>lateralis</i>	(Stephens 1837)	PAL	P A
	<i>nycterobius</i>	(McLachlan 1875)	PAL	P
	<i>permistus</i>	McLachlan 1895	PAL	P
	<i>sequax</i>	(McLachlan 1875)	PAL	P

### **Pseudostenophylacini**

<i>Pseudostenophylax</i>	<i>bimaculatus</i>	Tian	ORI	A
	<i>sparsus</i>	(Banks 1908)	NEA	P A
	<i>uniformis</i>	(Betten)	NEA	A
	spp.		NEA	A

### **Uenoidae**

<i>Neothremma</i>	<i>alicia</i>	Dodds	NEA	A
-------------------	---------------	-------	-----	---

### **Oeconesidae**

<i>Oeconesus</i>	<i>maori</i>	McLachlan 1862	AUS	P
<i>Pseudoeconesus</i>	spp.		AUS	P

### **Thremmatidae**

<i>Neophylax</i>	<i>aniqua</i>	Ross 1947	NEA	P A
	<i>ayanus</i>	Ross 1938	NEA	P
	<i>concinnus</i>	McLachlan 1871	NEA	P A
	<i>consimilis</i>	Betten 1934	NEA	P
	<i>fuscus</i>	Banks 1903	NEA	A
	<i>mitchelli</i>	Carpenter 1933	NEA	A
	<i>occidentis</i>	Banks 1924	NEA	A
	<i>oligiis</i>	Ross 1938	NEA	P A
	<i>ornatus</i>	Banks 1920	NEA	P A
	<i>rickeri</i>	Milne 1935	NEA	P A
	<i>stolus</i>	Ross 1938	NEA	P
	spp.		NEA	P A
<i>Oligophlebodes</i>	<i>minutus</i>	(Banks 1897)	NEA	P
	<i>ruthae</i>	Ross 1944	NEA	P
	spp.		NEA	P A

### **Philopotamoidea**

#### **Philopotamidae**

##### **Chimarrinae**

<i>Chimarra</i>	<i>adella</i>	Denning 1952	NEA	A
	<i>aterrima</i>	Hagen 1861	NEA	P A
	<i>duckworthi</i>	Flint 1967	NEO	P
	<i>emima</i>	Ross 1959	NEO	P
	<i>florida</i>	Ross 1944	NEA	A
	<i>limon</i>	Blahnik 1998	NEO	P
	<i>marginata</i>	Linnaeus 1767	PAL	P

	<i>obscura</i>	(Walker 1852)	NEA	P	A
	<i>socia</i>	Hagen 1861	NEA	P	A
	<i>tapanti</i>	Blahnik 1998	NEO	P	
	<i>usitatissima</i>	Flint 1971	NEO	P	
	spp.		NEA/NEO/PAL	P	A
<i>Curgia</i>	<i>albomaculata</i>	Kolbe 1888	NEO	P	
	<i>morio</i>	Burmeister 1839	NEO	P	
<i>Otarrha</i>	<i>parene</i>	Blahnik 2002	NEO	P	

## Philopotaminae

<i>Dolophilodes</i>	<i>aequalis</i>	(Banks 1924)	NEA	P	A
	<i>distincta</i>	(Walker 1852)	NEA	P	A
	<i>major</i>	(Banks 1914)	NEA	P	
	<i>novusamericanus</i>	(Ling 1938)	NEA		A
<i>Philopotamus</i>	<i>ludificatus</i>	McLachlan 1878	PAL	P	
	<i>montanus</i>	(Donovan 1813)	PAL	P	
<i>Wormaldia</i>	<i>moesta</i>	(Banks 1914)	NEA	P	A
	<i>mohri</i>	(Ross 1948)	NEA		A
	<i>occidea</i>	(Ross 1938)	NEA	P	
	<i>occipitalis</i>	(Pictet 1834)	PAL	P	
	<i>pulla</i>	(McLachlan 1878)	PAL	P	
	<i>subnigra</i>	McLachlan 1865	PAL	P	
	<i>triangulifera</i>	McLachlan 1878	PAL	P	
	spp.		NEA		A

## Stenopsychidae

### Stenopsychinae

<i>Stenopsyche</i>	<i>sauteri</i>	Ulmer 1907	PAL	P	
	spp.		PAL/ORI	P	

## Phryganeoidea

### Brachycentridae

<i>Amiocentrus</i>	<i>aspilus</i>	(Ross 1938)	NEA	P	A
<i>Brachycentrus</i>	spp.		NEA/PAL	P	A
<i>Branchycentrus</i>	<i>nigrisoma</i>	(Banks 1905)	NEA	P	A
	<i>subnubilus</i>	Curtis 1834	PAL	P	
<i>Oligoplectrodes</i>	<i>americanus</i>	(Banks 1899)	NEA	P	A
<i>Oligoplectrum</i>	<i>maculatus</i>	(Fourcroy 1785)	PAL	P	
<i>Sphinctogaster</i>	<i>lateralis</i>	(Say 1823)	NEA	P	A
	<i>numerosus</i>	(Say 1823)	NEA	P	A
	<i>occidentalis</i>	Banks 1911	NEA	P	A
<i>Micrasema</i>	<i>charonis</i>	Banks 1914	NEA		A

<i>longulum</i>	McLachlan 1876	PAL	P
<i>rusticum</i>	(Hagen 1868)	PAL	P A
<i>wataga</i>	Ross 1938	NEA	P A
spp.		NEA	P A

## Lepidostomatidae

### Lepidostomatinae

<i>Lepidostoma</i>	<i>americanum</i>	(Banks 1897)	NEA	P A
	<i>basale</i>	(Kolenati 1848)	PAL	P
	<i>bryanti</i>	Banks 1908	NEA	P A
	<i>carrolli</i>	Flint 1958	NEA	A
	<i>cornigerum</i>	(Ulmer 1907)	ORI	A
	<i>costale</i>	(Banks 1914)	NEA	P A
	<i>grisea</i>	Banks 1911	NEA	P A
	<i>hirtum</i>	(Fabricius 1775)	PAL	P
	<i>latipenne</i>	(Banks 1905)	NEA	P A
	<i>mexicanum</i>	(Banks 1901)	NEO	P
	<i>modesta</i>	Banks 1905	NEA	P A
	<i>ormeum</i>	Ross 1946	NEA	A
	<i>pictile</i>	(Banks 1899)	NEA	A
	<i>podager</i>	McLachlan 1871	NEA	P A
	<i>sackeni</i>	(Banks 1936)	NEA	P A
	<i>togatum</i>	(Hagen 1861)	NEA	P A
	<i>unicolor</i>	Banks 1911	NEA	P A
	<i>vernalis</i>	Banks 1897	NEA	P A
	spp.		NEA/PAL	P A

### Theliopsychinae

<i>Theliopsyche</i>	<i>parva</i>	Banks 1911	NEA	P
	spp.		NEA	A

## Phryganeidae

### Phryganeinae

<i>Agrypnia</i>	<i>colorata</i>	Hagen 1873	NEA	P A
	<i>deflata</i>	(Milne 1931)	NEA	P A
	<i>glacialis</i>	Hagen 1873	NEA	P A
	<i>improba</i>	(Hagen 1873)	NEA	A
	<i>obsoleta</i>	(Hagen 1864)	PAL	P
	<i>pagetana</i>	Curtis 1835	NEA/PAL	P A
	<i>picta</i>	Kolenati 1848	PAL	P
	<i>sordida</i>	(McLachlan 1871)	PAL	P
	<i>straminea</i>	Hagen 1873	NEA	P A

	<i>varia</i>	(Fabricius 1793)	PAL	P	A
	<i>vestita</i>	(Walker 1852)	NEA	P	A
	spp.		PAL	P	
<i>Banksiola</i>	<i>calva</i>	Banks 1943	NEA		A
	<i>concatenata</i>	(Walker 1852)	NEA		A
	<i>crotchi</i>	Banks 1944	NEA	P	A
	<i>dossuaria</i>	(Say 1828)	NEA	P	A
	<i>smithi</i>	(Banks 1914)	NEA	P	A
	spp.		NEA	P	
<i>Eubasilissa</i>	<i>regina</i>	(McLachlan 1871)	PAL	P	
<i>Fabria</i>	<i>inornata</i>	(Banks 1907)	NEA		A
<i>Hagenella</i>	<i>apicalis</i>	(Matsumura 1904)	PAL	P	
	<i>canadensis</i>	(Banks 1907)	NEA	P	A
<i>Oligostomis</i>	<i>ocelligera</i>	(Walker 1852)	NEA	P	A
	<i>pardalis</i>	(Walker 1852)	NEA	P	A
	<i>reticulata</i>	(Linnaeus 1761)	PAL	P	
	spp.		NEA		A
<i>Oligotricha</i>	<i>lapponica</i>	(Hagen 1864)	PAL	P	
	<i>striata</i>	(Linnaeus 1758)	PAL	P	A
<i>Colpomera</i>	<i>japonica</i>	McLachlan 1866	PAL	P	
<i>Neophryganea</i>	<i>cinerea</i>	Walker 1852	NEA	P	A
	<i>sayi</i>	Milne 1931	NEA	P	A
	spp.		NEA		A
<i>Phryganea</i>	<i>grandis</i>	Linnaeus 1758	PAL	P	
	<i>rotundata</i>	Ulmer 1905	ORI	P	
<i>Neuronella</i>	<i>angustipennis</i>	(Hagen 1873)	NEA	P	A
<i>Ptilostomis</i>	<i>ocellifera</i>	(Walker 1852)	NEA	P	A
	<i>postica</i>	(Walker 1852)	NEA	P	A
	<i>semifasciata</i>	(Say 1828)	NEA	P	A
	spp.		NEA	P	A
<i>Semblis</i>	<i>melaleuca</i>	(McLachlan 1871)	PAL	P	
	<i>phalaenoides</i>	(Linnaeus 1758)	PAL	P	
<i>Trichostegia</i>	<i>minor</i>	(Curtis 1834)	PAL	P	
	spp.		NEA	P	

## Psychomyioidea

### Dipseudopsidae

#### Dipseudopsinae

<i>Dipseudopsis</i>	spp.		PAL/ORI	P	A
---------------------	------	--	---------	---	---

#### Dipseudopsinae

<i>Hyalopsyche</i>	<i>rivalis</i>	(Betten 1909)	ORI		A
--------------------	----------------	---------------	-----	--	---

<i>Phylocentropus</i>	<i>carolinus</i>	Carpenter 1933	NEA	P	A
	<i>lucidus</i>	(Hagen 1861)	NEA	P	A
	<i>placidus</i>	(Banks 1905)	NEA	P	A
	spp.		NEA	P	A

## Hydropsychidae

### Arctopsychinae

<i>Arctopsyche</i>	<i>grandis</i>	(Banks 1900)	NEA	P	A
	<i>ladogensis</i>	(Kolenati 1859)	NEA	P	A
	spp.		NEA	P	A
<i>Parapsyche</i>	<i>almota</i>	Ross 1938	NEA	P	A
	<i>apicalis</i>	(Banks 1908)	NEA	P	A
	<i>cardis</i>	Ross 1938	NEA	P	A
	<i>elsis</i>	Milne 1936	NEA	P	A
	spp.		NEA		A

### Diplectroninae

<i>Diplectrona</i>	<i>brunnea</i>	(Betten 1909)	ORI	P	A
	<i>felix</i>	McLachlan 1878	PAL	P	
	<i>japonica</i>	(Banks 1906)	PAL	P	A
	<i>marginata</i>	(Betten 1909)	ORI		A
	<i>modesta</i>	Banks 1908	NEA	P	A
	spp.		NEA/ORI	P	
<i>Homoplectra</i>	<i>doringa</i>	(Milne 1936)	NEA	P	A
	<i>monticola</i>	(OS Flint 1965)	NEA	P	
	<i>nigripennis</i>	(Banks 1911)	NEA	P	
	<i>oaklandensis</i>	(Ling 1938)	NEA		A

### Hydropsychinae

<i>Cheumatopsyche</i>	<i>nalis</i>	(Banks 1903)	NEA	P	A
	<i>aphanta</i>	Ross 1938	NEA	P	A
	<i>arizonensis</i>	(Ling 1938)	NEA	P	A
	<i>burksi</i>	Ross 1941	NEA	P	
	<i>campyla</i>	Ross 1938	NEA	P	A
	<i>gracilis</i>	(Banks 1899)	NEA		A
	<i>lasia</i>	Ross 1938	NEA	P	A
	<i>lepida</i>	(Pictet 1834)	PAL	P	
	<i>miniscula</i>	(Banks 1907)	NEA	P	A
	<i>oxa</i>	Ross 1938	NEA		A
	<i>pasella</i>	Ross 1941	NEA		A
	<i>pinaca</i>	Ross 1941	NEA		A
	nr. <i>smithi</i>	Gordon 1974	NEA		A
	<i>sordida</i>	(Hagen 1861)	NEA	P	A
	<i>speciosa</i>	(Banks 1904)	NEA	P	A

	<i>wrighti</i>	Ross 1947	NEA	P	A
	sp. nov. (Female)		NEA	P	
	sp. nov. (Male)		NEA	P	
	spp.		NEA	P	
<i>Hydromanicus</i>	<i>dilatus</i>	Betten 1909	ORI	P	
	<i>luctuosus</i>	Ulmer 1905	ORI	P	A
<i>Hydropsyche</i>	<i>aerata</i>	Ross 1938	NEA	P	A
	<i>alternans</i>	(Walker 1852)	NEA	P	A
	<i>angustipennis</i>	(Curtis 1834)	PAL	P	
	<i>arinale</i>	Ross 1938	NEA	P	
	<i>asiatica</i>	Ulmer 1905	ORI		A
	<i>betteni</i>	Ross 1938	NEA	P	A
	<i>bidens</i>	Ross 1938	NEA		A
	<i>bronta</i>	Ross 1938	NEA	P	A
	<i>bulbifera</i>	McLachlan 1878	PAL	P	
	<i>californica</i>	Banks 1899	NEA		A
	<i>catawba</i>	Ross 1939	NEA	P	
	<i>cheilonis</i>	Ross 1938	NEA		A
	<i>cockerelli</i>	Banks 1905	NEA	P	A
	<i>colonica</i>	McLachlan 1871	AUS	P	
	<i>confusa</i>	(Walker 1852)	NEA	P	
	<i>cornuta</i>	Martynov 1909	NEA	P	
	<i>cuanis</i>	Ross 1938	NEA	P	A
	<i>decalda</i>	Ross 1947	NEA		A
	<i>depravata</i>	Hagen 1861	NEA	P	
	<i>dicantha</i>	Ross 1938	NEA	P	A
	<i>guttata</i>	Pictet 1834	PAL	P	
	<i>hageni</i>	Banks 1905	NEA	P	A
	<i>instabilis</i>	(Curtis 1834)	PAL	P	
	<i>morosa</i>	Hagen 1861	NEA	P	A
	nr. <i>orris</i>		NEA	P	
	<i>occidentalis</i>	Banks 1900	NEA	P	A
	<i>orris</i>	Ross 1938	NEA	P	A
	<i>oslari</i>	Banks 1905	NEA	P	A
	<i>pellucidula</i>	(Curtis 1834)	PAL	P	A
	<i>phalerata</i>	Hagen 1861	NEA	P	A
	<i>placoda</i>	Ross 1941	NEA	P	A
	<i>scalaris</i>	Hagen 1861	NEA	P	A
	<i>simulans</i>	Ross 1938	NEA		A
	<i>slossonae</i>	Banks 1905	NEA		A
	<i>sparna</i>	Ross 1938	NEA	P	A
	<i>tana</i>	Ross 1938	NEA		A
	<i>ventura</i>	Ross 1941	NEA		A

	<i>venularis</i>	Banks 1914	NEA	P
	<i>vexa</i>	Ross 1938	NEA	A
	<i>walkeri</i>	Betten & Mosely 1940	NEA	P A
	spp.		NEA/PAL	P A
<i>Potamyia</i>	<i>flava</i>	(Hagen 1861)	NEA/NEO	P A

## Macronematinae

### Macronematini

<i>Amphipsyche</i>	spp.		PAL/ORI	P A
<i>Blepharopus</i>	<i>diaphanus</i>	Kolenati 1859	NEO	P
<i>Centromacronema</i>	<i>apicale</i>	(Walker 1852)	NEO	P
	<i>auripenne</i>	(Rambur 1842)	NEO	P
<i>Leptonema</i>	<i>agraphum</i>	(Kolenati 1859)	NEO	P
	<i>albovirens</i>	(Walker 1852)	NEO	P
	<i>aspersum</i>	(Ulmer 1907)	NEO	P
	<i>columbianum</i>	Ulmer 1905	NEO	A
	<i>crassum</i>	Ulmer 1905	NEO	P
	<i>intermedium</i>	Mosely 1933	NEO	P
	<i>pallidum</i>	Guerin-Meneville 1844	NEO	P
	<i>rostratum</i>	Flint, McAlpine & Ross 1987	NEO	A
	<i>sparsum</i>	(Ulmer 1905)	NEO	P
	spp.		NEO	A
<i>Macronema</i>	<i>fraternum</i>	Banks 1910	NEO	P
	<i>hageni</i>	Banks 1924	NEO	P
	<i>lineatum</i>	Pictet 1836	NEO	P
	<i>partitum</i>	Navas 1932	NEO	P
	<i>parvum</i>	Ulmer 1905	NEO	P
	<i>percitans</i>	Walker 1860	NEO	P
	<i>picteli</i>	Banks 1915	NEO	P
	<i>radiatum</i>	McLachlan 1872	NEO	P
<i>Macrostemum</i>	<i>carolina</i>	(Banks 1909)	NEA	P A
	<i>fastosum</i>	(Walker 1852)	ORI	P A
	<i>subaequale</i>	(Banks 1920)	NEO	P
	<i>ulmeri</i>	(Banks 1913)	NEO	P
	<i>zebratum</i>	Hagen 1861	NEA	P A
<i>Plectromacronema</i>	<i>comptum</i>	Ulmer 1906	NEO	P
<i>Protomacronema</i>	<i>hyalinum</i>	Ulmer 1904	PAL	P
<b>Polymorphanisini</b>				
<i>Aethaloptera</i>	<i>evanescens</i>	(McLachlan 1880)	PAL	P
	<i>sexpunctata</i>	(Kolenati 1859)	ORI	P A
<i>Polymorphanisus</i>	<i>nigricornis</i>	Walker 1852	ORI	P
<i>Synoestropsis</i>	<i>euryphlebia</i>	Navas 1934	NEO	P
	<i>furcata</i>	Flint 1974	NEO	P

	<i>grisoli</i>	Navas 1924	NEO	P	
	<i>obliqua</i>	Ulmer 1905	NEO	P	
	<i>pedicillata</i>	Ulmer 1905	NEO	P	A
<b>Smicrideinae</b>					
<i>Smicridea</i>	<i>albosignata</i>	Ulmer 1907	NEO	P	
	<i>bidentata</i>	Martynov 1912	NEO	P	
	<i>fasciatella</i>	McLachlan 1871	NEA	P	A
	<i>minuscula</i>	Flint 1973	NEO	P	
	<i>murina</i>	McLachlan 1871	NEO		A
	<i>nigripennis</i>	Banks 1920	NEO	P	
	<i>protera</i>	(Denning 1948)	NEO	P	
	<i>saucia</i>	McLachlan 1871	NEO	P	
	<i>signata</i>	Banks 1903	NEA		A
	<i>titschacki</i>	Flint 1975	NEO	P	A
	<i>unguiculata</i>	Flint 1983	NEO		A
	<i>voluta</i>	Flint 1978	NEO		A
	sp. nov.		NEO	P	
	spp.		NEO	P	A
<i>Rhyacophylax</i>	<i>discalis</i>	Flint 1972	NEO	P	
	<i>murina</i>	McLachlan 1871	NEO	P	
	<i>peruana</i>	(Martynov 1912)	NEO	P	
	<i>scutellaria</i>	Flint 1974	NEO	P	
	<i>ventridenticulata</i>	Flint 1991	NEO	P	
<b>Polycentropodidae</b>					
<i>Cernotina</i>	<i>calcea</i>	Ross 1938	NEA	P	A
	<i>pallida</i>	(Banks 1904)	NEA	P	A
	<i>spicata</i>	Ross 1938	NEA		A
	<i>truncona</i>	Ross 1947	NEA		A
	spp.		NEA	P	A
<i>Cyrnellus</i>	<i>arotron</i>	Flint 1971	NEO		A
	<i>fraternus</i>	(Banks 1905)	NEA/NEO	P	
	<i>mammillatus</i>	Flint 1971	NEO		A
<i>Cyrnus</i>	<i>crenaticornis</i>	(Kolenati 1859)	PAL	P	
	<i>trimaculatus</i>	(Curtis 1834)	PAL	P	
<i>Holocentropus</i>	<i>flavus</i>	Banks 1908	NEA	P	A
	<i>glacialis</i>	Ross 1938	NEA	P	A
	<i>grellus</i>	Milne 1936	NEA		A
	<i>interruptus</i>	Banks 1914	NEA		A
<i>Neureclipsis</i>	<i>bimaculata</i>	(Linnaeus 1758)	NEA/PAL	P	A
	<i>crepuscularis</i>	(Walker 1852)	NEA	P	A
	<i>valida</i>	(Walker 1852)	NEA	P	A

	spp.		NEA	P
<i>Nyctiophylax</i>	<i>neotropicalis</i>	Flint 1971	NEO	A
	<i>uncus</i>	Ross 1944	NEA	A
	<i>vestitus</i>	(Hagen 1861)	NEA	P
	spp.		NEA/NEO	P A
<i>Plectrocnemia</i>	<i>albipuncta</i>	Banks 1930	NEA	A
	<i>aureola</i>	Banks 1930	NEA	P A
	<i>cinerea</i>	(Hagen 1861)	NEA	P A
	nr. <i>cinerea</i>	(Hagen 1861)	NEA	A
	<i>clinei</i>	Milne 1936	NEA	P
	<i>conspersa</i>	(Curtis 1834)	PAL	P
	<i>crassicornis</i>	(Walker 1852)	NEA	P A
	nr. <i>crassicornis</i>	(Walker 1852)	NEA	A
	<i>geniculata</i>	McLachlan 1871	PAL	P
	<i>nascotius</i>	Ross 1941	NEA	A
	<i>remotus</i>	(Banks 1911)	NEA	P A
<i>Polycentropus</i>	<i>arizonensis</i>	Banks 1905	NEA	P A
	<i>casicus</i>	Denning 1966	NEO	P
	<i>carolinensis</i>	Banks 1905	NEA	P A
	<i>centralis</i>	Banks 1914	NEA	P
	<i>clinei</i>	Milne 1936	NEA	A
	<i>colei</i>	Ross 1941	NEA	P
	<i>confusus</i>	Hagen 1861	NEA	P
	<i>elarus</i>	Ross 1944	NEA	A
	<i>flavomaculatus</i>	(Pictet 1834)	PAL	P
	<i>gertschi</i>	Denning 1950	NEA	A
	<i>halidus</i>	Milne 1936	NEA	A
	<i>interruptus</i>	Banks 1914	NEA	P
	<i>maculatus</i>	Banks 1908	NEA	P A
	<i>pentus</i>	Ross 1941	NEA	P A
	<i>pixi</i>	Ross 1944	NEA	A
	<i>zaneta</i>	Denning 1948	NEO	P
	spp.		NEA/NEO	P A
<i>Polyplectropus</i>	<i>banksianus</i>	Flint 1971	NEO	A
	<i>inarmatus</i>	Flint 1971	NEO	A
	spp.		NEO	A

## Psychomyiidae

### Psychomyiinae

<i>Lype</i>	<i>diversa</i>	(Banks 1914)	NEA	P A
	<i>phaeopa</i>	(Stephens 1836)	PAL	P
	<i>reducta</i>	(Hagen 1868)	PAL	P

	spp.		NEA	P	A
<i>Metalype</i>	<i>fragilis</i>	Pictet 1834	PAL	P	
<i>Psychomyia</i>	<i>flavida</i>	Hagen 1861	NEA	P	A
	<i>nomada</i>	(Ross 1938)	NEA	P	A
	<i>pusilla</i>	(Fabricius 1781)	PAL	P	
	spp.		NEA	P	A
<i>Tinodes</i>	<i>dives</i>	(Pictet 1834)	PAL	P	
	<i>pallidulus</i>	McLachlan 1878	PAL	P	
	<i>rostocki</i>	McLachlan 1878	PAL	P	
	<i>unicolor</i>	(Pictet 1934)	PAL	P	
	<i>waeneri</i>	(Linnaeus 1758)	PAL	P	
	<i>zelleri</i>	McLachlan 1878	PAL	P	
	spp.		NEA/NEO		A

## Rhyacophiloidea

### Hydrobiosidae

#### Hydrobiosinae

<i>Atopsyche</i>	<i>chirihuana</i>	Schmid 1989	NEO		A
	<i>longipennis</i>	(Ulmer 1905)	NEO	P	A
	<i>sperryi</i>	Denning 1949	NEA		A
	<i>tripunctata</i>	Banks 1905	NEA	P	A
<i>Hydrobiosis</i>	<i>umbripennis</i>	McLachlan 1868	AUS	P	
	spp.				A
<i>Psilochorema</i>	<i>mimicum</i>	McLachlan 1866	PAL	P	

### Rhyacophilidae

<i>Rhyacophila</i>	<i>albardana</i>	McLachlan 1879	PAL	P	
	<i>angelita</i>	Banks 1911	NEA	P	A
	<i>aurata</i>	Brauer 1857	PAL	P	
	<i>banksi</i>	Ross 1944	NEA	P	
	<i>basalis</i>	Banks 1911	NEA	P	
	<i>bifila</i>	Banks 1914	NEA	P	
	<i>blarina</i>	Ross 1941	NEA	P	
	<i>brunnea</i>	Banks 1911	NEA	P	A
	<i>carolina</i>	Banks 1911	NEA	P	A
	<i>carpenteri</i>	Milne 1936	NEA	P	
	<i>coloradensis</i>	Banks 1904	NEA		A
	<i>coloradensis</i>				
	<i>idahoensis</i>	Peck & Smith 1978	NEA	P	
	<i>dorsalis</i>	(Curtis 1834)	PAL	P	A
	<i>dorsalis persimilis</i>	McLachlan 1879	PAL	P	

<i>fasciata</i>	Hagen 1859	PAL	P
<i>fenestra</i>	Ross 1938	NEA	P A
<i>fuscula</i>	(Walker 1852)	NEA	P A
<i>glaberrima</i>	Ulmer 1907	NEA	P A
<i>grandis</i>	Banks 1911	NEA	P A
<i>hyalinata</i>	Banks 1905	NEA	P A
<i>intermedia</i>	McLachlan 1868	PAL	P
<i>invaria</i>	(Walker 1852)	NEA	P
<i>laevis</i>	Pictet 1834	PAL	P
<i>lobifera</i>	Betten 1934	NEA	P A
<i>mainensis</i>	Banks 1911	NEA	A
<i>manistee</i>	Ross 1938	NEA	P A
<i>minora</i>	Banks 1924	NEA	A
<i>munda</i>	McLachlan 1862	PAL	P
<i>mycta</i>	Ross 1941	NEA	A
<i>narvae</i>	Navás 1926	NEA	P
<i>nigrita</i>	Banks 1907	NEA	P A
<i>nubila</i>	Zetterstedt 1840	PAL	A
<i>obliterata</i>	McLachlan 1863	PAL	P
<i>ophrys</i>	Ross 1948	NEA	A
<i>oreta</i>	Ross 1941	NEA	A
<i>parantra</i>	Ross 1948	NEA	A
<i>pascoei</i>	McLachlan 1879	PAL	P
<i>pellisa</i>	Ross 1938	NEA	P
<i>philopotamoides</i>	McLachlan 1879	PAL	P
<i>praemorsa</i>	McLachlan 1879	PAL	P
<i>pubescens</i>	Pictet 1834	PAL	P
<i>shenandoahensis</i>	Flint 1958	NEA	A
<i>teddyi</i>	Ross 1939	NEA	A
<i>stigmatica</i>	(Kolenati 1859)	PAL	P
<i>torrentium</i>	Pictet 1834	PAL	P
<i>torva</i>	Hagen 1861	NEA	P A
<i>tristis</i>	Pictet 1834	PAL	P
<i>tucula</i>	Ross 1950	NEA	P
<i>valuma</i>	Milne 1936	NEA	A
<i>verrula</i>	Milne 1936	NEA	A
<i>vibox</i>	Milne 1936	NEA	P A
<i>vulgaris</i>	Pictet 1834	PAL	P
sp. nov. ?		NEA	P
spp.		NEA/PAL	P A

## Sericostomatoidea

### Beraeidae

<i>Beraea</i>	<i>maura</i>	(Curtis 1834)	PAL	P
	<i>nigritta</i>	Banks 1897	NEA	P
	<i>pullata</i>	(Curtis 1834)	PAL	P
	spp.		NEA	P

### Helicopsychidae

<i>Cochliopsyche</i>	<i>clara</i>	(Ulmer 1905)	NEO	P	A
	<i>opalescens</i>	(Flint)	NEO		A
<i>Feropsyche</i>	<i>borealis</i>	(Hagen 1861)	NEA	P	A
	<i>limnella</i>	Ross 1938	NEA	P	
	<i>mexicana</i>	Banks 1901	NEA	P	A
	<i>vergelana</i>	Ross 1956	NEO	P	
	spp.		NEA/NEO/AUS	P	A

### Sericostomatidae

<i>Agarodes</i>	<i>crassicornis</i>	(Walker 1852)	NEA		A
	<i>distinctus</i>	(Ulmer 1905)	NEA	P	A
	<i>griseus</i>	(Banks 1899)	NEA	P	A
	<i>tetron</i>	(Ross 1948)	NEA	P	A
	spp.		NEA	P	A
<i>Fattigia</i>	<i>pele</i>	(Ross 1938)	NEA	P	
<i>Notidobia</i>	<i>ciliaris</i>	(Linnaeus 1761)	PAL	P	
<i>Sericostoma</i>	<i>nigricornis</i>	?	PAL	P	
	<i>pallipes</i>	?	PAL	P	
	<i>pedemontanum</i>	McLachlan 1876	PAL	P	
	<i>persontatum</i>	(Kirby & Spence 1826)	PAL	P	
	<i>timidum</i>	Hagen 1864	PAL	P	
	<i>vittatum</i>	Rambur 1842	PAL	P	