

Cornell University Insect Collection

CHLOROPIDAE

Determined Species: 169

Emily Satinsky

Updated: November 19, 2014

Subfamily	Genus	Species	Author	Zoogeography
Chloropinae	<i>Camarota</i>	<i>curvipennis</i>	(Latreille 1805)	PAL
	<i>Centor</i>	<i>myopinus</i>	Meigen 1826	PAL
	<i>Cetema</i>	<i>cereris</i>	(Fallen 1820)	PAL
		spp.		NEA
	<i>Chlorops</i>	<i>certimus</i>	Adams 1904	NEA
		<i>cinerapennis</i>	Adams 1903	NEA
		<i>crocotus</i>	Loew 1863	NEA
		<i>melanocerus</i>	Loew 1863	NEA
		<i>obscuricornis</i>	Loew 1863	NEA
		<i>perflavus</i>	Walker 1849	NEA
		<i>productus</i>	Loew 1863	NEA
		<i>proximus</i>	Say 1830	NEA
		<i>pumilionis</i>	(Bjerkander 1778)	PAL
		<i>rufescens</i>	Coquillett 1910	NEA
		<i>sabulona</i>	Becker 1912	NEA
		<i>sahlbergii</i>	Loew 1863	NEA
		<i>subniger</i>	Coquillett 1910	NEA
		<i>sulphureus</i>	Loew 1863	NEA
		<i>trilineata</i>	Meigen 1830	PAL
		spp.		NEA/NEO/PAL
		<i>Cryptonevra</i>	<i>flavitarsis</i>	(Meigen 1830)
	<i>Diptotoxa</i>	<i>alternata</i>	(Loew 1872)	NEA
		<i>inclinata</i>	Becker 1912	NEA
		<i>messoria</i>	(Fallen 1820)	NEA/PAL
		<i>nigripes</i>	(Coquillett 1910)	NEA
		<i>recurva</i>	(Adams 1903)	NEA
		<i>versicolor</i>	(Loew 1863)	NEA
		spp.		NEA
	<i>Ectecephala</i>	<i>albistylum</i>	Macquart 1951	NEA
		<i>laticornis</i>	Coquillett 1910	NEA
		<i>unicolor</i>	(Loew 1863)	NEA
	<i>Epichlorops</i>	<i>exilis</i>	(Coquillett 1898)	NEA
		<i>puncticollis</i>	(Zetterstedt 1848)	NEA
		<i>scaber</i>	(Coquillett 1898)	NEA
	<i>Homaluroides</i>	<i>abdominalis</i>	(Coquillett 1895)	NEA
		<i>ingratus</i>	(Williston 1893)	NEA
	<i>Lasiosina</i>	<i>canadensis</i>	Aldrich 1918	NEA
	<i>Meromyza</i>	<i>americana</i>	Fitch 1856	NEA
		<i>pratorum</i>	Meigen 1830	PAL
		<i>saltatrix</i>	(Linnaeus 1761)	NEA
		spp.		NEA
	<i>Neodiptotoxa</i>	<i>niricans</i>	(Loew 1872)	NEA
		<i>pulchripes</i>	(Loew 1872)	NEA
	<i>Parectecephala</i>	<i>eucera</i>	(Loew 1863)	NEA

		<i>maculiceps</i>	Becker 1912	NEA
		<i>maculosa</i>	(Loew 1872)	NEA
		<i>sanguinolenta</i>	(Loew 1863)	NEA
	<i>Platycephala</i>	<i>planifrons</i>	(Fabricius 1798)	PAL
	<i>Pseudopachychaeta</i>	<i>approximatonervis</i>	(Zetterstedt 1898)	NEA
	<i>Thaumatomyia</i>	<i>annulata</i>	(Walker 1849)	NEA
		<i>approprinqu</i>	(Adams 1903)	NEA
		<i>bistriata</i>	(Walker 1849)	NEA
		<i>glabra</i>	(Meigen 1830)	NEA
		<i>grata</i>	(Loew 1863)	NEA
		<i>obtusa</i>	(Malloch 1914)	NEA
		<i>parviceps</i>	(Malloch 1915)	NEA
		<i>pulla</i>	(Adams 1904)	NEA
		<i>pullipes</i>	(Coquillett 1898)	NEA
		<i>rubida</i>	(Coquillett 1898)	NEA
		spp.		NEA
	<i>Trichieurina</i>	<i>pubescens</i>	(Meigen 1830)	PAL
Oscinellinae	<i>Apallates</i>	<i>convexus</i>	(Loew 1866)	NEO
		<i>coxendix</i>	(Fitch 1856)	NEA
		<i>dissidens</i>	(Tucker 1908)	NEA
		<i>forbesi</i>	Curran 1931	NEO
		<i>hermsi</i>	(Sabrosky 1941)	NEA
		<i>microcentrus</i>	(Coquillett 1904)	NEA
		<i>montanus</i>	(Sabrosky 1941)	NEA
		<i>neocoxendix</i>	(Sabrosky 1940)	NEA
		<i>ochripes</i>	(Sabrosky 1940)	NEA
		<i>particeps</i>	(Becker 1912)	NEA
		spp.		NEA
	<i>Aphanotrigonum</i>	<i>scabrum</i>	(Aldrich 1918)	NEA
	<i>Biorbitella</i>	<i>frontoorbitalis</i>	(Sabrosky 1940)	NEA
		<i>hesperia</i>	(Sabrosky 1940)	NEA
	<i>Calamoncosis</i>	<i>carncrossi</i>	Nartshuk 2011	NEA
	<i>Ceratobarys</i>	<i>eulophus</i>	(Loew 1872)	NEA
	<i>Chaetochlorops</i>	<i>inquilinus</i>	(Coquillett 1898)	NEA
	<i>Conioscinella</i>	<i>flavescens</i>	(Tucker 1908)	NEA
		<i>gallarum</i>	(Duda 1933)	PAL
		<i>griscens</i>	(Sabrosky 1940)	NEA
		<i>pumilio</i>	(Becker 1916)	ORI
		<i>triorbiculata</i>	(Sabrosky 1940)	NEA
		<i>zetterstedti</i>	Andersson 1966	NEA
		spp.		NEA
	<i>Dasyopa</i>	<i>triangulata</i>	(Becker 1912)	NEA
	<i>Discogastrella</i>	<i>gruenbergi</i>	Enderlein 1911	NEO
	<i>Elachiptera</i>	<i>angustifrons</i>	Sabrosky 1948	NEA
		<i>brevipennis</i>	(Meigen 1830)	PAL

	<i>cornuta</i>	(Fallen 1820)	PAL
	<i>costata</i>	(Loew 1863)	NEA
	<i>decipiens</i>	(Loew 1863)	NEA
	<i>erythropleura</i>	Sabrosky 1948	NEA
	<i>flaviceps</i>	Sabrosky 1948	NEA
	<i>flavida</i>	Williston 1896	NEO
	<i>formosa</i>	(Loew 1863)	NEA
	<i>longiventris</i>	(Johannsen 1925)	NEA
	<i>nigriceps</i>	(Loew 1863)	NEA
	<i>pechumani</i>	Sabrosky 1948	NEA
	<i>penita</i>	(Adams 1908)	NEA
	<i>pubescens</i>	(Thalhammer 1898)	PAL
	<i>sacculicornis</i>	(Enderlein 1911)	NEO
	<i>tuberculifera</i>	(Corti 1909)	ORI
	<i>vittata</i>	Sabrosky 1948	NEA
	<i>willistoni</i>	Sabrosky 1948	NEA
	spp.		NEA
<i>Eribolus</i>	<i>longulus</i>	(Loew 1863)	NEA
	<i>nana</i>	(Zetterstedt 1838)	NEA
<i>Fiebrigella</i>	<i>catalpae</i>	(Malloch 1913)	NEA
<i>Gaurax</i>	<i>dorsalis</i>	(Loew 1863)	NEA
	<i>pallidipes</i>	Malloch 1915	NEA
	<i>shannoni</i>	Sabrosky 1951	NEA
<i>Hippelates</i>	<i>nobilis</i>	Loew 1863	NEA/NEO
	<i>plebejus</i>	Loew 1863	NEA
	<i>turneri</i>	Kumm 1936	NEO
	spp.		NEA/NEO
<i>Incertella</i>	<i>albipalpis</i>	(Meigen 1830)	PAL
	<i>dorsata</i>	(Loew 1872)	NEA
	<i>incerta</i>	(Becker 1912)	NEA
	<i>infesta</i>	(Becker 1912)	NEA
	<i>minor</i>	(Adams 1905)	NEA
	<i>ovalis</i>	(Adams 1905)	NEA
	<i>zuercheri</i>	(Duda 1933)	ORI
<i>Lasipleura</i>	<i>barberi</i>	Sabrosky 1951	NEA
	<i>itascae</i>	Sabrosky 1951	NEA
<i>Liohippelates</i>	<i>apicatus</i>	(Malloch 1913)	NEO
	<i>australis</i>	Sabrosky 1955	NEO
	<i>bicolor</i>	(Coquillett 1898)	NEA
	<i>bishoppi</i>	(Sabrosky 1941)	NEA
	<i>currani</i>	(Aldrich 1931)	NEO
	<i>flaviceps</i>	(Loew 1863)	NEO
	<i>pallipes</i>	(Loew 1863)	NEA/NEO
	<i>peruanus</i>	(Becker 1912)	NEA/NEO
	<i>pusio</i>	(Loew 1872)	NEA/NEO

	<i>robertsoni</i>	(Sabrosky 1941)	NEA
	spp.		NEA
<i>Lioscinella</i>	<i>nigrirostra</i>	(Adams 1904)	NEO
<i>Lipara</i>	<i>lucens</i>	Meigen 1830	PAL
	<i>rufitarsis</i>	Loew 1858	PAL
<i>Malloewia</i>	<i>abdominalis</i>	(Becker 1912)	NEA
	<i>aequa</i>	(Becker 1912)	NEA
	<i>diabolus</i>	(Becker 1912)	NEA
	<i>neglecta</i>	(Becker 1912)	NEA
	<i>nigripalpis</i>	(Malloch 1913)	NEA
	<i>setulosa</i>	(Malloch 1918)	NEA
<i>Melanochaeta</i>	<i>eunota</i>	(Loew 1872)	NEA
<i>Monochaetoscinella</i>	<i>anonyma</i>	(Williston 1896)	NEO
	<i>longicornis</i>	[Loew]	NEA
	<i>nigricornis</i>	(Loew 1863)	NEA
<i>Neoscinella</i>	<i>gigas</i>	(Sabrosky 1940)	NEA
<i>Olcella</i>	<i>cinerea</i>	(Loew 1863)	NEA
	<i>difficilis</i>	(Becker 1912)	NEA
	<i>parva</i>	(Adams 1904)	NEA
	<i>provocans</i>	(Becker 1912)	NEA
	<i>quadrivittata</i>	(Sabrosky 1935)	NEA
	<i>trigramma</i>	(Loew 1863)	NEA
	spp.		NEA
<i>Oscinella</i>	<i>frit</i>	(Linnaeus 1758)	NEA/NEO/PAL
	<i>nitidissima</i>	(Meigen 1838)	NEA
	<i>pusilla</i>	(Meigen 1830)	ETH
	<i>tripunctata</i>	(Curran 1926)	NEO
	spp.		NEA
<i>Oscinis</i>	<i>fur</i>	Williston 1896	NEO
	<i>incipiens</i>	Williston 1896	NEO
	spp.		NEO
<i>Oscinisoma</i>	<i>aliena</i>	(Becker 1912)	NEA
<i>Oscinoides</i>	<i>arpidia</i>	Malloch 1916	NEA
<i>Phyladelphus</i>	<i>thalthammeri</i>	Becker 1910	PAL
<i>Rhopalopterum</i>	<i>anthracina</i>	(Meigen 1830)	NEA
	<i>atricpes</i>	(Loew 1863)	NEA
	<i>carbonaria</i>	(Loew 1869)	NEA
	<i>luteiceps</i>	(Sabrosky 1940)	NEA
	<i>nudiuscula</i>	(Loew 1863)	NEA
	<i>painteri</i>	(Sabrosky 1940)	NEA
	<i>soror</i>	(Macquart 1851)	NEA
	<i>umbrosa</i>	(Loew 1863)	NEA
	spp.		NEA
<i>Siphonella</i>	<i>oscinina</i>	(Fallen 1830)	NEA
<i>Stenoscinis</i>	<i>longipes</i>	(Loew 1863)	PAL

<i>Tricimba</i>	<i>brunnicollis</i>	(Becker 1912)	NEA
	<i>cincta</i>	(Meigen 1830)	NEA
	<i>melancholica</i>	(Becker 1912)	NEA
	<i>trisulcata</i>	(Adams 1905)	NEA
	spp.		NEA