Cornell University Insect Collection

Fanniidae
Muscidae

Aubree M. Keurajian

Determined Species: Fanniidae: 24
Muscidae: 192

Updated: December 2013

FANNIIDAE

Subfamily	Tribe	Genus	Species	Author	Zoogeography
		Fannia	*americana*	Malloch, 1927	NEA
			benjamini	Malloch, 1913	NEA
			brevicauda	Chillcott, 1961	NEA
			brevipalpis	Chillcott, 1961	NEA
			canicularis	(Linneaus, 1761)	PAL
			canicularis	(Linneaus, 1761)	NEA
			corvina	(Verrall, 1892)	NEA
			difficilis	(Stein, 1895)	NEA
			femoralis	(Stein, 1898)	NEA
			flavibasis	(Stein, 1898)	NEA
			fuscula	(Fallen, 1825)	NEA
			fuscula	(Fallen, 1825)	PAL
			immaculata	Malloch, 1924	NEA
			incisurata	(Zetterstedt, 1838)	NEA
			incisurata	(Zetterstedt, 1838)	PAL
			lepida	(Wiedemann, 1817)	NEA
			manicata	(Meigen, 1826)	NEA
			manicata	(Meigen, 1826)	PAL
			meridionalis	Chillcott, 1961	NEA
			morosa	(Wulp, 1876)	NEA
			ochrogaster	(Thomson, 1869)	NEA
			pallitibia	Rondani, 1866	NEA
			pusio	(Wiedemann, 1830)	NEA
			scalaris	(Fabricius, 1794)	NEA
			serena	(Fallen, 1825)	NEA
			sociella	(Zetterstedt, 1845)	NEA
			sociella	(Zetterstedt, 1845)	PAL
			subpellucens	(Zetterstedt, 1845)	NEA
			spp.		NEA
		Piezura	*gramminicola*	Zetterstedt, 1846	NEA

MUSCIDAE

Subfamily	Tribe	Genus	Species	Author	Zoogeography
Azeliinae	Reinwardtiini	*Muscina*	*levida*	(Harris, 1788)	NEA
			pascuorum	(Meigen, 1826)	NEA
			pascuorum	(Meigen, 1826)	PAL
			prolapse	(Harris, 1780)	NEA
			prolapse	(Harris, 1780)	PAL
			stabulans	(Fallen, 1817)	NEA
		Synthesiomyia	*nudiseta*	(Wulp, 1883)	NEA
			nudiseta	(Wulp, 1883)	NEO
Coenosiinae	Coenosiini	*Bithoracochaeta*	*leucoprocta*	(Wiedemann, 1830)	NEA
		Caricea	*alma*	(Meigen, 1826)	NEA

		erythrocera	Robineau-Desvoidy, 1830	NEA
		verna	(Fabricius, 1794)	NEA
	Coenosia	*albibasis*	Stein, 1920	NEA
		argentata	Coquillett, 1904	NEA
		atrata	Walker, 1853	NEA
		attenuate	Stein, 1903	NEA
		bonita	Huckett, 1934	NEA
		compressa	Stein, 1904	NEA
		effulgens	Huckett, 1934	NEA
		errans	Malloch, 1920	NEA
		flavifrons	Stein, 1898	NEA
		flavipes	(Stein, 1908)	NEA
		fuscifrons	Malloch, 1919	NEA
		humilis	Meigen, 1926	NEA
		imperator	(Walker, 1849)	NEA
		incisurata	Wulp, 1869	NEA
		intacta	Walker, 1853	NEA
		lata	Walker, 1853	NEA
		modesta	Loew, 1872	NEA
		mollicula	(Fallen, 1825)	NEA
		nigritarsis	(Stein, 1898)	NEA
		nivea	Malloch, 1920	NEA
		nudiseta	Stein, 1898	NEA
		pallipes	Stein, 1898	NEA
		rufitibia	Stein, 1920	NEA
		tigrina	(Fabricius, 1775)	NEA
		transiens	Stein, 1901	NEA
		spp.		NEA
	Limnospila	*albifrons*	(Zetterstedt, 1859)	NEA
	Macrorchis	*ausoba*	(Walker, 1849)	NEA
		majuscule	(Coquillett, 1904)	NEA
	Neodexiopsis	*calopyga*	Loew, 1872	NEA
		major	(Malloch, 1920)	NEA
		ovate	Stein, 1898	NEA
		pectoralis	(Huckett 1934)	NEA
		spp.		NEO
	Pachyceramyia	*cordyluroides*	(Stein, 1898)	NEA
	Pentacricia	*aldrichii*	Stein, 1898	NEA
	Schoenomyza	*chrysostoma*	Loew, 1870	NEA
		dorsalis	Loew, 1872	NEA
		lispina	(Thomson) 1869	NEA
		litorella	(Fallen) 1823	NEA
		spp.		NEA
Limnophorini	*Gymnodia*	*arcuata*	(Stein, 1898)	NEO
		arcuata	(Stein, 1898)	NEA
		cilifera	(Malloch, 1920)	NEO
		cilifera	(Malloch, 1920)	NEA
		debilis	(Williston, 1896)	NEA

			spp.		NEO
		Limnophora	*discreta*	Stein, 1898	NEA
			narona	(Walker, 1849)	NEO
			narona	(Walker, 1849)	NEA
			spp.		NEA
		Lispe	*albitarsis*	(Stein, 1898)	NEA
			antennata	Aldrich, 1913	NEA
			johnsoni	(Aldrich, 1913)	NEA
			nasoni	(Stein, 1898)	NEA
			palposa	(Walker, 1849)	NEA
			salina	(Aldrich, 1913)	NEA
			sociabilis	Loew, 1862	NEA
			sordida	(Aldrich, 1913)	NEA
			tentaculata	(DeGeer, 1776)	NEA
			uliginosa	(Fallen, 1852)	NEA
			spp.		NEA
		Lispoides	*aequifrons*	(Stein, 1898)	NEA
		Spilogona	*contractifrons*	(Zetterstedt, 1838)	NEA
			gibsoni	(Malloch, 1920)	NEA
			limnophorina	(Stein, 1898)	NEA
			magnipunctata	(Malloch, 1919)	NEA
			narina	(Walker, 1849)	NEA
			nigriventris	(Zetterstedt, 1845)	NEA
			pseudodispar	(Frey, 1915)	NEA
			surda	(Zetterstedt, 1845)	NEA
			suspecta	(Malloch, 1920)	NEA
			torreyae	(Johannsen, 1916)	NEA
			spp.		NEA
		Tetramerinx	*unica*	(Stein, 1898)	NEA
Cyrtoneurininae		*Philornis*	*fasciventris*	(Wulp, 1896)	NEO
	Azeliini	*Azelia*	*cilipes*	(Halliday, 1838)	NEA
			spp.		NEA
		Drymeia	*alpicola*	(Rondani, 1871)	NEA
			flavinervis	(Malloch, 1915)	NEA
		Hydrotaea	*aenescens*	(Wiedemann, 1830)	NEA
			armipes	(Fallen, 1825)	NEA
			houghi	Malloch, 1916	NEA
			ignava	Harris, 1780	NEA
			ignava	Harris, 1780	AUS
			irritans	(Fallen, 1823)	PAL
			meteorica	(Linneaus, 1758)	NEA
			meteorica	(Linneaus, 1758)	PAL
			militaris	(Meigen, 1826)	NEA
			palaestrica	(Meigen, 1826)	NEA
			scambus	(Zetterstedt, 1838)	NEA
			tuberculata	(Rondani, 1866)	NEA
			unispinosa	Stein, 1898	NEA
		Potamia	*littoralis*	Robineau-Desvoidy, 1830	NEA

		scabra	(Giglio-tos, 1893)	NEA
	Thricops	*diaphnus*	(Wiedemann, 1817)	PAL
		diaphnus	(Wiedemann, 1817)	NEA
		furcatus	(Stein, 1916)	NEA
		hirtulus	(Zetterstedt, 1838)	NEA
		hirtulus	(Zetterstedt, 1838)	PAL
		innocuous	(Zetterstedt, 1838)	NEA
		rufisquamus	(Schnabl, 1915)	NEA
		septentrionalis	(Stein, 1898)	NEA
		spiniger	(Stein, 1904)	NEA
		tarsalis	(Walker, 1853)	NEA
Muscini	*Eudasyphora*	*cyanicolor*	(Zetterstedt, 1845)	NEA
	Mesembrina	*latreillii*	Robineau-Desvoidy, 1830	NEA
		meridiana	(Linneaus, 1758)	PAL
		mystacea	(Linneaus, 1758)	PAL
		spp.		NEA
	Morellia	*basalis*	(Walker, 1853)	PAL
		bipuncta	Wiedemann nmn, 1830	PAL
		hortensia	(Wiedemann, 1824)	ORI
		hortorum	(Fallen, 1817)	PAL
		micans	(Macquart, 1855)	NEA
		ochricornis	(Wiedemann, 1830)	NEO
		podagrica	(Loew, 1857)	NEA
		podagrica	(Loew, 1857)	PAL
		sarcophagina	Wulp, 1896	NEO
		simplex	(Loew, 1857)	PAL
		violacea	(Robineau-Desvoidy, 1830)	NEO
		spp.		NEO
	Musca	*autumnalis*	DeGeer, 1776	NEA
		autumnalis	DeGeer, 1776	ETH
		autumnalis	DeGeer, 1776	PAL
		domestica	Linneaus, 1758	NEA
		domestica	Linneaus, 1758	ETH
		domestica	Linneaus, 1758	PAL
		domestica	Linneaus, 1758	NEO
		vetustissima	Walker, 1849	PAL
		spp.		ORI
		spp.		NEO
		spp.		NEA
		sp. near *interrupta*		AUS
	Neomyia	*coerulea*	(Wiedemann, 1819)	PAL
		cornicina	(Fabricius, 1781)	NEA
		cornicina	(Fabricius, 1781)	PAL
	Pyrellia	*cadaverina*	(Linneaus, 1758)	PAL
		spp.		NEO
		spp.		ETH
Stomoxyini	*Haematobia*	*irritans*	(Linneaus, 1758)	NEA
		irritans	(Linneaus, 1758)	PAL

			minuta	(Bezzi, 1872)	ETH
		Haematobosca	*alcis*	(Snow, 1891)	NEA
		Stomoxys	*calcitrans*	(Linneaus, 1758)	NEA
			calcitrans	(Linneaus, 1758)	NEO
			nigra	Macquart, 1851	ETH
			spp.		NEA
Mydaeinae		*Graphomya*	*maculata*	(Scopoli, 1763)	NEA
			minuta	Arntfield, 1975	NEA
			occidentalis	Arntfield, 1975	NEA
			transitionalis	Arntfield, 1975	NEA
		Hebecnema	*fulva*	(Bigot, 1885)	NEA
			nigra	Robineau-Desvoidy, 1830	NEA
			umbratica	(Meigen, 1826)	NEA
			vespertina	(Fallen, 1823)	NEA
			spp.		NEA
		Mydaea	*affinis*	Meade, 1891	NEA
			ancilla	(Meigen, 1826)	NEA
			detrita	(Zetterstedt, 1845)	NEA
			flavicornis	Coquillett, 1902	NEA
			furtiva	Stein, 1920	NEA
			fuscomarginata	(Malloch, 1919)	NEA
			narona	Snyder, 1949	NEA
			neglecta	Malloch, 1920	NEA
			nubila	Stein, 1916	NEA
			occidentalis	Malloch, 1920	NEA
			otiosa	Stein, 1920	NEA
			urbana	(Meigen, 1826)	NEA
			winnesmana	Malloch, 1919	NEA
		Myospila	*cyanea*	(Macquart, 1843)	NEO
			meditabunda	(Fabricius, 1781)	NEO
			meditabunda	(Fabricius, 1781)	NEA
Phaoniinae	Atherigonini	*Atherigona*	*ORIis*	Schiner, 1868	NEA
	Phaoniini	*Helina*	*bicolorata*	(Malloch and Lovett, 1919)	NEA
			consimilata	Malloch, 1920	NEA
			cothurnata	(Rondani, 1866)	NEA
			erecta	Harris	PAL
			erecta	Harris	NEA
			flavisquama	(Zetterstedt, 1849)	NEA
			johnsoni	Malloch, 1920	NEA
			laxifrons	(Zetterstedt, 1860)	NEA
			obscurata	(Meigen, 1836)	NEA
			pectinata	(Johannsen, 1916)	NEA
			procedens	(Walker, 1861)	NEA
			reversion	(Harris, 1780)	NEA
			rufitibia	(Stein, 1898)	NEA
			sexmaculata	(Preyssler, 1791)	NEA
			steini	Pont, 1988	NEA
			subvittata	(Seguy, 1923)	NEA

		troene	(Walker, 1849)	NEA
		spp.		NEA
	Lophosceles	*cinereiventris*	(Zetterstedt, 1845)	NEA
	Phaonia	*apicata*	Johannsen, 1916	NEA
		apicata solitaria	Stein, 1920	NEA
		atlanis	Malloch, 1923	NEA
		bysia	(Walker, 1849)	NEA
		caerulscens	(Stein, 1898)	NEA
		californiensis	(Malloch, 1923)	NEA
		curvipes	(Stein, 1920)	NEA
		deleta	(Stein, 1898)	NEA
		diruta	(Stein, 1898)	NEA
		errans	(Meigen, 1826)	NEA
		flava	Stein, 1920	NEA
		flavitibia	(Johannsen, 1916)	NEA
		fuscana	Huckett, 1965	NEA
		fuscicauda	Malloch, 1918	NEA
		houghii	(Stein, 1898)	NEA
		hybrid	(Schnabl, 1888)	NEA
		laticornis	Malloch, 1923	NEA
		nigricans	Johannsen, 1916	NEA
		pallidula	Coquillett, 1902	NEA
		parviceps	Malloch, 1918	NEA
		prisca	Stein, 1920	NEA
		proxima	(Wulp, 1869)	NEA
		rufibasis	Malloch, 1919	NEA
		serva	(Meigen, 1826)	NEA
		soccata	(Walker, 1849)	NEA
		tipulivora	Malloch, 1923	NEA
		winnemanae	Malloch, 1919	NEA
		spp.		NEA
Incerta sedis	*Sarcopromusca*	spp.		NEO