

**Cornell University Insect Collection**

**SARCOPHAGIDAE**

Determined Species: 215

Emily Satinsky

Updated: August 13, 2014

Subfamily	Tribe	Genus	Species	Author	Zoogeography	
Miltogramminae	Miltogrammini	<i>Amobia</i>	<i>aurifrons</i>	(Townsend 1891)	NEA	
			<i>distorta</i>	(Allen 1926)	NEA	
			<i>erythrura</i>	(Wulp 1890)	NEA	
			<i>floridensis</i>	(Townsend 1892)	NEA	
			<i>oculata</i>	(Zetterstedt 1844)	NEA	
				spp.		NEA
			<i>Euaraba</i>	<i>tergata</i>	(Coquillett 1895)	NEA
			<i>Eumacronychia</i>	<i>agnella</i>	(Reinhard 1939)	NEA
		<i>montana</i>		Allen 1926	NEA	
		spp.			NEA	
			<i>Gymnoprosope</i>	<i>argentifrons</i>	Townsend 1892	NEA
		<i>filipalpus</i>		Allen 1926	NEA	
		<i>milanoensis</i>		Reinhard 1945	NEA	
			<i>Hilarella</i>	<i>hilarella</i>	Zetterstedt 1844	NEA
			<i>Macronychia</i>	<i>aurata</i>	(Coquillett 1902)	NEA
		<i>confundens</i>		(Townsend 1915)	NEA	
		<i>townsendi</i>		(Smith 1916)	NEA	
			<i>Metopia</i>	<i>argyrocephala</i>	(Meigen 1824)	NEA
		<i>campestris</i>		(Fallen 1810)	NEA/PAL	
		<i>lateralis</i>		(Macquart 1848)	NEA	
		<i>perpendicularis</i>		Wulp 1890	NEA	
		<i>sinipalpis</i>		Allen 1926	NEA	
				spp.		NEA
			<i>Oebalia</i>	<i>aristalis</i>	(Coquillett 1897)	NEA
			<i>Opsidia</i>	<i>gonioides</i>	Coquillett 1895	NEA
			<i>Phrosinella</i>	<i>aldrichi</i>	Allen 1926	NEA
		<i>aurifacies</i>		Downes 1985	NEA	
		<i>fulvicornis</i>		(Coquillett 1895)	NEA	
		<i>flavicornis</i>		(Townsend 1891)	NEA	
			<i>Senotainia</i>	<i>inyoensis</i>	Reinhard 1955	NEA
		<i>litoralis</i>		Allen 1924	NEA	
		<i>nana</i>		Coquillett 1897	NEA	
		<i>opiparis</i>		Reinhard 1955	NEA	
		<i>rubriventris</i>		Macquart 1846	NEA	
		<i>trilineata</i>		(Wulp 1890)	NEA	
		<i>vigilans</i>		Allen 1924	NEA	
		spp.			NEA/NEO	
			<i>Sphenometopa</i>	<i>tergata</i>	(Coquillett 1895)	NEA
			<i>Taxigramma</i>	<i>heteroneura</i>	(Meigen 1830)	NEA
		<i>hilarella</i>		(Zetterstedt 1844)	NEA	
		Miltogrammini	spp.	NEA		
Paramacronychiinae	Paramacronychiini	<i>Agria</i>	<i>housei</i>	Shewell 1971	NEA	

		<i>Brachicoma</i>	<i>devia</i>	(Fallen 1820)	NEA
			<i>sarcophagina</i>	(Townsend 1891)	NEA
		<i>Erythrandra</i>	<i>picipes</i>	Brauer & Bergenstamm 1891	NEA
		<i>Sarcophila</i>	<i>latifrons</i>	(Fallen 1817)	PAL
		<i>Wohlfahrtia</i>	<i>bella</i>	(Macquart 1839)	PAL
			<i>magnifica</i>	(Schiner 1861)	PAL
			<i>vigil</i>	(Walker 1849)	NEA
Sarcophaginae	Boettcheriini	<i>Boettcheria</i>	<i>bisetosa</i>	Parker 1914	NEA
			<i>cimbicis</i>	(Townsend 1892)	NEA
			<i>latisterna</i>	Parker 1914	NEA
			<i>litorosa</i>	(Reinhard 1947)	NEA
			spp.		NEA
	Comasarcophagini	<i>Comasarcophaga</i>	<i>nexilis</i>	(Reinhard 1945)	NEA
			<i>texana</i>	Hall 1931	NEA
		<i>Mecynocorpus</i>	<i>salvum</i>	(Aldrich 1916)	NEA
	Cuculomyiini	<i>Udamopyga</i>	<i>percita</i>	(Lopes 1938)	NEO
			<i>setigena</i>	(Enderlein 1928)	NEO
	Johnsoniini	<i>Camptops</i>	<i>unicolor</i>	Aldrich 1916	NEA
		<i>Lepidodexia</i>	<i>borealis</i>	(Reinhard 1937)	NEA
			<i>elegans</i>	(Coquillett 1895)	NEA
			<i>hirculus</i>	(Coquillett 1910)	NEA
			<i>rufitibia</i>	(Wulp 1895)	NEA/NEO
			<i>sarcophagina</i>	(Townsend 1927)	NEO
			<i>sheldoni</i>	(Coquillett 1898)	NEA
			<i>strigosa</i>	(Reinhard 1945)	NEA
			<i>virgata</i>	(Wiedemann 1830)	NEO
			spp.		NEA
		<i>Rafaelia</i>	<i>rufiventris</i>	Townsend 1917	NEA
			<i>texana</i>	(Aldrich 1916)	NEA
		<i>Tripanurga</i>	<i>albicans</i>	(Wiedemann 1830)	NEO
			<i>importuna</i>	(Walker 1849)	NEA
			<i>sulculata</i>	(Aldrich 1916)	NEA
	Microcerellini	<i>Microcerella</i>	<i>hypopygialis</i>	(Townsend 1915)	NEA
			<i>scrofa</i>	(Aldrich 1916)	NEA
			<i>texana</i>	(Townsend 1919)	NEA
	Protodexiini	<i>Blaesoxipha</i>	<i>aculeata</i>	(Aldrich 1916)	NEA
			<i>alcedo</i>	(Aldrich 1916)	NEA
			<i>amblycoryphae</i>	(Coquillett 1904)	NEA
			<i>atlanis</i>	(Aldrich 1916)	NEA
			<i>caridei</i>	(Brethes 1906)	NEA
			<i>cessator</i>	(Aldrich 1916)	NEA
			<i>coloradensis</i>	(Aldrich 1916)	NEA

		<i>eleodis</i>	(Aldrich 1916)	NEA
		<i>fletcheri</i>	(Aldrich 1916)	NEA
		<i>hunteri</i>	(Hough 1898)	NEA
		<i>impar</i>	(Aldrich 1916)	NEA
		<i>kellyi</i>	(Aldrich 1914)	NEA
		<i>opifera</i>	(Coquillett 1892)	NEA
		<i>plinthopyga</i>	(Wiedemann 1830)	NEA/NEO
		<i>prohibita</i>	(Aldrich 1916)	NEA
		<i>reversa</i>	(Aldrich 1916)	NEA
		<i>rudis</i>	(Aldrich 1916)	NEA
		<i>setigera</i>	(Aldrich 1916)	NEA
		<i>spatulata</i>	(Aldrich 1916)	NEA
		<i>uncata</i>	(Wulp 1896)	NEA
		spp.		NEA
	<i>Spirobolomyia</i>	<i>basalis</i>	(Walker 1853)	NEA
		<i>flavipalpis</i>	(Aldrich 1916)	NEA
		<i>singularis</i>	(Aldrich 1916)	NEA
		spp.		NEA
Raviniini	<i>Argoravinia</i>	<i>modesta</i>	(Wiedemann 1830)	NEO
	<i>Cistudinomyia</i>	<i>cistudinus</i>	(Aldrich 1916)	NEA
	<i>Dexosarcophaga</i>	<i>transita</i>	Townsend 1917	NEA
	<i>Oxysarcodexia</i>	<i>admixta</i>	Lopes 1933	NEO
		<i>amorosa</i>	(Schiner 1868)	NEO
		<i>angrensis</i>	(Lopes 1933)	NEO
		<i>avuncula</i>	(Lopes 1933)	NEO
		<i>bakeri</i>	(Aldrich 1916)	NEO
		<i>cingarus</i>	(Aldrich 1916)	NEA/NEO
		<i>ochripyga</i>	(Wulp 1896)	NEA
		<i>peltata</i>	(Aldrich 1916)	NEA/NEO
		<i>terminalis</i>	(Wiedemann 1830)	NEO
		<i>thornax</i>	(Walker 1849)	NEO
		<i>trivialis</i>	Wulp 1896	NEO
		<i>varia</i>	(Walker 1836)	NEO/AUS
		<i>ventricosa</i>	(Wulp 1896)	NEO/NEA
		spp.		NEO
	<i>Ravinia</i>	<i>acerba</i>	(Walker 1849)	NEA
		<i>anandra</i>	(Dodge 1956)	NEA
		<i>assidua</i>	(Walker 1853)	NA
		<i>aureopyga</i>	Hall 1928	NEO
		<i>coachellensis</i>	(Hall 1931)	NEA
		<i>derelicta</i>	(Walker 1853)	NEA
		<i>effrenata</i>	(Walker 1861)	NEA
		<i>errabunda</i>	(Wulp 1896)	NEA

		<i>laakei</i>	(Hall 1931)	NEA
		<i>latisetosa</i>	Parker 1914	NEA
		<i>lherminieri</i>	(Robineau-Desvoidy 1830)	NEA/NEO
		<i>pectinata</i>	(Aldrich 1916)	NEA
		<i>pernix</i>	(Harris 1780)	PAL
		<i>planifrons</i>	(Aldrich 1916)	NEA
		<i>pusiola</i>	(Wulp 1896)	NEA/NEO
		<i>querula</i>	(Walker 1849)	NEA
		<i>rufipes</i>	(Townsend 1917)	NEO
		<i>stimulans</i>	(Walker 1849)	NEA
		<i>sueta</i>	(Wulp 1896)	NEO/NEA
		spp.		NEA
Sarcodexiini	<i>Raviniopsis</i>	<i>spinosa</i>	(Hall 1933)	NEO
	<i>Helicobia</i>	<i>morionella</i>	(Aldrich 1930)	NEA/NEO
		<i>rapax</i>	(Walker 1849)	NEA
	<i>Peckia</i>	<i>anguilla</i>	(Curran & Walley 1934)	NEO
		<i>chrysostoma</i>	(Wiedemann 1830)	NEO
		<i>collusor</i>	(Curran & Walley 1934)	NEO
		<i>gulo</i>	(Fabricius 1805)	NEO
		<i>ingens</i>	(Walker 1849)	NEO
		<i>intermutans</i>	(Walker 1861)	NEO
		spp.		NEA
	<i>Sarcodexia</i>	<i>lambens</i>	(Wiedemann 1830)	NEO
		<i>servilis</i>	(Aldrich 1916)	NEA
		<i>welchi</i>	(Hall 1930)	NEA
	<i>Titanogrypa</i>	<i>alata</i>	(Aldrich 1916)	NEA
<i>fimbriata</i>		(Aldrich 1916)	NEO	
<i>larvicida</i>		Lopes 1935	NEO	
<i>melampyga</i>		(Aldrich 1916)	NEA	
<i>pedunculata</i>		(Hall 1931)	NEA	
Sarcophagini	<i>Arachnidomyia</i>	<i>lindae</i>	Lopes 1989	NEO
	<i>Bercaeopsis</i>	<i>beameri</i>	(Dodge 1956)	NEA
		<i>fattigi</i>	(Dodge 1956)	NEA
		<i>helicivora</i>	(Dodge 1956)	NEA
		<i>monticola</i>	(Dodge 1956)	NEA
		<i>ontariensis</i>	(Hall 1932)	NEA
		<i>parallela</i>	(Aldrich 1916)	NEA
		<i>pleomenda</i>	(Reinhard 1953)	NEA
		<i>rabuensis</i>	(Dodge 1956)	NEA
		<i>sabroskyi</i>	(Dodge 1956)	NEA
		<i>seagoi</i>	(Dodge 1956)	NEA
		<i>sima</i>	(Aldrich 1916)	NEA
		<i>sudiai</i>	(Dodge 1956)	NEA

	<i>sutilis</i>	(Reinhard 1952)	NEA
	<i>tetra</i>	(Aldrich 1916)	NEA
<i>Sarcophaga</i>	<i>acrophila</i>	(Dodge 1956)	NEA
	<i>aldrichi</i>	Parker 1916	NEA/NEO
	<i>argyrostoma</i>	(Robineau-Desvoidy 1830)	NEA/NEO/AUS
	<i>arizonica</i>	(Townsend 1919)	NEA
	<i>australis</i>	(Johnston & Tiegs 1921)	NEA/NEO
	<i>bishoppi</i>	Aldrich 1916	NEA
	<i>bullata</i>	Parker 1916	NEA
	<i>caerulescens</i>	Zetterstedt 1838	NEA
	<i>carnaria</i>	(Linnaeus 1758)	PAL
	<i>chrysostoma</i>	Wiedemann 1830	NEO
	<i>cooleyi</i>	Parker 1914	NEA
	<i>crassipalpis</i>	Macquart 1839	NEA
	<i>crispina</i>	Lopes 1938	NEO
	<i>crispula</i>	Lopes 1938	NEO
	<i>culminata</i>	Aldrich 1916	NEO
	<i>dux</i>	Thomson 1869	PAL/AUS
	<i>exuberans</i>	Pandelle 1896	PAL
	<i>footei</i>	Dodge 1964	NEA
	<i>fulvipes</i>	(Walker 1853)	NEA
	<i>haemorrhhoa</i>	Meigen 1826	PAL
	<i>haemorrhoidales</i>	(Fallen 1817)	NEA/PAL/ETH
	<i>harpax</i>	Pandelle 1896	NEA
	<i>houghi</i>	Aldrich 1916	NEA
	<i>idonea</i>	(Aldrich 1916)	NEA
	<i>inaequalis</i>	Austen 1909	ETH
	<i>incisilobata</i>	Pandelle 1896	PAL
	<i>johnsoni</i>	Aldrich 1916	NEA
	<i>kohla</i>	Johnston & Hardy 1923	AUS
	<i>melanura</i>	Meigen 1826	NEA/PAL
	<i>minutissima</i>	Hall 1929	NEA
	<i>misera</i>	Walker 1849	NEO/PAL
	<i>nearctica</i>	Parker 1916	NEA
	<i>occidentalis</i>	Aldrich 1916	NEA
	<i>offecta</i>	Lopes 1938	NEO
	<i>perspicax</i>	Aldrich 1916	NEA
	<i>polistensis</i>	Hall 1933	NEA
	<i>resona</i>	Lopes 1935	NEO
	<i>rohdendorfi</i>	Salem 1936	ETH
	<i>sarraceniae</i>	Riley 1874	NEA
	<i>sarracenioides</i>	Aldrich 1916	NEA
	<i>sericea</i>	(Robineau-Desvoidy 1830)	AUS

		<i>setulosa</i>	(Wulp 1895)	NEA
		<i>sexpunctata</i>	(Fabricius 1805)	NEA
		<i>shermani</i>	Parker 1923	NEA
		<i>sinuata</i>	Meigen 1826	NEA
		<i>triplasia</i>	Wulp 1896	NEA
		<i>utilis</i>	Aldrich 1915	NEA
		<i>vesica</i>	Hall 1933	NEO
		<i>vicina</i>	Macquart 1835	PAL
		<i>xanthosoma</i>	(Aldrich 1916)	NEO
		spp.		NEA/NEO/ETH/ORI/AUS
Sarothromyiini	<i>Nephoaetopteryx</i>	<i>orbitalis</i>	(Curran & Walley 1934)	NEO
	<i>Tricharaea</i>	<i>brevicornis</i>	(Wiedemann 1830)	NEO
		<i>occidua</i>	(Fabricius 1794)	NEA/NEO
		<i>simplex</i>	Aldrich 1916	NEA/NEO